



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2026

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000099179

Submitted Date

23-09-2026

PART A

Company Information

Company Name

Cipla Kurkumbh

Application UAN number

MPCB-CONSENT-0000197148

Address

Kurkumbh MIDC , Tal- Daund , Dist - Pune

Plot no

D-7

Taluka

Daund

Village

Kurkumbh

Capital Investment (In lakhs)

586.97

Scale

large

City

Pune

Pincode

413802

Person Name

Alipasha Saudagar

Designation

Associate Director

Telephone Number

02117230100

Fax Number

Email

alipasha.saudagar@cipla.com

Region

SRO-Pune I

Industry Category

Red

Industry Type

R58 Pharmaceuticals

Last Environmental statement submitted online

yes

Consent Number

Format1.0/CAC/UAN
No.0000197148/CO/2412001137

Consent Issue Date

2024-12-14

Consent Valid Upto

2029-04-30

Establishment Year

1994

Date of last environment statement submitted

Sep 29 2025 12:00:00:000AM

Industry Category Primary (STC Code) & Secondary (STC Code)

Product Information

Product Name

Anti-inflammatory, Anti-Retroviral/Anti-Bacterial, AntiDiabetic, Anti-Psychotic, Cardiac, Bronchodilator, AntiEmitic, Bone resorption Inhibitor, Anti-Parkinsonian, Sedative, Anti-Obesity

Consent Quantity

256.0000

Actual Quantity

90.43

UOM

MT/A

Tablets, Capsules, Soft Gelatin product, & Sachets

51050.000

16489.06

Lac Nos./Annum

By-product Information

By Product Name

NA

Consent Quantity

0

Actual Quantity

0

UOM

MT/A

Part-B (Water & Raw Material Consumption)

1) Water Consumption in m3/day

Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
	130.00	106.60
Cooling	612.00	432.10
Domestic	84.00	53.30
All others	0.00	0.00
Total	826.00	592.00

2) Effluent Generation in CMD / MLD

Particulars	Consent Quantity	Actual Quantity	UOM
Trade Effluent	35.4	148.4	CMD
Domestic Effluent	75.4	29	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
Anti-inflammatory, Anti-Retroviral/Anti-Bacterial, AntiDiabetic, Anti-Psychotic, Cardiac, Bronchodilator, AntiEmitic, Bone resorption Inhibitor, Anti-Parkinsonian, Sedative, Anti-Obesity	160	174	Ton/Ton
Tablets, Capsules, Soft Gelatin product, & Sachets	34	40	Ton/Ton

3) Raw Material Consumption (Consumption of raw material per unit of product)

Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
11000024	0.0001	0.001	Ton/Ton
11000030	0.0010	0.022	Ton/Ton
11000096	0.0001	0.00022	Ton/Ton
11000106	8.0400	16.854	Ton/Ton
11000107	0.0150	0.206	Ton/Ton
11000120	0.0020	0.004	Ton/Ton
11000121	0.0192	0.054	Ton/Ton
11000145	0.2540	0.272	Ton/Ton
11000153	0.0220	0.088	Ton/Ton
11000202	0.5960	0.444	Ton/Ton
11000205	0.0020	0.00035	Ton/Ton
11000239	0.0650	0.0059	Ton/Ton
11000247	0.0180	0.028	Ton/Ton
11000248	0.0140	0.010	Ton/Ton
11000251	0.0140	0.027	Ton/Ton
11000949	0.025	0.138	Ton/Ton
11000963	0.0550	0.375	Ton/Ton
11000963	0.0550	0.375	Ton/Ton

11000999	0.0600	0.137	Ton/Ton
11001002	0.0350	0.031	Ton/Ton
11001017	0.3940	0.487	Ton/Ton
11001019	5.9900	6.540	Ton/Ton
11001025	0.0030	0.034	Ton/Ton
11001046	0.0003	0.00042	Ton/Ton
11001125	16.0030	26.946	Ton/Ton
11001333	0.0160	0.0000011	Ton/Ton
11001336	0.0390	0.002	Ton/Ton
11001376	0.1760	0.053	Ton/Ton
11001435	0.4360	0.040	Ton/Ton
11001527	0.2340	0.434	Ton/Ton
11001539	0.1160	0.082	Ton/Ton
11001546	0.9440	1.095	Ton/Ton
11001594	0.0090	0.050	Ton/Ton
11001644	0.0710	0.176	Ton/Ton
11001654	7.7000	12.513	Ton/Ton
11001809	0.0020	0.009	Ton/Ton
11001984	33.1060	62.013	Ton/Ton
11001986	0.0170	0.113	Ton/Ton
11002002	0.0340	0.188	Ton/Ton
11002026	7.5470	19.112	Ton/Ton
11002125	0.0480	0.065	Ton/Ton
11002139	0.0060	0.010	Ton/Ton
11002417	9.5240	12.511	Ton/Ton
11002432	0.0010	0.001	Ton/Ton
11002440	0.0050	0.027	Ton/Ton
11002442	0.0010	0.037	Ton/Ton
11002484	0.0330	0.077	Ton/Ton
11002486	0.3640	0.219	Ton/Ton
11002497	0.1780	0.013	Ton/Ton
11002628	0.0370	0.165	Ton/Ton
11002639	0.1050	0.259	Ton/Ton
11002643	0.0003	0.006	Ton/Ton
11002645	0.0000120	0.024	Ton/Ton
11002716	0.0880	0.061	Ton/Ton
11002766	0.1770	0.145	Ton/Ton
11002836	0.0010	0.038	Ton/Ton
11002894	0.0380	0.145	Ton/Ton
11002908	0.0010	0.004	Ton/Ton
11003042	0.1720	0.460	Ton/Ton

11003050	0.0030	0.678	Ton/Ton
11003078	0.1790	0.685	Ton/Ton
11003121	0.0190	0.056	Ton/Ton
11003199	3.7520	8.491	Ton/Ton
11003204	0.0270	0.015	Ton/Ton
11003309	0.6930	0.791	Ton/Ton
11003348	1.1510	1.053	Ton/Ton
11003376	9.1250	16.562	Ton/Ton
11003383	0.1630	0.145	Ton/Ton
11003411	0.2500	0.237	Ton/Ton
11003581	0.0004	0.004	Ton/Ton
11003989	0.0010	0.000	Ton/Ton
11004182	0.0060	0.090	Ton/Ton
11004934	5.8960	9.720	Ton/Ton
11006082	0.1840	0.193	Ton/Ton
11007592	0.0560	0.333	Ton/Ton
11008475	0.0370	0.059	Ton/Ton
11009325	0.1380	0.002	Ton/Ton
11009546	0.0030	0.004	Ton/Ton
11009793	0.0650	0.067	Ton/Ton
11010042	0.0020	0.011	Ton/Ton
11010723	0.0190	0.238	Ton/Ton
11010985	1.2100	0.528	Ton/Ton
11011048	0.2640	0.445	Ton/Ton
11011334	0.4240	0.431	Ton/Ton
11011463	0.0090	0.028	Ton/Ton
12000028	0.0050	0.018	Ton/Ton
12000030	0.0540	0.005	Ton/Ton
12000058	0.0160	0.000	Ton/Ton
12000060	0.1630	0.005	Ton/Ton
12000070	0.8600	1.085	Ton/Ton
12000088	0.0020	0.031	Ton/Ton
12000090	0.0001	0.00018	Ton/Ton
12000120	0.0050	0.032	Ton/Ton
12000277	0.0200	0.055	Ton/Ton
12000289	0.0230	0.014	Ton/Ton
12000291	0.0170	0.050	Ton/Ton
12000294	0.0370	0.085	Ton/Ton
12000396	0.1250	0.010	Ton/Ton
12000479	0.0070	0.043	Ton/Ton
12000480	0.0020	0.019	Ton/Ton

12000482	0.0030	0.016	Ton/Ton
12000528	0.0040	0.012	Ton/Ton
12000735	0.4470	1.754	Ton/Ton
12000748	0.2210	1.071	Ton/Ton
12000791	0.1600	0.093	Ton/Ton
12001038	0.0030	0.015	Ton/Ton
12001257	0.0310	0.234	Ton/Ton
12001259	0.0240	0.114	Ton/Ton
12002355	0.0010	0.013	Ton/Ton
12002547	0.0050	0.004	Ton/Ton
12003571	0.0200	0.128	Ton/Ton
12003578	0.0010	0.006	Ton/Ton
12003594	0.0220	0.099	Ton/Ton
12003685	0.0060	0.032	Ton/Ton
12003885	0.0040	0.000	Ton/Ton
12003885	0.0040	0.0000009	Ton/Ton
12004025	0.0110	0.003	Ton/Ton
12004086	0.0110	0.00000044	Ton/Ton
12004225	0.0010	0.004	Ton/Ton
12004395	0.0600	0.035	Ton/Ton
12004425	1.0290	1.331	Ton/Ton
12004755	0.0060	0.000	Ton/Ton
12004929	0.0001	0.003	Ton/Ton
12005594	0.0250	0.133	Ton/Ton
12005754	0.0010	0.007	Ton/Ton
12006228	0.0260	0.122	Ton/Ton
12006229	0.0330	0.217	Ton/Ton
12006304	0.0080	0.037	Ton/Ton
12006304	0.0080	0.037	Ton/Ton
11000121	0.0000	0.054	Ton/Ton
11000145	0.0000	0.271	Ton/Ton
11000153	0.0000	0.088	Ton/Ton
11001023	0.0000	0.015	Ton/Ton
11001119	0.0000	0.020	Ton/Ton
11002126	0.0000	0.057	Ton/Ton
11002145	0.0000	0.036	Ton/Ton
11002628	0.0000	0.165	Ton/Ton
11002874	0.0000	0.027	Ton/Ton
11002894	0.0000	0.145	Ton/Ton
11003394	0.0000	0.053	Ton/Ton
11003414	0.0000	0.020	Ton/Ton

11004652	0.0000	0.048	Ton/Ton
11007658	0.0000	0.019	Ton/Ton
11008243	0.0000	0.015	Ton/Ton
11010073	0.0000	0.187	Ton/Ton
11010782	0.0000	0.011	Ton/Ton
12000489	0.0000	0.061	Ton/Ton
12000491	0.0000	0.016	Ton/Ton
12000500	0.0000	0.017	Ton/Ton
12000562	0.0000	0.019	Ton/Ton
12000823	0.0000	0.011	Ton/Ton
12006016	0.0000	0.018	Ton/Ton
12006564	0.0000	1.169	Ton/Ton
91000267	0.0000	0.014	Ton/Ton
91000273	0.0000	0.027	Ton/Ton

4) Fuel Consumption

Fuel Name	Consent quantity	Actual Quantity	UOM
HSD (DG & Thermopac)	348	114.97	KL/A
LSHS	1643	375.17	MT/A

Part-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

[A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour	Percentage of variation from prescribed standards with reasons		
	Quantity	Concentration	%variation	Standard	Reason
ETP COD (kg/day)	3.2	22	0	250	Within Limit, Our facility having ZLD Plant & treated water utilized in Utilities
ETP BOD (Kg/day)	0.8	6	0	30	Within Limit, Our facility having ZLD Plant & treated water utilized in Utilities
ETP TDS (Kg/day)	27.1	183	0	2100	Within Limit, Our facility having ZLD Plant & treated water utilized in Utilities
STP COD (kg/day)	0.94	32.6	0	100	STP treated water used Gardening
STP BOD (Kg/day)	0.27	9.2	0	30	Within Limit, Our facility having ZLD Plant & treated water utilized in Utilities
STP TSS	0.73	25	0	50	Within Limit, Our facility having ZLD Plant & treated water utilized in Utilities

[B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/NM3)	Percentage of variation from prescribed standards with reasons		
	Quantity	Concentration	%variation	Standard	Reason

Thermopack TPM	0.3	15	50	150	Within limit
DG set TPM	0.39	16.2	46	150	Within limit
LSHS Boiler TPM	5.82	14.89	50	150	Within limit

Part-D

HAZARDOUS WASTES

1) From Process

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	1.21	1.71	MT/A
28.3 Spent carbon	4.95	2.11	MT/A
28.4 Off specification products	1.43	1	MT/A
28.5 Date-expired products	72.15	47.08	MT/A
28.6 Spent organic solvents	3488.34	2772.188	KL/A
33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	2539	1604	Nos./Y

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
35.3 Chemical sludge from waste water treatment	35.55	111.19	MT/A
37.1 Sludge from wet scrubbers	7.04	0.1	MT/A
37.3 Concentration or evaporation residues	183.55	9.02	MT/A

Part-E

SOLID WASTES

1) From Process

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Wooden Scrap, Glass Scrap, Plastic Scrap, Metal Scrap	865.9	743.3298	MT/A

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	0	0	MT/A

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	0	0	MT/A

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
5.1 Used or spent oil	1.71	KL/A	-

28.3 Spent carbon	2.11	MT/A	-
28.4 Off specification products	1.0	MT/A	-
28.5 Date-expired products	47.08	MT/A	-
28.6 Spent organic solvents	2772.188	KL/A	-
33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	1604	Nos./Y	-
35.3 Chemical sludge from waste water treatment	111.19	MT/A	-
37.1 Sludge from wet scrubbers	0.1	MT/A	-
37.3 Concentration or evaporation residues	9.02	MT/A	-

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
0	0	MT/A	-

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
0	0	0	0	0	0	0

Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution. [A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
Reverse Osmosis Plant	Conservation of natural resources through sustainable water management practices.	240

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
MBR (Membrane Bio Reactor)	Remove suspended solids in treated water.	350

Part-I

Any other particulars for improving the quality of the environment.

Particulars

We celebrate World Environment Day. Took awareness sessions and planted total 350 nos. samples

Name & Designation

Dy. Manajer

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000099179

Submitted On:

23-09-2026