

**This card contains select important safety information that you need to know before and during treatment with Adalicip.**

- Always keep this card with you and for 70 days after your last injection of Adalicip.
- Show this card to any doctor or healthcare professional that you see.
- Record information about any tuberculosis tests or treatment you have had in the space provided.

This information card is produced by:

**Cipla Australia Pty Ltd.**  
Level 1/132 - 136 Albert Road,  
South Melbourne VIC 3205

Email: [drugsafety@cipla.com](mailto:drugsafety@cipla.com)  
Phone: 1800-569-074

Date of preparation: October 2023

**Information for you and healthcare professionals involved in your medical care or treatment.**

**Tuberculosis (TB) Tests and Treatment**

Mark this box if you have ever been tested for TB:

YES (Check with your doctor if you do not know)

Mark this box if you have ever had any test that was positive for TB:

YES (Check with your doctor if you do not know)

Mark this box if you have ever taken any medications to treat or prevent TB:

YES (Check with your doctor if you do not know)

Please read the Adalicip consumer medicines information (CMI) for more information. If you have any other questions, talk to your doctor or another healthcare professional.



SCAN THE QR CODE  
to view the CMI online

ADULT

**Patient Reminder Card**

**Adalicip™**

(adalimumab)

**A biosimilar to Humira®1**

Information for you and healthcare professionals involved in your medical care and/or treatment.

Not all possible side effects are listed on this card.

Please read the Adalicip consumer medicines information (CMI) or talk with your doctor for more information about side effects.

Approved by TGA: October 2023. AU-ADA-2300004.  
Version 01/ADA/002/10.23 (AUS)

**Reference:** 1. ADALICIP (Adalimumab) Approved Product Information.

**Please fill out information for you and the healthcare professional involved in your medical care or treatment.**

**Your name:**

---

**Doctor's name** (*who prescribed Adalicip*):

---

**Doctor's phone number:**

---

**Indication:**

---

**Date of your first Adalicip injection:**

---

**Dose of your Adalicip injection:**

---

**Date of your last Adalicip injection** (*if no longer taking Adalicip*):

---

## Introduction

Adalicip is a medicine that is intended to treat certain diseases that affect a part of the immune system. While Adalicip can be effective in treating these diseases, some people can have one or more side effects. It is important to talk to your doctor about the possible benefits and possible side effects of taking Adalicip. These can be different for each person.

- The purpose of this card is to tell you about some of the possible side effects of Adalicip.
- Some of the serious side effects that could occur include infections, cancer, and nervous system problems.
- These are not all of the possible side effects of Adalicip.

## Before Adalicip Treatment

Tell your doctor about any health problems you have and any medicines you take. This will help you and your doctor decide if Adalicip is right for you.

Tell your doctor if you:

- Have an infection or have symptoms of an infection (such as fever, wounds, feeling tired, dental problems).
- Have, or have previously had, tuberculosis or have been in close contact with someone with tuberculosis.
- Have or have had cancer.
- Have any numbness or tingling or have a problem that affects your nervous system, such as multiple sclerosis.

Your doctor should check you for signs and symptoms of tuberculosis before starting Adalicip. You may need to be treated for tuberculosis before you start Adalicip.

## Vaccinations

- You may receive vaccinations except for live vaccines.
- If you receive Adalicip while you are pregnant, it is important that you inform your doctor before your baby receives any vaccine. Your baby should not receive a "live vaccine", such as BCG (used to prevent tuberculosis) within 5 months following your last Adalicip injection during pregnancy.

## During Adalicip Treatment

To make sure that Adalicip is working properly and safely for you, you should check in with your doctor regularly to discuss how you are doing. Tell your doctor right away about any changes in your condition.

## Keep your doctor informed about how Adalicip is working for you

- It is important to call your doctor right away about any unusual symptoms you may have. This will help make sure you get the right care. It will also lower the chance of a side effect becoming worse.
- Many side effects, including infections, can be managed if you tell your doctor right away.
- If you get a side effect, your doctor will decide if you should continue or stop your treatment with Adalicip. It is important to talk with your doctor to find out what is right for you.
- Since side effects can happen after your last dose of Adalicip, tell your doctor about any problems that you may have up to 70 days after your last injection of Adalicip.

## Tell your doctor about:

- Any new medical conditions that you have.
- New medicines you are taking.
- Any surgery or operation that you have planned.
- If you fall pregnant

## Some people taking Adalicip may get serious side effects, including:

### Infections

Adalicip helps people with certain inflammatory diseases. It does this by blocking a part of the immune system. However, this part of the immune system also helps fight infection. This means Adalicip can make you more likely to get infections or make any infection that you may have worse. This includes infections such as colds or more serious infections like tuberculosis.

### Cancer

If you take Adalicip, the risk of getting certain types of cancer may increase.

### Nervous system problems

Some people have developed new or worsening nervous system problems with Adalicip. This includes multiple sclerosis.

Please read the Adalicip consumer medicines information (CMI) for more information. These are not all of the possible side effects that may occur during treatment with Adalicip.

## Call your doctor or get medical care right away if you have any of the following symptoms of these possible serious side effects:



### Infections

Fever, chills, unusual sweating, feeling unwell or more tired than normal, feeling or being sick (such as nausea or vomiting), diarrhoea, stomach pain, loss of appetite or weight loss, cough or coughing up blood or mucus, shortness of breath, problems urinating, skin sores, wounds, muscle aches, dental problems.

### Cancer

Night sweats, swelling of the lymph nodes (swollen glands) in the neck, armpits, groin or other areas, weight loss, new skin lesions or change in skin lesions (such as moles or freckles) you already have, severe itchiness that cannot be explained.

### Nervous system problems

Numbness or tingling, vision changes, muscle weakness, unexplained dizziness.

Tell your doctor about any unusual symptoms that you may have during treatment with Adalicip. These are not all of the possible symptoms of these side effects.

**Adalicip™**  
(adalimumab)