

Ref. No-CIPLA/EHS-ENV/KKB-II/12/2022

30.11.2022

**Deputy Director General of Forests (Central),
West Central Zone,
Regional Office,
New Secretariate Building,
Opp. VCA Ground,
Civil Lines,
Nagpur-440 001.**

Subject: Half Yearly Environment Clearance Compliance Report

Ref. No: Environment clearance No. J-11011/368/2006-IAII (I) dated 31st July 2007.

Respected Sir,

With reference to above subject, we are hereby submitting the six-monthly Environment clearance compliance report for the period of June-2022 to Nov -2022.

- 1.Point wise compliance to Environment clearance No. J-11011/368/2006-IAII (I) dated 31st July 2007as Annexure -1.
2. Data sheet attached as Annexure-2.

This is for your information.

Kindly acknowledge the receipt of the same.

Thanking You,

Your's faithfully,

For Cipla Ltd.



Authorized Signatory

Encl: As Above.

Cipla Ltd.

(Export Oriented Unit), D-27, MIDC Industrial Area, Kurkumbh, Dist. Pune - 413 802.
P +91 2117 230600 F +91 2117 235232

Regd. Office - Cipla House, Peninsula Business Park, Ganpatrao Kadam Marg, Lower Parel, Mumbai, 400013, India.
P +91 22 24826000 F +91 22 24826120 W www.cipla.com E-Mail contactus@cipla.com Corporate Identity Number L24239MH1935PLC002380

Annexure Summary

| Sr. No | Annexure No. | Description | Page No |
|--------|---------------|---|---------|
| 1 | Annexure-1 | EC conditions & Compliance | 1-6 |
| 2 | Annexure-2 | Data Sheet | 7-9 |
| 3 | Annexure-I | Air monitoring report | 10-17 |
| 4 | Annexure-II | Stack Emission & Scrubber Emission Report | 18-24 |
| 5 | Annexure-III | E1 Generation and Treatment (flow diagram) | 25 |
| 6 | Annexure-IV | CHWTSDF (MEPL) Membership Certificate | 26 |
| 7 | Annexure-V | Green Belt & Tree Plantation | 27 |
| 8 | Annexure-VI | Environment Control and adequate funds Details | 28 |
| 9 | Annexure-VII | Noise Level Monitoring Report & DG Insertion loss Reports | 29-33 |
| 10 | Annexure-VIII | Environmental Management Cell | 34 |
| 11 | Annexure-IX | Public Notice | 35 |
| 12 | Annexure-X | Consent to Operate (CTO) | 36-45 |

Compliance of Specific Conditions by MOEF

NO. J-11011/368/2006-IAII (I) Dated -31/07/2007

| Sr. No. | CONDITION | COMPLIANCE |
|---------|---|--|
| 1 | Benzene shall not be used as solvent. Use of toxic solvents like Methylene chloride (M.C) etc. shall be minimized to the extent possible | We do not use Benzene as solvent, we recover the solvent wherever possible; two stage condensers have been provided for recovery on the reactors. It will be always our efforts to reduce the consumption of solvents like Methylene Chloride. |
| 2 | Regular monitoring of all relevant parameters including HBr, HCl, NH ₃ , VOC, CO, and HCs at various probable location in the ambient air, work zone and final vents shall be carried out and result submitted to the ministry | We are conducting monitoring through third party. (By MoEF Approved Lab) and reports are attached as Annexure I |
| 3 | Fugitive emission of all relevant parameter in work zone area, product and raw material storage area and ambient air shall be carried out as per CPCB Guideline. The emission shall conform to the limits imposed by the SPCB/CPCB. | We are conducting monitoring through third party. (By MoEF Approved Lab) Ref. Annexure I |
| 4 | The unit shall explore the possibility of sending the high calorific spent residue to the cement plant | Possibility explored and disposal as per CTO (Consent To Operate) Condition. |
| 5 | Natural gas shall be used as fuel in the steam boiler and incinerator. | Natural gas will be used for boiler when available in (KKB site) Kurkumbh MIDC area. We are not use Incinerator. |
| 6 | The bulk materials shall be stored in separate solvent tank farms and in MS/SS tanks. | Under ground storage area is developed as per CCOE norms. |
| 7 | The gaseous emissions (SO ₂ , NO _x , VOC, HC, HBr, NH ₃ , CO and HCL) along with SPM, RSPM from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control systems adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. | We are conducting monitoring through third party. (By MoEF Approved Lab) Reports are attached as Annexure II |
| 8 | Regular monitoring of all relevant parameters in the ambient air shall be carried out. The location of AAQ monitoring stations shall be set up in consultation with the SPCB and at least one station shall be put in the downwind direction as well as where maximum ground level concentration is anticipated. | We are Starting consultation as per MPCB and through third party. (By MoEF Approved Lab) and reports Ref. Annexure I |
| 9 | The stack with boilers and incinerator shall be of 30 M height | Boiler stack height is 30 mtr. and D G sets stack height is |

| | | |
|----|--|--|
| | and DG sets stack will be of h+ 7.5 M height. | 30 mtr. Analysis reports Ref. Annexure II |
| 10 | Dedicated scrubber and stacks of appropriate height as per the CPCB guidelines shall be provided to control the emission from various vents. The scrubber water shall be sent to ETP for further treatment. | Dedicated scrubbers are provided and connected to process vents. Scrubber water tank drain is connected to ETP. Ref Annexure II |
| 11 | The solvent recovery shall be further up to 98%. Closed handling systems for chemicals and solvents shall be provided. Magnetic seals shall be provided for pumps/agitators for reactor for reduction of fugitive emissions. Chilled brine-based condensers shall be used to prevent VOC emissions. Solvent trap shall be installed wherever necessary. | Closed system for solvent handling is provided with auto dispensing system. Mechanical seal is provided for the Reactors and Pumps. Chilled water and Chilled brine condensers are provided wherever applicable. |
| 12 | All venting equipment shall have vapor recovery system. All the pump and other equipment's where there is a likelihood of HC leakages shall be provided with the Leak Detection and Repair (LDAR) system and LEL indicators and Hydrocarbon's detectors. Provision for immediate isolation of such equipment, in case of leakage shall also be made. The company shall provide a well-defined LDAR programme for quantification and control of fugitive emission. The detectors sensitivity will be in ppm levels. | We have provided the HC detector & Fire Alarm system for emergency communication |
| 13 | All The storage tank will be under negative pressure to avoid any leakages. Breathers, N2 blanketing, and condensers will be provided for all the storage tanks. | Breathers and Flame arresters are provided for all storage tanks. |
| 14 | Spent solvents shall be recovered as far as possible and recovery shall not be less than 98 %. Solvent vapors emitted during purification process from purification tanks, as fugitive emission shall be reduced as far as possible. All venting equipment shall have vapor recovery system. | This is being followed Vent condensers with chilled water /brine provided for the reactors |
| 15 | Industry shall switch over to aqueous based coating film in place of use of Methylene Chloride in coating operation and to non-halogenated solvents in place of halogenated solvents in a phased manner. | We are currently bulk drug manufacturer & we do not carry out any coating activity by using Methylene Chloride. This condition is Not Applicable to our activity. |
| 16 | No ground water shall be used for project. | Water supplied by MIDC is used. |

| | | |
|----|--|---|
| 17 | The effluent generation shall not be exceeded 355 m3/day. The wastewater generated from plant will be segregated. The low COD low TDS stream will be treated through Primary treatment followed by anaerobic lagoon and activated sludge followed by tertiary treatment as sand and activated charcoal filters followed by Reverse osmosis. The high TDS and low COD stream will be taken to liquid cum solid waste MEE system and high organic (high COD) stream will be incinerated. The treated effluent shall be recycled for use. | The effluent generation will not exceed 355 m3/day. Segregation of effluent streams is done at source of generation and The treated water used for utility. We are implementing this project in two phases of effluent 150 m3/day each. ETP Details attached as Annexure III |
| 18 | About 250 MT/y. of Plastic, Glass, Ferrous and other scraps will generate from the project which will be sold off. Used / spent oil, spent solvent spent catalyst / spent carbon, Date expired, discarded and off-specification drugs /medicines, spent mother liquor, spent organic solvent, discarded containers / barrels / liners / used for hazardous wastes / chemicals, chemical sludge, oil and grease skimming residue form ETP, sludge from wet scrubbers, Ash from incineration of hazardous waste and flue gas cleaning residues will be the hazardous waste generated from the project. These shall be either incinerated or sold out to authorized reprocesses | Plastic, Glass, Ferrous and other scraps, discarded containers / barrels / liners has sent to authorized recycler. Used / spent oil, spent solvent, spent organic solvent has sent to authorized recycler. spent carbon, Date expired, discarded and off-specification drugs /medicines, chemicals, chemical sludge form ETP, sludge from wet scrubbers, sent to MEPL |
| 19 | The unit shall install own incinerator for incineration of Hazardous waste or send to MEPL CHWTSDf Pune. The incinerator shall meet the CPCB standard and guidelines Emission from the incinerator shall be with in the prescribed norms for the incinerators. Monitoring protocol as prescribed in these standards shall be followed. | Membership certificate of MEPL enclosed as Annexure IV |
| 20 | 5.5 hector of the area shall be developed as green belt as per the CPCB guidelines. | Total Green belt area developed 5.84 Hectares as per CPCB guidelines, enclosed as Annexure V |
| 21 | The project authorities shall earmark separate funds of Rs 4.00 Crores for Environment Control and adequate funds every year as O&M cost of pollution control system and to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose | Set-up full-fledged ETP (Effluent treatment plant, ZLD), Cost details enclosed as Annexure VI |

Compliance of general conditions by MOEF

| Sr. No. | CONDITION | COMPLIANCE |
|---------|---|---|
| 1 | The project authorities shall strictly adhere to the stipulations made by the State Pollution Control Board. | Being followed |
| 2 | No further expansion or modification in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of condition imposed and to add additional environmental protection measures required. If any. | Being followed |
| 3 | At no time, the emission shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved. | Being followed |
| 4 | The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencer, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (protection) Act, 1986 Rules 1989 viz. 75 d B A (daytime) and 70 d B A (nighttime). | Being followed. We have provided acoustic hood for Air blower & Diesel Generator sets. Annexure VII |
| 5. | The project authorities shall strictly comply with the provisions made in Manufacture, Storage, and Import of Hazardous Chemicals Rules, 1989 as amended in 2000 for handling of hazardous chemicals. Necessary Approvals from Chief Controller of Explosives must be obtained before commissioning of the expansion project. Requisite On-site and Off-site Disaster Management Plans will be prepared and implemented. Regular mock drills shall be carried out for both On-site and Off-Site plans. Safer modes of transportation of Hazardous Chemicals than the transportation by road shall be explored with time. Transportation of Hazardous Chemicals shall be as per the rules under the MVA, 1989. | Being followed |
| 6 | <p>The company shall undertake following Waste Minimization measures.</p> <ul style="list-style-type: none"> ➤ Metering and control of quantities of active ingredient to minimize the waste. ➤ Reuse of byproducts from the processes as raw materials or as raw material substitutes in other processes. | <p>Raw materials are dispensed as per batch size</p> <p>Wherever possible we are doing.</p> <p>We have installed DCS for transfer of solvents</p> |

| | | |
|----|--|---|
| | <ul style="list-style-type: none"> ➤ Use of automated filling to minimize the spillage. ➤ Use of "Close Feed" system in batch reactors. ➤ Venting equipment through vapor recovery system. <p>Use of high-pressure hoses for equipment cleaning to reduce wastewater generation</p> | <p>We have installed powder transfer system for solid charging to the reactors</p> <p>We have installed vent condensers for maximum recovery</p> <p>Being followed</p> |
| 7 | Training shall be imparted to all the employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examination for all the employees on handling of chemicals shall be imparted. | We are conducting training on regular basis like chemical handling, Environmental awareness & Waste management & MSDS on monthly basis related to health & safety of employees. |
| 8 | Usage of PPEs by all the employees /workers shall be ensured. | followed |
| 9 | The company shall develop rainwater-harvesting structures to harvest the runoff water for recharge of ground water. | We are developed near about 5m 3 capacity rainwater collection pit. |
| 10 | Occupational health surveillance of the worker shall be done on a regular basis and records mentioned as per the Factories Act. | Being followed |
| 11 | The company shall strictly follow all the recommendation mentioned in the charter on Corporate Responsibility for Environmental Protection (CREP) | Being followed |
| 12 | All the recommendations made by the consultant in respect of environmental management and Risk mitigation measures relating to the project in the EIA/EMP Report shall be implemented. | Being followed |
| 13 | The company shall undertake all relevant measures. As indicated during the Public Hearing for improving the Socio-economic conditions of the surrounding area. CSR activities will be undertaken by involving local villages and administration. | Being followed |
| 14 | The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment. The eco-development plan should be submitted to the SPCB within three months of the receipt of this letter for approval. | We are providing suitable jobs to local people and help is rendered for improvement of the environment. |
| 15 | A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. | We have provided full-fledged laboratory for ETP and Env. Mgt cell. At site Attached as Annexure VIII |
| 16 | The implementation of the project vis-à-vis environmental action plans shall be monitored by the concerned Regional Office of the Ministry/SPCB/CPCB. A six monthly compliance statues report shall be submitted to the monitoring agencies and shall be up loaded on the website of the project. | we are conducting monitoring on regular basis and six Monthly compliance report submitted to monitoring agenesis time to time. |

| | | |
|----|--|--|
| 17 | The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with SPCB/Committee and may also be seen at Website of the Ministry at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and copy of the same shall be forwarded to the concerned Regional Office of the Ministry. | The information was advertised in local papers. Copy enclosed as Annexure- IX |
| 18 | The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concern authorities and the date of start of the project. | The Phase I work is completed, CTO obtained for the same Ref. Annexure- X |

Monitoring the Implementation of Environmental Safeguards
Ministry of Environment & Forests
Regional Office, Nagpur.

Monitoring Report
PART – I
DATA SHEET

No.

Date: 30/11/2022

1. Project type: River –valley /Mining : Industry
Industry /Thermal /Nuclear/ other (specify)
2. Name of the project : Bulk Drug manufacturing plant
3. Clearance letter (s) /OM no and date : No. J -11011/368/2006 - IA –II (I)
Dated 31st July 2007
4. Location :
 - a) District (s) Pune
 - b) State (s) Maharashtra
 - c) Latitude/Longitude 18^o 21' N / 74^o 31' E
5. Address for correspondence :
 - a) address of concerned project : Mr. Mangesh Vaze
Cipla Ltd.
D-27 MIDC area, Kurkumbh,
Tal. Daund Dist. – Pune.
Pin Code – 413802.
Tel No.: 02117-230600
Tel Fax: 02117- 235232
Mangesh.Vaze@Cipla.com
 - b) Address of Executive Project : Mr. Alipasha Saudagar
Engineer/Manager (with pin code/ Cipla Ltd.
Fax numbers) D-27 MIDC area, Kurkumbh,
Tal. Daund, Dist. – Pune.
Pin Code – 413802.
Tel. No.: 02117 - 230601
Tel Fax: 02117- 235232
Alipasha.Saudagar@Cipla.com
6. Salient features : Bulk drugs manufacturing plant
 - a) of the project : As per MPCB Consent to
 - b) of the environmental management plans operate norms vide Consent No.

Format1.0/CAC/UAN No. MPCB-
CONSENT-
0000118891/CO/2205000394

Dated 07/05/2022 Ref. Annexure-X

7. Break up of the project area :
a) Submergence area: forest & non-forest :
b) others : Notified chemical zone by MIDC
8. Break up of the project affected population
With enumeration of those losing houses/
dwelling units only agricultural land only,
both dwelling unit & agricultural land &
landless labourers/artisan : Nil
a) SC,ST/ Adivasis : --
b) others : --
- (Please indicate whether these figures : --
are based on any scientific and systematic
survey is carried out or only provisional
figures, if a survey is carried out give details
and years of survey)
9. Financial details : **Ref. Annexure-VI**
a) Project cost as originally planned and
subsequent revised estimates and the
The year of price reference.
b) Allocation made for environmental
management plans with item wise and
year wise break-up.
c) Benefit cost ratio/ Internal rate of return
And the year of assessment.
d) whether (c) includes the cost of
environmental management as shown
in the above.
e) Actual expenditure incurred on the
Project so far
f) Actual expenditure incurred on the
environmental management plans so far.
10. Forest land requirement : Nil
a) The status of approval for diversion of
forest land for non-forestry use.
b) The status of clearing felling. :
c) The status of compensatory :
afforestation, if any.
d) Comments on the viability & sustainability
of compensatory afforestation programme
in the light of actual field experience so far. :

11. The status of clear felling in non-forest areas : Nil
(such as submergence area of reservoir, approach roads), if any with quantitative information
12. Status of construction :
 - a) Date of commencement :
(Actual and/or planned) : Phase I construction is Completed
 - b) Date of completion (Actual and /of planned) : Production is Started from March 2008.
13. Reasons for the delay if the project is yet to start : --
14. Date of site visits : --
 - a) The dates on which the project was monitored by the Regional office on previous occasions, if any : --
 - b) Date of site visit for this monitoring report : --
15. Details of correspondence with project Authorities for obtaining action plans/ Information on status of compliance to Safeguards other than the routine letters for logistic support for site visits) : --

(The first monitoring report may contain the details of all the letters issued so far, but the later reports may cover only the letters issued subsequently.) : --

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎ 0240-6641879 • 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/066-7.8

AMBIENT AIR MONITORING REPORT

| | | |
|---|-------------------|--------------------------|
| Client's Name & Address | Report ID | EEL/ABD/A-199/11/2022-23 |
| M/s. Cipla Limited | Date of Reporting | 14/11/2022 |
| D-27, Kurkumbh, Tal Daund, Mide, Pune, Maharashtra 413802 | | |

SAMPLING DETAILS

| | | |
|--|---|---|
| 01) Discipline | Chemical | |
| 02) Group | Atmospheric Pollution | |
| 03) Location of Sampling | Near ETP Area | |
| 04) Sampling Procedure | IS 5182 Part 5 | |
| 05) Sample Volume | SO ₂ : 30 ml×1 no. (Plastic Bottle), NO ₂ : 30 ml×1 no.(Plastic Bottle), PM ₁₀ : Filter Paper: 1×1no, PM _{2.5} : Filter Paper: 1×1no. | |
| 06) Sample Status (Sealed/Unsealed) | Sealed | |
| 07) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. | |
| 08) Date of Sampling | 04/11/2022 to 05/11/2022 | |
| 09) Time of Sampling & Sampling Duration | From 10:20 AM of 04/11/2022to 10:20 AM of 05/11/2022(24hrs) | |
| 10) Date of Sample Received in Lab | 07/11/2022 | |
| 11) Analysis Start Date | 07/11/2022 | |
| 12) Ambient Temperature | 23°C | |
| 13) Dry Bulb Temperature | 23°C | |
| 14) Wet Bulb Temperature | 20°C | |
| 15) Relative Humidity | 46% RH | |
| 16) Instrument Details | Make/Model No. | Asha Enviro/ AEE/APM-500 |
| | Serial No. | EELRC/EQ/AFD/53 |
| | Calibration Date | Calibration on:26/04/2022 Due On:25/04/2023 |

RESULT

| Sr. No. | Parameter | UOM | Result | NAAQ Standards | Standard Method |
|---------|--|-------------------|---------|----------------|--|
| 1 | Particulate Matter (PM ₁₀) | µg/m ³ | 41.31 | ≤ 100 | IS 5182 (Part 23) |
| 2 | Particulate Matter (PM _{2.5}) | µg/m ³ | 27.03 | ≤ 60 | IS 5182 (Part 24) |
| 3 | Sulphur Dioxide (SO ₂) | µg/m ³ | 20.70 | ≤ 80 | IS 5182 (Part 2) |
| 4 | Nitrogen Dioxide (NO ₂) | µg/m ³ | 29.50 | ≤ 80 | IS 5182 (Part 6) |
| 5 | Ammonia (NH ₃) | µg/m ³ | 10.7 | ≤ 400 | Method 401 Air sampling and Analysis 3 rd Ed. |
| 6 | Carbon Monoxide (CO) | mg/m ³ | 0.98 | ≤ 04 | GC FID Methanizer Method |
| 7 | Ozone (O ₃) | µg/m ³ | 16.3 | ≤ 180 | Method 411 Air sampling and Analysis 3 rd Ed. |
| 8 | Lead (as Pb) | µg/m ³ | < 0.01 | ≤ 1.0 | APHA 3120 B |
| 9 | Arsenic (as As) | ng/m ³ | < 0.01 | ≤ 06 | APHA 3120 B |
| 10 | Nickel (as Ni) | ng/m ³ | < 0.01 | ≤ 26 | APHA 3120 B |
| 11 | Benzene (C ₆ H ₆) | µg/m ³ | < 0.01 | ≤ 05 | IS 5182 Part 11 |
| 12 | Benzo (a) Pyrene (BaP) | ng/m ³ | < 0.001 | ≤ 01 | IS 5182 Part 12 |

UOM:-Unit of Measurement.


Remark: - All above results are within National Ambient Air Quality Standards, Notification dtd November 18, 2009

Reviewed By
(Mr. Prashant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Dhamashila Narwade)
(Dy. Technical Manager)

*****End of Report*****



Note:-The results pertain to tested portion of sample"

Page 1 of 1

AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,

Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Up to 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op, Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 • 08652671991
Email : mumbaisales@excellentenviro.comPUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 • 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001 : 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎0240-6641879 • 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/066-7.8

AMBIENT AIR MONITORING REPORT

| Client's Name & Address | Report ID | EEL/ABD/A-196/11/2022-23 |
|--|-------------------|--------------------------|
| M/s. Cipla Limited D-27, Kurkumbh, Tal Daund, Midc, Pune, Maharashtra 413802 | Date of Reporting | 14/11/2022 |

| SAMPLING DETAILS | | |
|--|---|---|
| 01) Discipline | Chemical | |
| 02) Group | Atmospheric Pollution | |
| 03) Location of Sampling | Near Main Gate | |
| 04) Sampling Procedure | IS 5182 Part 5 | |
| 05) Sample Volume | SO ₂ : 30 ml×1 no. (Plastic Bottle), NO ₂ : 30 ml×1 no. (Plastic Bottle), PM ₁₀ : Filter Paper: 1×1no, PM _{2.5} : Filter Paper: 1×1no. | |
| 06) Sample Status (Sealed/Unsealed) | Sealed | |
| 07) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. | |
| 08) Date of Sampling | 04/11/2022 to 05/11/2022 | |
| 09) Time of Sampling & Sampling Duration | From 10:00 AM of 04/11/2022 to 10:00 AM of 05/11/2022 (24hrs) | |
| 10) Date of Sample Received in Lab | 07/11/2022 | |
| 11) Analysis Start Date | 07/11/2022 | |
| 12) Ambient Temperature | 23°C | |
| 13) Dry Bulb Temperature | 23°C | |
| 14) Wet Bulb Temperature | 20°C | |
| 15) Relative Humidity | 46% RH | |
| 16) Instrument Details | Make/Model No. | Asha Enviro/ AEE/APM-500 |
| | Serial No. | EELRC/EQ/AFD/50 |
| | Calibration Date | Calibration on: 26/04/2022 Due On: 25/04/2023 |

RESULT

| Sr. No. | Parameter | UOM | Result | NAAQ Standards | Standard Method |
|---------|--|-------------------|---------|----------------|--|
| 1 | Particulate Matter (PM ₁₀) | µg/m ³ | 46.10 | ≤ 100 | IS 5182 (Part 23) |
| 2 | Particulate Matter (PM _{2.5}) | µg/m ³ | 31.03 | ≤ 60 | IS 5182 (Part 24) |
| 3 | Sulphur Dioxide (SO ₂) | µg/m ³ | 27.40 | ≤ 80 | IS 5182 (Part 2) |
| 4 | Nitrogen Dioxide (NO ₂) | µg/m ³ | 29.01 | ≤ 80 | IS 5182 (Part 6) |
| 5 | Ammonia (NH ₃) | µg/m ³ | 10.2 | ≤ 400 | Method 401 Air sampling and Analysis 3rd Ed. |
| 6 | Carbon Monoxide (CO) | mg/m ³ | 0.65 | ≤ 04 | GC FID Methanizer Method |
| 7 | Ozone (O ₃) | µg/m ³ | 15.0 | ≤ 180 | Method 411 Air sampling and Analysis 3rd Ed. |
| 8 | Lead (as Pb) | µg/m ³ | < 0.01 | ≤ 1.0 | APHA 3120 B |
| 9 | Arsenic (as As) | ng/m ³ | < 0.01 | ≤ 06 | APHA 3120 B |
| 10 | Nickel (as Ni) | ng/m ³ | < 0.01 | ≤ 20 | APHA 3120 B |
| 11 | Benzene (C ₆ H ₆) | µg/m ³ | < 0.01 | ≤ 05 | IS 5182 Part 11 |
| 12 | Benzo (a) Pyrene (BaP) | ng/m ³ | < 0.001 | ≤ 01 | IS 5182 Part 12 |

UOM – Unit of Measurement.

Remark: - All above results are within National Ambient Air Quality Standards Notification dtd November 18, 2009.

Reviewed By

(Mr. Prashant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Dharmashila Narwade)
(Dy. Technical Manager)

*****End of Report*****

Note: "The results pertain to tested portion of sample"



AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,
Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 • 08652671991
Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 • 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001 : 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎0240-6641879 • 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/066-7.8

AMBIENT AIR MONITORING REPORT

| Client's Name & Address | Report ID | EEL/ABD/A-197/11/2022-23 |
|--|-------------------|--------------------------|
| M/s. Cipla Limited D-27, Kurkumbh, Tal Daund, Mide, Pune, Maharashtra 413802 | Date of Reporting | 14/11/2022 |

SAMPLING DETAILS

| | | |
|--|--|---|
| 01) Discipline | Chemical | |
| 02) Group | Atmospheric Pollution | |
| 03) Location of Sampling | Near Pump House | |
| 04) Sampling Procedure | IS 5182 Part 5 | |
| 05) Sample Volume | SO ₂ : 30 ml×1 no. (Plastic Bottle), NO ₂ : 30 ml×1 no.(Plastic Bottle), PM ₁₀ : Filter Paper: 1×1no, PM _{2.5} : Filter Paper: 1×1no. | |
| 06) Sample Status (Sealed/Unsealed) | Sealed | |
| 07) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt.Ltd. | |
| 08) Date of Sampling | 04/11/2022 to 05/11/2022 | |
| 09) Time of Sampling & Sampling Duration | From 10:10 AM of 04/11/2022to 10:10 AM of 05/11/2022(24hrs) | |
| 10) Date of Sample Received in Lab | 07/11/2022 | |
| 11) Analysis Start Date | 07/11/2022 | |
| 12) Ambient Temperature | 23°C | |
| 13) Dry Bulb Temperature | 23°C | |
| 14) Wet Bulb Temperature | 20°C | |
| 15) Relative Humidity | 46% RH | |
| 16) Instrument Details | Make/Model No. | Asha Enviro/ AEE/APM-500 |
| | Serial No. | EELRC/EQ/AFD/51 |
| | Calibration Date | Calibration on:26/04/2022 Due On:25/04/2023 |

RESULT

| Sr. No. | Parameter | UOM | Result | NAAQ Standards | Standard Method |
|---------|--|-------------------|---------|----------------|--|
| 1 | Particulate Matter (PM ₁₀) | µg/m ³ | 42.80 | ≤ 100 | IS 5182 (Part 23) |
| 2 | Particulate Matter (PM _{2.5}) | µg/m ³ | 29.03 | ≤ 60 | IS 5182 (Part 24) |
| 3 | Sulphur Dioxide (SO ₂) | µg/m ³ | 25.10 | ≤ 80 | IS 5182 (Part 2) |
| 4 | Nitrogen Dioxide (NO ₂) | µg/m ³ | 27.03 | ≤ 80 | IS 5182 (Part 6) |
| 5 | Ammonia (NH ₃) | µg/m ³ | 10.4 | ≤ 400 | Method 401 Air sampling and Analysis 3 rd Ed. |
| 6 | Carbon Monoxide (CO) | mg/m ³ | 0.78 | ≤ 04 | GC FID Methanizer Method |
| 7 | Ozone (O ₃) | µg/m ³ | 16.3 | ≤ 180 | Method 411 Air sampling and Analysis 3 rd Ed. |
| 8 | Lead (as Pb) | µg/m ³ | < 0.01 | ≤ 1.0 | APHA 3120 B |
| 9 | Arsenic (as As) | ng/m ³ | < 0.01 | ≤ 06 | APHA 3120 B |
| 10 | Nickel (as Ni) | ng/m ³ | < 0.01 | ≤ 20 | APHA 3120 B |
| 11 | Benzene (C ₆ H ₆) | µg/m ³ | < 0.01 | ≤ 05 | IS 5182 Part 11 |
| 12 | Benzo (a) Pyrene (BaP) | ng/m ³ | < 0.001 | ≤ 01 | IS 5182 Part 12 |

UOM: Unit of Measurement.

Remark: - All above results are within National Ambient Air Quality Standards, Notification dtd November 18, 2009

Reviewed By

(Mr. Prasant Patil)
(Asst. Technical Manager)


Authorized Signatory

(Ms. Dharmashila Narwade)
(Dy. Technical Manager)

*****End of Report*****

Note: "The results pertain to tested portion of sample"

Page 1



AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,
Notification F.No. LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op, Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 • 08652671991
Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 • 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001: 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎ 0240-6641879 • 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/066-7.8

AMBIENT AIR MONITORING REPORT

| | | |
|---|-------------------|--------------------------|
| Client's Name & Address | Report ID | EEL/ABD/A-198/11/2022-23 |
| M/s. Cipla Limited D-27, Kurkumbh, Tal Daund, Mide, Pune, Maharashtra 413802 | Date of Reporting | 14/11/2022 |

SAMPLING DETAILS

| | | |
|--|---|---|
| 01) Discipline | Chemical | |
| 02) Group | Atmospheric Pollution | |
| 03) Location of Sampling | Near Boiler Area | |
| 04) Sampling Procedure | IS 5182 Part 5 | |
| 05) Sample Volume | SO ₂ : 30 ml×1 no. (Plastic Bottle), NO ₂ : 30 ml×1 no.(Plastic Bottle), PM ₁₀ : Filter Paper: 1×1no, PM _{2.5} : Filter Paper: 1×1no. | |
| 06) Sample Status (Sealed/Unsealed) | Sealed | |
| 07) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. | |
| 08) Date of Sampling | 04/11/2022 to 05/11/2022 | |
| 09) Time of Sampling & Sampling Duration | From 10:15 AM of 04/11/2022to 10:15 AM of 05/11/2022(24hrs) | |
| 10) Date of Sample Received in Lab | 07/11/2022 | |
| 11) Analysis Start Date | 07/11/2022 | |
| 12) Ambient Temperature | 23 ⁰ C | |
| 13) Dry Bulb Temperature | 23 ⁰ C | |
| 14) Wet Bulb Temperature | 20 ⁰ C | |
| 15) Relative Humidity | 46% RH | |
| 16) Instrument Details | Make/Model No. | Asha Enviro/ AEE/APM-500 |
| | Serial No. | EELRC/EQ/AFD/52 |
| | Calibration Date | Calibration on:26/04/2022 Due On:25/04/2023 |

RESULT

| Sr No. | Parameter | UOM | Result | NAAQ Standards | Standard Method |
|--------|--|-------------------|---------|----------------|--|
| 1 | Particulate Matter (PM ₁₀) | µg/m ³ | 49.90 | ≤ 100 | IS 5182 (Part 23) |
| 2 | Particulate Matter (PM _{2.5}) | µg/m ³ | 32.07 | ≤ 60 | IS 5182 (Part 24) |
| 3 | Sulphur Dioxide (SO ₂) | µg/m ³ | 25.17 | ≤ 80 | IS 5182 (Part 2) |
| 4 | Nitrogen Dioxide (NO ₂) | µg/m ³ | 27.65 | ≤ 80 | IS 5182 (Part 6) |
| 5 | Ammonia (NH ₃) | µg/m ³ | 11.5 | ≤ 400 | Method 401 Air sampling and Analysis 3 rd Ed. |
| 6 | Carbon Monoxide (CO) | mg/m ³ | 0.65 | ≤ 04 | GC FID Methanizer Method |
| 7 | Ozone (O ₃) | µg/m ³ | 17.5 | ≤ 180 | Method 411 Air sampling and Analysis 3 rd Ed. |
| 8 | Lead (as Pb) | µg/m ³ | < 0.01 | ≤ 1.0 | APHA 3120 B |
| 9 | Arsenic (as As) | ng/m ³ | < 0.01 | ≤ 06 | APHA 3120 B |
| 10 | Nickel (as Ni) | ng/m ³ | < 0.01 | ≤ 20 | APHA 3120 B |
| 11 | Benzene (C ₆ H ₆) | µg/m ³ | < 0.01 | ≤ 05 | IS 5182 Part 11 |
| 12 | Benzo (a) Pyrene (BaP) | ng/m ³ | < 0.001 | ≤ 01 | IS 5182 Part 12 |

UOM:- Unit of Measurement.

Remark: - All above results are within National Ambient Air Quality Standards, Notification dtd November 18, 2009

Reviewed By

(Mr. Prashant Patil)
(Asst. Technical Manager)


Authorized Signatory

(Ms. Dhagmasila Narwade)
(Dy. Technical Manager)

*****End of Report*****

Note:- The results pertain to tested portion of sample"

Page 1 of 1



AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,
Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 • 08652671991
Email : mumbalsales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 • 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001 : 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎0240-6641879 • 9970429991/ 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/074-7.8

WORKPLACE MONITORING REPORT FOR V.O.C.

| | | |
|--|-------------------|--------------------------|
| Client's Name & Address | Report ID. | EEL/ABD/WP-97/11/2022-23 |
| M/s. Cipla Limited D-27, Kurkumbh, Tal Daund, Mide, Pune, Maharashtra 413802 | Date of Reporting | 14/11/2022 |

SAMPLING DETAILS

| | |
|-----------------------------|---|
| 01) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt.Ltd. |
| 02) Date of Sampling | 05/11/2022 |
| 03) Date of Received in Lab | 07/11/2022 |
| 04) Analysis Start Date | 07/11/2022 |
| 05) Temperature | 23°C |
| 06) Humidity | 46% RH |

RESULTS

| LD. No. | WP-97 | |
|----------------------------|---------------------|----------|
| Location of Sampling | API II ground floor | |
| Parameters | MDC | Methanol |
| Concentration of VOC (ppm) | 2.8 | 5.8 |
| NIOSH Limit | 25.0 | 25.0 |

Method Used: G.C. (FID) Method.

VOC – Volatile Organic Compounds, ppm – Parts per million, G.C. – Gas Chromatograph, FID – Flame Ionization Detector.

Reviewed By

(Ms. Dhammashila Narwade)
(Dy. Technical Manager)


Authorized Signatory

(Mr. Sagar Jare)
(Quality Manager)

*****End of Report*****

Note: "The results pertain to tested portion of sample"

Page 1



AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,
Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 • 08652671991
Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Charkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 • 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001 : 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waiuj, Aurangabad - 431 136. ☎ 0240-6641879 • 9970429991 / 7745069991

Email : eelab@excellentenviro.com / info@excellentenviro.com / sales@excellentenviro.com

Format No. EELRC/LAB/F/074-7.8

WORKPLACE MONITORING REPORT FOR V.O.C.

| | | |
|--|-------------------|---------------------------|
| Client's Name & Address | Report ID. | EEL/ABD/ WP-96/11/2022-23 |
| M/s. Cipla Limited D-27, Kurkumbh, Tal Daund, Midc, Pune, Maharashtra 413802 | Date of Reporting | 14/11/2022 |

SAMPLING DETAILS

| | |
|-----------------------------|--|
| 01) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. |
| 02) Date of Sampling | 05/11/2022 |
| 03) Date of Received in Lab | 07/11/2022 |
| 04) Analysis Start Date | 07/11/2022 |
| 05) Temperature | 23°C |
| 06) Humidity | 46% RH |

RESULTS

| | | |
|----------------------------|---------------------------------------|----------|
| I.D. No. | WP-96 | |
| Location of Sampling | Near API I solvent storage tank area. | |
| Parameters | Toluene | Methanol |
| Concentration of VOC (ppm) | 1.8 | 6.0 |
| NIOSH Limit | 25.0 | 25.0 |


Method Used: G.C. (FID) Method.

VOC – Volatile Organic Compounds, ppm – Parts per million, G.C. – Gas Chromatograph, FID – Flame Ionization Detector.

Reviewed By


(Ms. Dhammashila Narwade)
(Dy. Technical Manager)


Authorized Signatory


(Mr. Sagar Jare)
(Quality Manager)

*****End of Report*****

Note:- "The results pertain to tested portion of sample"

Page 1



AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,

Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgi Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 • 08652671991
Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 • 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001 : 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎ 0240-6641879 ; 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/067-7.8

SOURCE (STACK) EMISSION MONITORING REPORT

| | | |
|--|-------------------|-------------------------|
| Client's Name & Address | Report ID | EEL/ABD/S-45/11/2022-23 |
| M/s. Cipla Limited D-27, Kurkumbh, Tal Daund, Midc, Pune, Maharashtra 413802 | Date of Reporting | 14/11/2022 |

SAMPLING DETAILS

| | | |
|--|--|--|
| 01) Location of Sampling | Scrubber No.202 (API- I) (S-4) | |
| 02) Sampling Procedure | IS 11255 | |
| 03)Sample Volume | - | |
| 04) Sample Status (Sealed/Unsealed) | Sealed | |
| 05) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. | |
| 06) Date of Sampling | 05/11/2022 | |
| 07) Time of Sampling & Sampling Duration | From 11:00 AM to 11:15 AM (15 min) | |
| 08) Date of Received in Lab | 07/11/2022 | |
| 09) Analysis Start Date | 07/11/2022 | |
| 10)Ambient Temperature | 26 ⁰ C | |
| 11)Flow Rate(LPM) | 2.7 | |
| 12)Volume of Flue Gas Sample | 37.5 | |
| 13) Instrument Details | Make/ Model No. | Asha Enviro&350 |
| | Serial No. | EELRC/EQ/SK/55 |
| | Calibration Date | Calibration on:20/06/2022, Due On:19/06/2023 |

RESULT

| Sr. No | Parameter | UOM | Result | Limits as Per MPCB Consent | Standard Method |
|--------|-------------------|--------------------|--------|----------------------------|-------------------|
| 1 | Acid Mist as HCL | mg/m ³ | 3.1 | ≤35 | USEPA Method:2019 |
| 2 | Dimethyl Sulphate | mg/Nm ³ | BDL | N.S | G.C Method |
| 3 | VOC | mg/Nm ³ | BDL | N.S | - |
| 4 | Hydrocarbon | Ppm | BDL | N.S | IS 5182 (Part 17) |

UOM:-Unit of Measurement, BDL: Below Detectable Limit

Remark: - Acid Mist as HCL Parameters result is within MPCB Limits.

Reviewed By

(Mr. Prashant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Dharmashila Narwade)
(Dy. Technical Manager)

*****End of Report*****

Note:-"The results pertain to tested portion of sample"

Page 1 of 1



AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi.

Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 ☎ 08652671991
Email : mumbaisales@excellentenviro.comPUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 ☎ 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001 : 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎ 0240-6641879 • 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/067-7.8

SOURCE (STACK) EMISSION MONITORING REPORT

| | | |
|--|-------------------|-------------------------|
| Client's Name & Address | Report ID | EEL/ABD/S-46/11/2022-23 |
| M/s. Cipla Limited D-27, Kurkumbh, Tal Daund, Mide, Pune, Maharashtra 413802 | Date of Reporting | 14/11/2022 |

SAMPLING DETAILS

| | | |
|--|--|--|
| 01) Location of Sampling | Scrubber No.1 (ETP) Deactivation Room | |
| 02) Sampling Procedure | IS 11255 | |
| 03)Sample Volume | - | |
| 04) Sample Status (Sealed/Unsealed) | Sealed | |
| 05) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. | |
| 06) Date of Sampling | 05/11/2022 | |
| 07) Time of Sampling & Sampling Duration | From 11:20 AM to 11:35 AM (15 min) | |
| 08) Date of Received in Lab | 07/11/2022 | |
| 09) Analysis Start Date | 07/11/2022 | |
| 10)Ambient Temperature | 26 ^o C | |
| 11)Flow Rate(LPM) | 2.8 | |
| 12)Volume of Flue Gas Sample | 29.2 | |
| 13) Instrument Details | Make/ Model No. | Asha Enviro&350 |
| | Serial No. | EELRC/EQ/SK/55 |
| | Calibration Date | Calibration on:20/06/2022, Due On:19/06/2023 |

RESULT

| Sr. No | Parameter | UOM | Result | Limits as Per MPCB Consent | Standard Method |
|--------|-------------------|--------------------|--------|----------------------------|-------------------|
| 1 | Acid Mist as HCL | mg/m ³ | 7.9 | ≤35 | USEPA Method:2019 |
| 2 | Dimethyl Sulphate | mg/Nm ³ | BDL | N.S | G.C Method |
| 3 | VOC | mg/Nm ³ | BDL | N.S | - |
| 4 | Hydrocarbon | Ppm | BDL | N.S | IS 5182 (Part 17) |

UOM:-Unit of Measurement, BDL: Below Detectable Limit

Remark: - Acid Mist as HCL Parameters result is within MPCB Limits.

Reviewed By

(Mr. Prasant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Dhamashila Narwade)
(Dy. Technical Manager)

*****End of Report*****

Note:-"The results pertain to tested portion of sample"

Page 1 of 1



AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,
Notification F.No.LB/99/7/2021-INST LAB-HQ-CPCB-HQ/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgi Co-op, Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 • 08652671991
Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Charkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 • 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001: 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎0240-6641879 • 9970429991/ 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/067-7.8

SOURCE (STACK) EMISSION MONITORING REPORT

| | | |
|--|-------------------|-------------------------|
| Client's Name & Address | Report ID | EEL/ABD/S-47/11/2022-23 |
| M/s. Cipla Limited D-27, Kurkumbh, Tal Daund, Mide, Pune, Maharashtra 413802 | Date of Reporting | 14/11/2022 |

SAMPLING DETAILS

| | | |
|--|--|--|
| 01) Location of Sampling | Scrubber No.201 (API- 1) (S-3) | |
| 02) Sampling Procedure | IS 11255 | |
| 03) Sample Volume | - | |
| 04) Sample Status (Sealed/Unsealed) | Sealed | |
| 05) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. | |
| 06) Date of Sampling | 05/11/2022 | |
| 07) Time of Sampling & Sampling Duration | From 11:40 AM to 11:55 AM (15 min) | |
| 08) Date of Received in Lab | 07/11/2022 | |
| 09) Analysis Start Date | 07/11/2022 | |
| 10) Ambient Temperature | 26 ^o C | |
| 11) Flow Rate(LPM) | 2.0 | |
| 12) Volume of Flue Gas Sample | 37.5 | |
| 13) Instrument Details | Make/ Model No. | Asha Enviro&350 |
| | Serial No. | EELRC/EQ/SK/55 |
| | Calibration Date | Calibration on:20/06/2022, Due On:19/06/2023 |

RESULT

| Sr. No | Parameter | UOM | Result | Limits as Per MPCB Consent | Standard Method |
|--------|-------------------|--------------------|--------|----------------------------|-------------------|
| 1 | Acid Mist as HCL | mg/m ³ | 7.4 | ≤35 | USEPA Method:2019 |
| 2 | Dimethyl Sulphate | mg/Nm ³ | BDL | N.S | G.C Method |
| 3 | VOC | mg/Nm ³ | BDL | N.S | - |
| 4 | Hydrocarbon | Ppm | BDL | N.S | IS 5182 (Part 17) |

UOM:-Unit of Measurement, BDL: Below Detectable Limit

Remark: - Acid Mist as HCL Parameters result is within MPCB Limits.

Reviewed By

(Mr. Prashant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Dhamashila Narwade)
(Dy. Technical Manager)

*****End of Report*****

Note:-"The results pertain to tested portion of sample"

Page 1 of 1



AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,
Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgi Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 • 08652671991
Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 • 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001 : 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎0240-6641879 • 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/067-7.8

SOURCE (STACK) EMISSION MONITORING REPORT

| | | |
|--|-------------------|-------------------------|
| Client's Name & Address | Report ID | EEL/ABD/S-48/11/2022-23 |
| M/s. Cipla Limited D-27, Kurkumbh, Tal Daund, Mide, Pune, Maharashtra 413802 | Date of Reporting | 14/11/2022 |

SAMPLING DETAILS

| | | |
|--|--|--|
| 01) Location of Sampling | Scrubber No.401 (API- 2) (S-5) | |
| 02) Sampling Procedure | IS 11255 | |
| 03) Sample Volume | - | |
| 04) Sample Status (Sealed/Unsealed) | Sealed | |
| 05) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. | |
| 06) Date of Sampling | 05/11/2022 | |
| 07) Time of Sampling & Sampling Duration | From 11:00 AM to 11:15 AM (15 min) | |
| 08) Date of Received in Lab | 07/11/2022 | |
| 09) Analysis Start Date | 07/11/2022 | |
| 10) Ambient Temperature | 26 ^o C | |
| 11) Flow Rate (LPM) | 2.9 | |
| 12) Volume of Flue Gas Sample | 38.0 | |
| 13) Instrument Details | Make/ Model No. | Asha Enviro&350 |
| | Serial No. | EELRC/EQ/SK/55 |
| | Calibration Date | Calibration on:20/06/2022, Due On:19/06/2023 |

RESULT

| Sr. No | Parameter | UOM | Result | Limits as Per MPCB Consent | Standard Method |
|--------|-------------------|--------------------|--------|----------------------------|-------------------|
| 1 | Acid Mist as HCL | mg/m ³ | 8.3 | ≤35 | USEPA Method:2019 |
| 2 | Dimethyl Sulphate | mg/Nm ³ | BDL | N.S | G.C Method |
| 3 | VOC | mg/Nm ³ | BDL | N.S | - |
| 4 | Hydrocarbon | Ppm | BDL | N.S | IS 5182 (Part 17) |

UOM:-Unit of Measurement, BDL: Below Detectable Limit

Remark: - Acid Mist as HCL Parameters result is within MPCB Limits.

Reviewed By

(Mr. Prasant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Dhamashila Narwade)
(Dy. Technical Manager)

*****End of Report*****

Note:-"The results pertain to tested portion of sample"

Page 1 of 1



AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,

Notification F.No LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 • 08652671991
Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 • 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001 : 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎0240-6641879 + 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/067-7.8

SOURCE (STACK) EMISSION MONITORING REPORT

| | | |
|--|-------------------|-------------------------|
| Client's Name & Address | Report ID | EEL/ABD/S-49/11/2022-23 |
| M/s. Cipla Limited D-27, Kurkumbh, Tal Daund, Midc, Pune, Maharashtra 413802 | Date of Reporting | 14/11/2022 |

SAMPLING DETAILS

| | | |
|--|---|--|
| 01) Location of Sampling | Boiler No.14643 (B-202) | |
| 02) Sampling Procedure | IS 11255 | |
| 03)Sample Volume | Thimble: 1×1no. SO ₂ : 30 ml ×1 no. (Plastic Bottle) NO _x : 30 ml ×1 no. (Plastic Bottle) | |
| 04) Sample Status (Sealed/Unsealed) | Sealed | |
| 05) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. | |
| 06) Date of Sampling | 05/11/2022 | |
| 07) Time of Sampling & Sampling Duration | From 12:00 PM to 13:00 PM (1 hr) | |
| 08) Date of Received in Lab | 07/11/2022 | |
| 09) Analysis Start Date | 07/11/2022 | |
| 10) Material of Stack | MS | |
| 11) Stack Height | 30.0 meter | |
| 12) Type of Stack | Round | |
| 13) Flue Gas Temperature | 376 K | |
| 14) Differential Pressure | 2.3mmWC | |
| 15) Velocity | 5.58 m/sec | |
| 16) Diameter of Stack | 0.80 meter | |
| 17) Stack Area | 0.5024 m ² | |
| 18) Gas Volume | 7998.61 Nm ³ /hr | |
| 19) Fuel Used | LSHS | |
| 20) Instrument Details | Make/ Model No. | Asha Enviro&350 |
| | Serial No. | EELRC/EQ/SK/55 |
| | Calibration Date | Calibration on:20/06/2022, Due On:19/06/2023 |

RESULT

| Sr. No | Parameter | UOM | Result | Limits as Per MPCB Consent | Standard Method |
|--------|---------------------------------------|--------------------|--------|----------------------------|-------------------|
| 1 | TPM / SPM | mg/Nm ³ | 33.0 | ≤ 150.0 | IS 11255(Part 1) |
| 2 | Sulphur Dioxide(SO ₂) | mg/Nm ³ | 160.0 | - | IS 11255(Part 2) |
| 3 | Sulphur Dioxide(SO ₂) | kg/day | 30.7 | 405.0 | IS 11255(Part 2) |
| 4 | Sulphur Dioxide(SO ₂) | ppm | 61.06 | - | IS 11255(Part 2) |
| 5 | Oxides Of Nitrogen (NO _x) | mg/Nm ³ | 20.0 | N.S | IS 11255 (Part 7) |
| 6 | CO | mg/m ³ | 15.7 | N.S | USEPA Method |
| 7 | CO ₂ | mg/m ³ | 72.8 | N.S | USEPA Method |
| 8 | Combustion Efficiency | % | 53.7 | - | - |

UOM:-Unit of Measurement

Remark: - TPM / SPM and Sulphur Dioxide(SO₂)kg/dayParameters result is within MPCB Limits.

Reviewed By

(Mr. Prashant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Bhagyashwila Narwade)
(Dy. Technical Manager)

*****End of Report*****

Note:-"The results pertain to tested portion of sample"

AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi.

Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgi Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 ☎ 08652671991
Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 ☎ 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001 : 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎ 0240-6641879 • 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/067-7.8

SOURCE (STACK) EMISSION MONITORING REPORT

| | | |
|--|-------------------|-------------------------|
| Client's Name & Address | Report ID | EEL/ABD/S-50/11/2022-23 |
| M/s. Cipla Limited D-27, Kurkumbh, Tal Daund, Mide, Pune, Maharashtra 413802 | Date of Reporting | 14/11/2022 |

SAMPLING DETAILS

| | | |
|--|---|--|
| 01) Location of Sampling | Boiler No.15715 (B-203) | |
| 02) Sampling Procedure | IS 11255 | |
| 03)Sample Volume | Thimble: 1×1no. SO ₂ : 30 ml ×1 no. (Plastic Bottle) NO _x : 30 ml ×1 no. (Plastic Bottle) | |
| 04) Sample Status (Sealed/Unsealed) | Sealed | |
| 05) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. | |
| 06) Date of Sampling | 05/11/2022 | |
| 07) Time of Sampling & Sampling Duration | From 14:00 PM to 15:00 PM (1 hr) | |
| 08) Date of Received in Lab | 07/11/2022 | |
| 09) Analysis Start Date | 07/11/2022 | |
| 10) Material of Stack | MS | |
| 11) Stack Height | 30.0 meter | |
| 12) Type of Stack | Round | |
| 13) Flue Gas Temperature | 370 K | |
| 14) Differential Pressure | 2.4mmWC | |
| 15) Velocity | 5.65 m/sec | |
| 16) Diameter of Stack | 0.80 meter | |
| 17) Stack Area | 0.5024 m ² | |
| 18) Gas Volume | 8230.28 Nm ³ /hr | |
| 19) Fuel Used | LSHS | |
| 20) Instrument Details | Make/ Model No. | Asha Enviro&350 |
| | Serial No. | EELRC/EQ/SK/55 |
| | Calibration Date | Calibration on:20/06/2022, Due On:19/06/2023 |

RESULT

| Sr. No | Parameter | UOM | Result | Limits as Per MPCB Consent | Standard Method |
|--------|---------------------------------------|--------------------|--------|----------------------------|-------------------|
| 1 | TPM / SPM | mg/Nm ³ | 31.0 | ≤ 150.0 | IS 11255(Part 1) |
| 2 | Sulphur Dioxide(SO ₂) | mg/Nm ³ | 155.0 | - | IS 11255(Part 2) |
| 3 | Sulphur Dioxide(SO ₂) | kg/day | 30.6 | 405.0 | IS 11255(Part 2) |
| 4 | Sulphur Dioxide(SO ₂) | ppm | 59.1 | - | IS 11255(Part 2) |
| 5 | Oxides Of Nitrogen (NO _x) | mg/Nm ³ | 18.5 | N.S | IS 11255 (Part 7) |
| 6 | CO | mg/m ³ | 16.9 | N.S | USEPA Method |
| 7 | CO ₂ | mg/m ³ | 65.1 | N.S | USEPA Method |
| 8 | Combustion Efficiency | % | 50.2 | - | - |

UOM:-Unit of Measurement

Remark: - TPM / SPM and Sulphur Dioxide(SO₂)kg/dayParameters result is within MPCB Limits.

Reviewed By

Authorized Signatory

(Mr. Prashant Patil)
(Asst. Technical Manager)

(Ms. Dhamashila Narwade)
(Dy. Technical Manager)

*****End of Report*****

Note:- "The results pertain to tested portion of sample"

AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi
Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 • 08652671991
Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Cut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 • 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001 : 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎ 0240-6641879 • 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/067-7.8

SOURCE (STACK) EMISSION MONITORING REPORT

| | | |
|--|-------------------|-------------------------|
| Client's Name & Address | Report ID | EEL/ABD/S-51/11/2022-23 |
| M/s. Cipla Limited D-27, Kurkumbh, Tal Daund, Midc, Pune, Maharashtra 413802 | Date of Reporting | 14/11/2022 |

SAMPLING DETAILS

| | | |
|--|---|--|
| 01) Location of Sampling | DG Set No.1. 1250 KVA (S-6) | |
| 02) Sampling Procedure | IS 11255 | |
| 03) Sample Volume | Thimble: 1×1no. SO ₂ : 30 ml ×1 no. (Plastic Bottle) NO _x : 30 ml ×1 no. (Plastic Bottle) | |
| 04) Sample Status (Sealed/Unsealed) | Sealed | |
| 05) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. | |
| 06) Date of Sampling | 05/11/2022 | |
| 07) Time of Sampling & Sampling Duration | From 15:00 PM to 16:00 PM (1 hr) | |
| 08) Date of Received in Lab | 07/11/2022 | |
| 09) Analysis Start Date | 07/11/2022 | |
| 10) Material of Stack | MS | |
| 11) Stack Height from G.L. | 30.0 meter | |
| 12) Type of Stack | Round | |
| 13) Flue Gas Temperature | 380 K | |
| 14) Differential Pressure | 2.4 mm WC | |
| 15) Velocity | 5.73 m/sec | |
| 16) Diameter of Stack | 0.4 meter | |
| 17) Stack Area | 0.1256 m ² | |
| 18) Gas Volume | 2031.79 Nm ³ /hr | |
| 19) Fuel Used | HSD | |
| 20) Instrument Details | Make/ Model No. | Asha Enviro&350 |
| | Serial No. | EELRC/EQ/SK/55 |
| | Calibration Date | Calibration on:20/06/2022, Due On:19/06/2023 |

RESULT

| Sr. No | Parameter | UOM | Result | Limits as Per MPCB Consent | Standard Method |
|--------|---------------------------------------|--------------------|--------|----------------------------|-------------------|
| 1 | TPM / SPM | mg/Nm ³ | 32.5 | ≤ 150.0 | IS 11255(Part 1) |
| 2 | Sulphur Dioxide(SO ₂) | mg/Nm ³ | 130.1 | - | IS 11255(Part 2) |
| 3 | Sulphur Dioxide(SO ₂) | kg/day | 6.34 | ≤20.0 | IS 11255(Part 2) |
| 4 | Sulphur Dioxide(SO ₂) | ppm | 49.6 | - | IS 11255(Part 2) |
| 5 | Oxides Of Nitrogen (NO _x) | mg/Nm ³ | 29.0 | N.S | IS 11255 (Part 7) |
| 6 | CO | mg/m ³ | 21.9 | N.S | USEPA Method |
| 7 | CO ₂ | mg/m ³ | 107.5 | N.S | USEPA Method |
| 8 | Combustion Efficiency | % | 75.9 | - | - |

UOM:-Unit of Measurement

Remark: - TPM / SPM&Sulphur Dioxide(SO₂)kg/day Parameters result is within MPCB Limits.

Reviewed By

Authorized Signatory

(Mr. Prashant Patil)
(Asst. Technical Manager)

(Ms. DKamashila Narayade)
(Dy. Technical Manager)

*****End of Report*****

Note:-"The results pertain to tested portion of sample"

AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi
Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)


MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 • 08652671991
Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 • 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001 : 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Annexure III (page 4b-25)



MAHARASHTRA ENVIRO POWER LTD

ISO 9001:2015 EMS 14001:2015 OHSAS 18001:2007 Certified Company
(Common Hazardous Waste Treatment, Storage and Disposal Facility)
The Corporate Identity Number (CIN) : U40105MH2005PLC150780



Doc No.: SMS/MEPL/IMS/MKT/PMC
Issue/Rev. No.: 04/00
Rev. Date: 01.02.2017

MAHARASHTRA ENVIRO POWER LTD

*This is to certify that: **M/S. CIPLA LTD.**
Address : **UNIT-II, D-27 MIDC Kurkumbh, Tal.-Daund, Dist-Pune** a
Valid member of CHWTSDF (As per MOU with MIDC & MPCB), at Plot No.
P-56, Ranjangaon MIDC, Taluka - Shirur, Pune - 412 220.*

Membership No. : MEPL/33003270

Membership Period: 02 May 2018 to 01 May 2023

For Maharashtra Enviro Power Ltd.

[Signature]
Authorized signatory

[Signature]
Marketing Coordinator



CHWTSDF : Plot No. P-56, Ranjangaon, Tal. Shirur, Dist. Pune, Pin - 412220. Ph.: +91-2138-670352, Telefax: +91-2138-670350.

Pune Office : 301, Pentagon P-3, Magarpatta Township, Hadapsar,
Pune 411 028. (Mah) India. Ph.: +91-20-66801111 Fax : +91-20-66801100
E-mail : info@mepl@smsl.co.in Web : www.smsenvocare.co.in, www.smsl.co.in
Regd. Office : 267, Ganesh Phadnavis Bhavan, Near Triangular Park,
Dharampeth, Nagpur. Ph.: +91-0712-2551952/53 Telefax : +91-0712-6665100

Marketing Office (Abd) : Bharat Bazar Commercial Complex, I-Wing, 2nd Floor, Near API Corner,
MIDC Area, Chikalthana, Aurangabad - 431210. Ph.: +91-240-2473047 Fax : +91-240-2470145
E-mail : info@mepl@smsl.co.in Web : www.smsenvocare.co.in, www.smsl.co.in

Corporate Office : 20, IT Park, Parsodi, Nagpur - 440022
Ph.: +91-0712-6665000 Telefax : +91-0712-6665100

WORLD ENVIRONMENT DAY – 5th JUN 2022



M/s. Cipla Limited (Unit-II)

Plot No. D - 27, MIDC Kurkumbh, Taluka - Daund, District - Pune, State - Maharashtra

Financial details:**Table - Environmental Protection Measures**

| S.No | Description | Capital | O & M/A |
|--------------|---|-------------|--------------|
| | | (Rs. Lakhs) | (Rs. Lakhs) |
| 1 | APC Equipment: <ul style="list-style-type: none"> • Installation of MS Stack of Boilers (Ht. 30 M), • MS Stack of Thermopack (Ht. 30 M), \ • MS stack DG set 4 Nos. of Stack (Ht. 30 M) & Scrubbers | 85 | 4 |
| 2 | Water Pollution Control: <ul style="list-style-type: none"> • ETP with ZLD • OCMS to ETP | 595 | 82.3 |
| 3 | Noise Pollution Control: <ul style="list-style-type: none"> • Provision of Acoustic enclosures to DG sets, • Boiler room, • Blowers and high noise generating machinery & Barriers | 20 | 2 |
| 4 | Environmental Monitoring and Management: <ul style="list-style-type: none"> • Environment monitoring by MOEFCC approved lab • Environment Digital Display Board System at main gate • ETP Laboratory & chemicals | 10 | 3 |
| 5 | Occupational Health and Safety: <ul style="list-style-type: none"> • Fire Fighting system • Fire Extinguishers • PPE's • Occupational Health Centre | 50 | 3 |
| 6 | Green Belt Development: <ul style="list-style-type: none"> • Avenue • Mass & Shelter belt Plantation | 15 | 1.5 |
| 7 | Rainwater Harvesting: <ul style="list-style-type: none"> • Provision of pipes & drains for transportation • filter & collection tanks | 35 | 3.5 |
| 8 | Hazardous Waste Storage and Disposal | 21 | 3 |
| Total | | 831 | 102.3 |

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎ 0240-6641879 • 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/066-7.8

AMBIENT NOISE MONITORING REPORT

| | | |
|--|-------------------|-------------------------|
| Client's Name & Address | Report ID | EEL/ABD/N-52/11/2022-23 |
| M/s. Cipla Limited | Date of Reporting | 14/11/2022 |
| D-27, Kurkumbh, Tal Daund, Mide, Pune, Maharashtra | | |

SAMPLING DETAIL

| | | |
|--|--|---|
| 01) Location of Sampling | Near Main Gate | |
| 02) Sampling Procedure | IS 4758 | |
| 03) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. | |
| 04) Date of Sampling | 04/11/2022 to 05/11/2022 | |
| 05) Time of Sampling & Sampling Duration | From 11:00 AM of 04/11/2022to 11:00 AM of 05/11/2022(24hrs) | |
| 06) Sampling Duration | 24 hrs. Day & Night | |
| 07) Instrument Details | Serial No. | SL-4023(EELRC/EQ/SM/37) |
| | Make | LUTRON |
| | Calibration Date | Calibration On: 10/03/2022 Due On: 09/03/2023 |

RESULT

| Sr. No. | Time | UOM | Result (Day Time) | Result (Night Time) |
|---------------------|----------|--------|-------------------|---------------------|
| MPCB Standard Limit | | | ≤ 75 | ≤ 70 |
| 1 | 11:00 AM | dB (A) | 69.8 | |
| 2 | 12:00 PM | dB (A) | 67.2 | |
| 3 | 13:00 PM | dB (A) | 71.8 | |
| 4 | 14:00 PM | dB (A) | 67.2 | |
| 5 | 15:00 PM | dB (A) | 66.4 | |
| 6 | 16:00 PM | dB (A) | 65.8 | |
| 7 | 17:00 PM | dB (A) | 62.6 | |
| 8 | 18:00 PM | dB (A) | 64.8 | |
| 9 | 19:00 PM | dB (A) | 65.8 | |
| 10 | 20:00 PM | dB (A) | 68.4 | |
| 11 | 21:00 PM | dB (A) | 66.8 | |
| 12 | 22:00 PM | dB (A) | 66.4 | |
| 13 | 23:00 PM | dB (A) | | 64.4 |
| 14 | 24:00 AM | dB (A) | | 65.4 |
| 15 | 1:00 AM | dB (A) | | 63.5 |
| 16 | 2:00 AM | dB (A) | | 58.6 |
| 17 | 3:00 AM | dB (A) | | 62.6 |
| 18 | 4:00 AM | dB (A) | | 62.4 |
| 19 | 5:00 AM | dB (A) | | 62.8 |
| 20 | 6:00 AM | dB (A) | 60.4 | |
| 21 | 7:00 AM | dB (A) | 58.2 | |
| 22 | 8:00 AM | dB (A) | 62.6 | |
| 23 | 9:00 AM | dB (A) | 60.7 | |
| 24 | 10:00 AM | dB (A) | 66.4 | |
| Average | | | 65.37 | 62.81 |

UOM - Unit of Measurement.

Remark: The Noise Level is within MPCB normal Limits.


Reviewed By

(Mr. Prashant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Dhamashila Narwade)
(Dy. Technical Manager)

*****End of Report*****



AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,

Notification F.No. LB/99/7/2021-INST LAB-HO-CPCB-HQ/ Pvt-208/9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 • 08652671991

Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 • 09767838931

Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001 : 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎ 0240-6641879 • 9970429991/ 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/AB/F/066-7.8

AMBIENT NOISE MONITORING REPORT

| | | |
|--|-------------------|-------------------------|
| Client's Name & Address | Report ID | EEL/ABD/N-53/11/2022-23 |
| M/s. Cipla Limited D-27, Kurkumbh, Tal Daund, Midc, Pune, Maharashtra | Date of Reporting | 14/11/2022 |

SAMPLING DETAILS

| SAMPLING DETAILS | | |
|--|--|---|
| 01) Location of Sampling | Near Pump House | |
| 02) Sampling Procedure | IS 4758 | |
| 03) Sample collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. | |
| 04) Date of Sampling | 04/11/2022 to 05/11/2022 | |
| 05) Time of Sampling & Sampling Duration | From 11:10 AM of 04/11/2022to 11:10 AM of 05/11/2022(24hrs) | |
| 06) Sampling Duration | 24 hrs. Day & Night | |
| 07) Instrument Details | Make/Model No. | KUSAM –MECO/KM928MK1 |
| | Serial No. | EELRC/EQ/AFD/56 |
| | Calibration Date | Calibration on:23/06/2022 Due On:22/06/2023 |

RESULT

| Sr. No | Time | UOM | Result (Day Time) | Result (Night Time) |
|--------|---------------------|--------|-------------------|---------------------|
| | MPCB Standard Limit | | ≤ 75 | ≤ 70 |
| 1 | 11:10 AM | dB (A) | 70.2 | |
| 2 | 12:10 PM | dB (A) | 67.2 | |
| 3 | 13:10 PM | dB (A) | 66.6 | |
| 4 | 14:10 PM | dB (A) | 64.2 | |
| 5 | 15:10 PM | dB (A) | 62.6 | |
| 6 | 16:10 PM | dB (A) | 68.8 | |
| 7 | 17:10 PM | dB (A) | 64.3 | |
| 8 | 18:10 PM | dB (A) | 63.4 | |
| 9 | 19:10 PM | dB (A) | 71.6 | |
| 10 | 20:10 PM | dB (A) | 68.6 | |
| 11 | 21:10 PM | dB (A) | 64.3 | |
| 12 | 22:10 PM | dB (A) | 62.6 | |
| 13 | 23:10 PM | dB (A) | | 61.6 |
| 14 | 24:10 AM | dB (A) | | 58.2 |
| 15 | 1:10 AM | dB (A) | | 56.3 |
| 16 | 2:10 AM | dB (A) | | 58.1 |
| 17 | 3:10 AM | dB (A) | | 62.3 |
| 18 | 4:10 AM | dB (A) | | 52.4 |
| 19 | 5:10 AM | dB (A) | | 60.6 |
| 20 | 6:10 AM | dB (A) | 52.3 | |
| 21 | 7:10 AM | dB (A) | 50.4 | |
| 22 | 8:10 AM | dB (A) | 60.8 | |
| 23 | 9:10 AM | dB (A) | 56.6 | |
| 24 | 10:10 AM | dB (A) | 64.3 | |
| | Average | dB (A) | 63.45 | 58.50 |

UOM – Unit of Measurement.

Remark: The Noise Level is within MPCB normal Limits.


Reviewed By

(Mr. Prashant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Dhamashila Narwade)
(Dy. Technical Manager)

*****End of Report*****



Page 1 of 1

AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CPCB, New Delhi,
Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 • 08652671991
Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 • 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001: 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎0240-6641879 • 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/066-7.8

AMBIENT NOISE MONITORING REPORT

| | | |
|-------------------------|-------------------|-------------------------|
| Client's Name & Address | Report ID | EEL/ABD/N-54/11/2022-23 |
| M/s. Cipla Limited | Date of Reporting | 14/11/2022 |

SAMPLING DETAILS

| | |
|--|--|
| 01) Location of Sampling | Near Boiler Area |
| 02) Sampling Procedure | IS 4758 |
| 03) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. |
| 04) Date of Sampling | 04/11/2022 to 05/11/2022 |
| 05) Time of Sampling & Sampling Duration | From 11:20 AM of 04/11/2022 to 11:20 AM of 05/11/2022 (24hrs) |
| 06) Sampling Duration | 24 hrs. Day & Night |
| 07) Instrument Details | Serial No. SL-4023(EELRC/EQ/SM/38) |
| | Make LUTRON |
| | Calibration Date Calibration On: 10/03/2022 Due On: 09/03/2023 |

RESULT

| Sr. No. | Time | UOM | Result (Day Time) | Result (Night Time) |
|---------------------|----------|--------|-------------------|---------------------|
| MPCB Standard Limit | | | ≤ 75 | ≤ 70 |
| 1 | 11:20 AM | dB (A) | 71.8 | |
| 2 | 12:20 PM | dB (A) | 70.6 | |
| 3 | 13:20 PM | dB (A) | 69.4 | |
| 4 | 14:20 PM | dB (A) | 65.2 | |
| 5 | 15:20 PM | dB (A) | 67.8 | |
| 6 | 16:20 PM | dB (A) | 65.9 | |
| 7 | 17:20 PM | dB (A) | 72.8 | |
| 8 | 18:20 PM | dB (A) | 68.3 | |
| 9 | 19:20 PM | dB (A) | 67.5 | |
| 10 | 20:20 PM | dB (A) | 68.4 | |
| 11 | 21:20 PM | dB (A) | 70.4 | |
| 12 | 22:20 PM | dB (A) | 69.4 | |
| 13 | 23:20 PM | dB (A) | | 62.8 |
| 14 | 24:20 AM | dB (A) | | 64.6 |
| 15 | 1:20 AM | dB (A) | | 62.4 |
| 16 | 2:20 AM | dB (A) | | 60.4 |
| 17 | 3:20 AM | dB (A) | | 64.8 |
| 18 | 4:20 AM | dB (A) | | 65.6 |
| 19 | 5:20 AM | dB (A) | | 58.6 |
| 20 | 6:20 AM | dB (A) | 58.8 | |
| 21 | 7:20 AM | dB (A) | 64.2 | |
| 22 | 8:20 AM | dB (A) | 60.2 | |
| 23 | 9:20 AM | dB (A) | 64.6 | |
| 24 | 10:20 AM | dB (A) | 62.7 | |
| Average | | | 66.94 | 62.74 |

UOM – Unit of Measurement.

Remark: The Noise Level is within MPCB normal Limits.


Reviewed By

(Mr. Prasant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Dharmashila Narwade)
(Dy. Technical Manager)

*****End of Report*****



Page 1 of 1

AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB New Delhi,

Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 • 08652671991
Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 • 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001: 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎ 0240-6641879 + 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/066-7.8

AMBIENT NOISE MONITORING REPORT

| | |
|---|--------------------------------------|
| Client's Name & Address M/s. Cipla Limited D-27, Kurkumbh, Tal Daund, Midc, Pune, Maharashtra | Report ID EEL/ABD/N-52/11/2022-23 |
| Date of Reporting | 14/11/2022 |

SAMPLING DETAILS

| | | |
|--|--|---|
| 01) Location of Sampling | Near ETP Area | |
| 02) Sampling Procedure | IS 4758 | |
| 03) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. | |
| 04) Date of Sampling | 04/11/2022 to 05/11/2022 | |
| 05) Time of Sampling & Sampling Duration | From 11:30 AM of 04/11/2022to 11:30 AM of 05/11/2022(24hrs) | |
| 06) Sampling Duration | 24 hrs. Day & Night | |
| 07) Instrument Details | Serial No. | DB-01 |
| | Make | LUTRON |
| | Calibration Date | Calibration On: 21/01/2022 Due On: 20/01/2023 |

RESULT

| Sr. No. | Time | UOM | Result (Day Time) | Result (Night Time) |
|---------------------|----------|--------|-------------------|---------------------|
| MPCB Standard Limit | | | ≤ 75 | ≤ 70 |
| 1 | 11:30 AM | dB (A) | 70.2 | |
| 2 | 12:30 PM | dB (A) | 68.2 | |
| 3 | 13:30 PM | dB (A) | 66.8 | |
| 4 | 14:30 PM | dB (A) | 67.2 | |
| 5 | 15:30 PM | dB (A) | 66.2 | |
| 6 | 16:30 PM | dB (A) | 62.2 | |
| 7 | 17:30 PM | dB (A) | 59.4 | |
| 8 | 18:30 PM | dB (A) | 58.2 | |
| 9 | 19:30 PM | dB (A) | 62.5 | |
| 10 | 20:30 PM | dB (A) | 67.2 | |
| 11 | 21:30 PM | dB (A) | 65.4 | |
| 12 | 22:30 PM | dB (A) | 64.8 | |
| 13 | 23:30 PM | dB (A) | | 63.8 |
| 14 | 24:30 AM | dB (A) | | 62.4 |
| 15 | 1:30 AM | dB (A) | | 59.5 |
| 16 | 2:30 AM | dB (A) | | 62.4 |
| 17 | 3:30 AM | dB (A) | | 56.4 |
| 18 | 4:30 AM | dB (A) | | 57.2 |
| 19 | 5:30 AM | dB (A) | | 58.2 |
| 20 | 6:30 AM | dB (A) | 62.8 | |
| 21 | 7:30 AM | dB (A) | 59.2 | |
| 22 | 8:30 AM | dB (A) | 62.2 | |
| 23 | 9:30 AM | dB (A) | 60.3 | |
| 24 | 10:30 AM | dB (A) | 63.4 | |
| Average | | dB (A) | 63.89 | 59.98 |

UOM - Unit of Measurement.

Remark: The Noise Level is within MPCB normal Limits.

Reviewed By

(Mr. Prashant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Dharmashila Narwade)
(Dy. Technical Manager)

*****End of Report*****



Page 1 of 1

AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CPCB, New Delhi,
Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 ☎ 08652671991
Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 ☎ 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001: 2015 ♦ ISO 14001 : 2015 ♦ ISO 45001: 2018

Website : www.eelab.in

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎0240-6641879 • 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/076-7.8

INSERTION LOSS MEASUREMENT REPORT

| | | |
|--|--|---|
| Client's Name & Address | Report ID | EEL/ABD/IL -77/08/2022 -23 |
| M/s. Cipla Limited D-27, Kurkumbh, Tal Daund, Mide, Pune, Maharashtra 413802 | Date of Reporting | 01/09/2022 |
| 1) Date of Measurement | 24/08/2022 | |
| 2) Time of Measurement | 11:30 AM | |
| 3) Sample Collected By | M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd. | |
| 4) Test Location | DG Set -1250 KVA (S-6) | |
| Instrument Details | Make/Model No. | KUSAM -MECO/KM928MK1 |
| | Serial No. | EELRC/EQ/AFD/56 |
| | Calibration Date | Calibration on:23/06/2022 Due On:22/06/2023 |

RESULTS

| RESULTS | | | | | |
|---------------------|------------------------------|-------------------------------|---------------|----------------------|---------------|
| Sr. No. | Sampling Location | Noise Level Measurement dB(A) | | Insertion Loss dB(A) | MPCB Limit |
| | 0.5 Meter Away from D.G. Set | Canopy Open | Canopy Closed | | |
| 1 | East | 100.8 | 70.9 | 29.9 | Min. 25 dB(A) |
| 2 | West | 99.2 | 70.8 | 28.4 | |
| 3 | South | 100.8 | 72.6 | 28.2 | |
| 4 | North | 102.2 | 71.8 | 30.4 | |
| AVERAGE =29.22dB(A) | | | | | |

Remark: Insertion Loss Level is within MPCB Limit.

Reviewed By

(Mr. Prasant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Dhanashree Narwade)
(Dy. Technical Manager)

*****End of Report*****



Page 1 of 1

AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,

Notification F.No.LB/99/7/2021-INST LAB-HQ-CPCB-HQ/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)


MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 • 08652671991
Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljat Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 • 09767838931
Email : punesales@excellentenviro.com

Certifications : ♦ ISO 9001 : 2015 ♦ ISO 14001 : 2015 ♦ ISO 45001 : 2018

Website : www.eelab.in

Environmental Management Cell



13/8/2007

Loksatta

Indian Express

जाहीर रचना

भारत सरकार, वन आणि पर्यावरण मंत्रालय,
प्रभाव निर्धारण विभाग, पर्यावरण भवन, सी. जी. ओ.
कॉम्प्लेक्स, लोदी रोड, नवी दिल्ली यांनी त्यांच्या पत्रांमार्फत
J- 11011/ 368 / 2006 -IA-II (I), दि. ३१ जुलै २००७ द्वारे
आमच्या- डी -२७. एम.ओ. वि. म. औद्योगिक वसाहत, कुरकुंभ,
पुणे-४१३ ८०२ महाराष्ट्र, येथील औषधे व मूल औषधे
उत्पादनासाठी पर्यावरण विभागक परवानगी दिली आहे.

सदर पर्यावरण विभागक परवानगी पत्राच्या प्रती
आपल्या माहितीसाठी प्रदूषण नियंत्रण मंडळाकडे उपलब्ध आहेत.
तसेच वन व पर्यावरण मंत्रालयाच्या या वेबसाईटवर आपण पाहू
शकता. <http://www.enfor.nic.in>

सिप्ला लिमिटेड

डी-२७, म.ओ. वि. म. औद्योगिक वसाहत, कुरकुंभ,
पुणे - ४१३ ८०२ महाराष्ट्र

PUBLIC NOTICE

Government of India, Ministry of
Environment and Forests, I.A. Division, Paryavaran
Bhavan, CGO Complex, Lodi Road, New Delhi, has
accorded Environmental Clearance to us, vide their
letter No. J-11011/368/2006-IA-II (I), Dated 31st July
2007 for Bulk Drug and Formulation unit at
D-27, MIDC Industrial Area, Kurkumbh,
Pune-413802, Maharashtra.

Copies of the clearance letter are
available with Maharashtra Pollution Control Board
and may also be seen at website of the Ministry of
Environment and Forests at <http://www.enfor.nic.in>

CIPLA LTD.

D-27, MIDC Industrial Area,
Kurkumbh, Pune-413802, Maharashtra.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
 Fax: 24023516
 Website: <http://mpcb.gov.in>
 Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
 4th floor, Opp. Cine Planet
 Cinema, Near Sion Circle,
 Sion (E), Mumbai-400022

RED/L.S.I (R58)

Date: 07/05/2022

No:- Format1.0/CAC/UAN No.MPCB-
 CONSENT-0000118891/CO/2205000394

To,
 M/s Cipla Limited (Unit-II),
 Plot No. D-27, MIDC Kukumbh, Tal. Daund, Dist. Pune.



Your Service Is Our Duty

Sub: Grant of Amendment in existing consent to operate under change in product-mix without change in total production quantity

- Ref:**
1. Environment Clearance accorded vide F. No. J-11011/ 368/ 2006-IAII (I) dtd. 31/07/2007.
 2. Consent to Operate accorded by the Board vide No. Format1.0/CAC/UAN No.0000090091/CO-2104000668 dtd. 12/4/2021 Valid up to 30/4/2025
 3. Minutes of Consent Appraisal Committee meeting held on 09/3/2022

Your application No.MPCB-CONSENT-0000118891 Dated 30.07.2021

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent to operate is granted for a period up to 30/04/2025
2. The capital investment of the project is Rs.210.77 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. 203.19 Crs + Increase in C.I. - Rs. 7.58 Crs)
3. Consent is valid for the manufacture of:

| Sr No | Product | Existing Quantity | Proposed Quantity | Total | UOM |
|-----------------|-------------------------------|-------------------|-------------------|-------|------|
| Products | | | | | |
| Anti-Retroviral | | | | | |
| 1 | Darunavir Ethanolate | 3 | 3 | 3 | MT/A |
| 2 | Tenofovir Disoproxil Fumarate | 66 | 50.3 | 50.3 | MT/A |
| 3 | Darunavir Hydrate | 3 | 3 | 3 | MT/A |
| 4 | Efavirenz | 6 | 8 | 8 | MT/A |
| 5 | Atazanavir Sulphate | 13 | 9 | 9 | MT/A |
| 6 | Dolutegravir Sodium | 1 | 1 | 1 | MT/A |

| Sr No | Product | Existing Quantity | Proposed Quantity | Total | UOM |
|---|---------------------------------------|-------------------|-------------------|-------|------|
| ANTI-INFLAMMATORY/ PROTON PUMP INHIBITORS | | | | | |
| 7 | Esomeprazole Magnesium Dihydrate | 3 | 3 | 3 | MT/A |
| 8 | Esomeprazole Potassium (Intermediate) | 6 | 6 | 6 | MT/A |
| 9 | Celecoxib | 2 | 2 | 2 | MT/A |
| ANTI-DIABETIC | | | | | |
| 10 | Vildagliptin | 2.7 | 2.7 | 2.7 | MT/A |
| ANTI-BACTERIAL/ ANTI FUNGAL | | | | | |
| 11 | Terbinafine Hydrochloride | 2 | 2 | 2 | MT/A |
| ANTI-PSYCHOTIC/ ANTI CONVULSANT/ ANTI DEPRESSANT | | | | | |
| 12 | LAMOTRIGINE | 9 | 1 | 1 | MT/A |
| 13 | Citalopram Hydrobromide | 26 | 26 | 26 | MT/A |
| ANTI-HYPERTENSIVE/ ANTI ANGINAL | | | | | |
| 14 | Trimetazidine Dihydrochloride | 6 | 6 | 6 | MT/A |
| 15 | LOSARTAN POTASSIUM | 5.2 | 1 | 1 | MT/A |
| 16 | LSR ACID (Intermediate of Losartan) | 6 | 6 | 6 | MT/A |
| 17 | Remdesivir | 0 | 2 | 2 | MT/A |
| 18 | Amlodipine Besylate | 0 | 3 | 3 | MT/A |
| 19 | Omeprazole Sodium | 0 | 1 | 1 | MT/A |
| 20 | Omeprazole | 0 | 15 | 15 | MT/A |
| 21 | Pantoprazole Sodium sesquihydrate | 0 | 3 | 3 | MT/A |
| 22 | Amlodipine Mesylate Monohydrate | 0 | 3 | 3 | MT/A |
| 23 | Topiramate | 0 | 1 | 1 | MT/A |
| 24 | Lansoprazole | 0 | 1 | 1 | MT/A |
| 25 | Nirmatrelevir | 0 | 1 | 1 | MT/A |

Maximum 25 Nos. of products shall be manufactured at a time. The overall total production quantity will not exceed 160MTA

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

| Sr No | Description | Permitted (in CMD) | Standards to | Disposal Path |
|-------|-------------------|--------------------|-------------------|-----------------------------|
| 1. | Trade effluent | 114.67 | As per Schedule-I | Recycle 100% to achieve ZLD |
| 2. | Domestic effluent | 35 | As per Schedule-I | Recycle 100% to achieve ZLD |

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

| Sr No. | Stack No. | Description of stack / source | Number of Stack | Standards to be achieved |
|--------|-----------|-------------------------------|-----------------|--------------------------|
| 1 | S-1 | Boiler 1 & 2 (2 TPH each) | 1 | As per Schedule -II |

| Sr No. | Stack No. | Description of stack / source | Number of Stack | Standards to be achieved |
|--------|------------|-------------------------------|-----------------|--------------------------|
| 2 | S-2 | Thermopack Boiler | 1 | As per Schedule -II |
| 3 | S-3 to S-5 | Process Vents (3 Nos.) | 3 | As per Schedule -II |
| 4 | S-6 | DG Set (1250 KVA) | 1 | As per Schedule -II |

6. **Non-Hazardous Wastes:**

| Sr No | Type of Waste | Quantity | UoM | Treatment | Disposal |
|-------|---|----------|------|-----------|--------------------------|
| 1 | Wooden Scrap, Glass Scrap, Plastic Scrap, Metal Scrap | 125 | MT/A | Sale | Sale to authorized party |

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**

| Sr No | Category No./ Type | Quantity | UoM | Treatment | Disposal |
|-------|--|----------|------|------------------------|------------------------------------|
| 1 | 5.1 Used or spent oil | 0.2 | KL/M | Incineration/ Recycle | Sale to authorised party / CHWTSDF |
| 2 | 28.1 Process Residue and wastes | 30 | MT/M | Incineration/ Recycle | Sale to authorised party / CHWTSDF |
| 3 | 28.2 Spent catalyst | 0.030 | MT/M | Landfill | CHWTSDF |
| 4 | 28.3 Spent carbon | 0.095 | MT/M | Incineration | CHWTSDF |
| 5 | 28.4 Off specification products | 0.5 | MT/M | Incineration | CHWTSDF |
| 6 | 28.5 Date-expired products | 1.0 | MT/M | Incineration | CHWTSDF |
| 7 | 28.6 Spent organic solvents | 378.5 | KL/M | Incineration/ Recycle* | Sale to authorised party / CHWTSDF |
| 8 | 33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes | 200 | No/M | Recycle* | Sale to authorised party |
| 9 | 35.3 Chemical sludge from waste water treatment | 15 | MT/M | Landfill | CHWTSDF |
| 10 | 37.1 Sludge from wet scrubbers | 0.025 | MT/M | Landfill | CHWTSDF |
| 11 | 37.3 Concentration or evaporation residues | 48 | MT/M | Landfill | CHWTSDF |

*** Sale to Authorized Party having permission under Rule 9 of H & OW**

8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.

9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
10. Industry shall comply with the conditions stipulated in the Environment Clearance accorded vide F. No. J-11011/ 368/ 2006-IAII (I) dtd. 13/07/2007 and ensure display/upload of six-monthly compliance monitoring report on their official website
11. Industry shall operate and maintain ETP and 100% recycle of treated effluent for secondary purposes like cooling tower make up, fire-fighting, plant washing etc. to achieve Zero liquid discharge.
12. PP shall ensure the connectivity of IP Camera with night vision at all the time to MPCB/ CPCB Servers.
13. Industry should not manufacture any other product for which permission is not granted by the Board
14. This consent is issued pursuant to the decision of Minutes of the Meeting of Technical Committee for change in product mix Dated. 19/2/2022 & 22/2/2022. This Consent is issued based on self-assessment of Pollution Load submitted by you in Board's prescribed format and Certificate of "No Increase in pollution load" issued by empaneled auditors. If any violation and / or submission of misleading information are noticed, then the consent issued will stand automatically cancelled and you have to follow the procedure of EIA Notification, 2006 and Amendments thereof for obtaining Environmental Clearance
15. This consent is issued with overriding effect on earlier Consent to Operate granted by the Board vide no. Format 1.0/CAC/UAN No. 0000090091/CO2104000668 dated 12/4/2021
16. This consent is issued as per the minutes of Consent Appraisal Committee meeting held on 09/3/2022



Ashok Shingare

1cd8abc4
39eb9b0a
95943d1f
3ac1c010
b274b7df
ef60d0cb
9344b4bb
56ae6c22

Signed by: Ashok Shingare
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2022-05-07 19:11:43 IST

Received Consent fee of -

| Sr.No | Amount(Rs.) | Transaction/DR.No. | Date | Transaction Type |
|-------|-------------|--------------------|------------|------------------|
| 1 | 421540.00 | MPCB-DR-7893 | 29/09/2021 | NEFT |
| 2 | 25000.00 | MPCB-DR-8365 | 18/10/2021 | NEFT |

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC-CAC Desk- for record & website updating purpose.

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have segregated trade effluent into weak stream & strong stream and provided Effluent Treatment Plant (ETP) comprising of:
i) Strong COD/TDS stream of 15 CMD - Treatment system comprising of Primary (Primary after stmt) , Multi effect evaporator (3 stage) followed by ATFD. The MEE condensate is treated in weak stream ETP.
ii) Weak COD/TDS stream of 99.67 CMD - Treatment system comprising of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Secondary (Activated sludge process), Tertiary (Pressure sand filter, Activated carbon filter), Advance treatment (Reverse osmosis, Multi Effective Evaporator (stage), ATFD) with design capacity of 150 CMD.
B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing with metering system so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises.
C] The Industry shall ensure connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system.
2. A] As per your application, primary treated sewage connected to Effluent Treatment Plant for further treatment & disposal.
B] Industry shall comply prescribed standards & disposal path as prescribed at Sr. No. 1B of schedule I.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

| Sr. No. | Purpose for water consumed | Water consumption quantity (CMD) |
|----------------|--|---|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 70.00 |
| 2. | Domestic purpose | 45.00 |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 129.57 |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 20.00 |

| Sr. No. | Purpose for water consumed | Water consumption quantity (CMD) |
|---------|----------------------------|----------------------------------|
| 5. | Gardening | 35 |

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

| Stack No. | Source | APC System provided/proposed | Stack Height(in mtr) | Type of Fuel | Sulphur Content(in %) | Pollutant | Standard |
|-----------|---|------------------------------|----------------------|-----------------|-----------------------|-------------------|------------------------|
| S-1 | Boiler 1 & 2 (02 TPH each) | Stack | 30.00 | PNG 3.4 SCM/Hr | - | NOx | 50 Mg/Nm ³ |
| | | | | LSHS 5.12 KL/D | 1 | TPM | 150 Mg/Nm ³ |
| | | | | | | SO2 | 3.41 Kg/Day |
| S-2 | Thermopack (2.0 Lakh kl/hrs) | Stack | 30.00 | Diesel 7.5 KL/M | 1.0 | TPM | 150 Mg/Nm ³ |
| | | | | | | SO2 | 5 Kg/Day |
| S-3 | API-I Production Block Process Vent No. 201 | Scrubber | 10.00 | - | - | Acid Mist | 35 Mg/Nm ³ |
| S-4 | API-I Production Block Process Vent No. 202 | Scrubber | 10.00 | - | - | Acid Mist | 35 Mg/Nm ³ |
| S-5 | API-I Production Block Process Vent No. 401 | Scrubber | 10.00 | - | - | Acid Mist | 35 Mg/Nm ³ |
| | | | | | | Dimethyl Sulphate | - |
| S-6 | DG Set | Acoustic Enclosure | 7.50 | HSD 30 KL/M | 1.0 | TPM | 150 Mg/Nm ³ |
| | | | | | | SO2 | 20 Kg/Day |

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

5. Solvent Management shall be carried out as follows:

- a. Reactors shall be connected to Water / Chilled Water /Brine Condenser system.
- b. Reactors and solvent handling pumps shall have mechanical seals to prevent the leakages.
- c. The condensers shall be provided with adequate Heat transfer area (HTA) and residence time so as to achieve more than 97% overall recovery
- d. Solvents shall be stored in a separate space specified with all safety measures.
- e. Proper earthing shall be provided in all the equipment's, wherever solvent handling is done.
- f. Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
- g. All the solvent storage tanks shall be connected with vent condensers with Water / chilled water / Brine circulation.
- h. Fugitive emissions shall be controlled at 99.95% with effective chillers.
- i. Solvent transfer shall be through pump.
- j. Metering and control of quantities of active ingredients to minimize wastes.
- k. Use of automatic filling to minimize spillage.
- l. Use of close feed system into batch reactors.
- m. Venting equipment through vapour recovery system.

SCHEDULE-III

Details of Bank Guarantees:

| Sr. No | Consent (C2E/ C2O /C2R) | Amt of BG Imposed | Submission Period | Purpose of BG | Compliance Period | Validity Date |
|--------|-------------------------|-------------------|-------------------|--|-------------------|---------------|
| 1 | C2R | 25 Lakh | 15 Days | Towards O & M of pollution control system & compliance of consent to operate | 30.04.2025 | 31.08.2025 |

****Existing BG obtained for above purpose if any, may be extended for period of validity as above.**

BG Forfeiture History

| Srno. | Consent (C2E/C2O/C2R) | Amount of BG imposed | Submission Period | Purpose of BG | Amount of BG Forfeiture | Reason of BG Forfeiture |
|-------|-----------------------|----------------------|-------------------|---------------|-------------------------|-------------------------|
| NA | | | | | | |

BG Return details

| Srno. | Consent (C2E/C2O/C2R) | BG imposed | Purpose of BG | Amount of BG Returned |
|-------|-----------------------|------------|---------------|-----------------------|
| NA | | | | |

SCHEDULE-IV
General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. The PP shall provide personal protection equipment as per norms of Factory Act
14. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

26. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

This certificate is digitally & electronically signed.
