

No: CIP/MOEF/2026/05/03

Date: 25.05.2026

27-05-2026

To,

Director (S)

Ministry of Environment & Forests

Regional Office (Southern Zone)

Kendriya Sadan, 4th Floor,

E & F Wings, 17th Main Road,

2nd Block, Koramangala,

Bangalore-560034.

Dear Sir/Madam,

Subject: Submission of half yearly point wise compliance report to conditions of Environmental Clearance for the period of October- 2025 to March - 2026


Reference: 1. EC No: F.No J-11011/382/2019-IA-II (I)

With reference to the above subject, we are hereby submitting Biannual (October – 2025 to March-2026) compliance report of stipulated conditions for Environmental Clearance granted to M/s Cipla Limited, Plot No 285, 286 and 287, Bommasandra Jigani Link Road, KIADB industrial area, 4th Phase, Bangalore 560105 as per the above reference. Kindly accept and acknowledge the receipt of the same.

Thanking you

Sincerely Yours

For Cipla Limited


S. Rajamani
(Site Head)



- Copy to: 1. The Regional Officer, Anekal Region, Nisarga Bhavan, Bangalore.
2. The Regional Officer, CPCB Zonal office, 1st floor Nisarga Bhavan, Bangalore.
3. The SDO, 17th Main Road, KSPCB Parisara Bhavan, Church Street, Bangalore.




CENTRAL POLLUTION CONTROL BOARD
Ministry of Environment, Forests &
Climate Change, Govt of India
Regional Office, Bangalore
1st & 2nd Floor, 17th Main Road
7th D Main, Shivajinagar, Bangalore - 560019.
Ph: 080 22253739

Cipla Ltd.

Plot No. 285, 286 & 287, Bommasandra-Jigani Link Road Industrial Area, KIADB 4th Phase, Jigani, Bangalore - 560105
P: +91 80 22059200 F: +91 80 22059220 E-Mail: admin@cipla.com

Regd. Office - Cipla House, Peninsula Business Park, Ganpatrao Kadam Marg, Lower Parel, Mumbai 400013, India
P: +91 22 24826000 F: +91 22 24826120 W: www.cipla.com E-Mail: contactus@cipla.com Corporate Identity Number L24239MH1935PLC002380

POINTWISE COMPLAINT TO ENVIRONMENTAL CLEARANCE (EC)
No: F.No J-11011/382/2019-IA-II (I) CONDITIONS ISSUED TO
M/s CIPLA LIMITED

Compliance Report for the Period–October-2025 to March-2026

Sl.No	CONDITIONS	COMPLIANCE STATUS
A	SPECIFIC CONDITIONS	
1	The project proponent shall obtain wildlife clearance from standing committee NBWL, if applicable as the project site is located at the distance 5.6 Km from Bannerghatta National Park.	Complied. Approval from the Chief Wildlife Warden, Government of Karnataka regarding the impact of the project on the Bannerghatta National Park. Copy of the same is submitted to the Ministry.
2	Necessary permission as mandated under the (Water Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, shall be obtained from time to time from the State Pollution Control Board.	Complied We have received Consent to Establish Expansion under Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981. We had valid CFE and CFO are in place CFE consent No. CTE 325900 Valid up to 21/04/2028. CFO No AW-336079 Valid up to 30/06/2026.
3	As already committed by the project proponent, zero liquid discharge shall be ensured, and no waste/ treated water Shall be discharged outside the premises.	Complied. Already the site has a zero liquid discharge facility which is fully operational. LOW TDS and High TDS effluent streams are segregated at source. • Low TDS effluent stream is treated in Conventional Activated sludge process with Extended Aeration followed by Reverse Osmosis. • High TDS effluent is treated in Stripper/Three effect forced circulation Multiple Effect Evaporator followed by Agitated Thin film dryer (ATFD).

		• There is no waste /Treated water discharge outside the premises. • Effluent Treatment Plant Flow Scheme Attached Annexure-1
4	Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary movement) Rules, 2016, Solid Waste Management Rules 2016 shall be obtained, and the provisions contained in the rules shall be strictly adhered to.	Complied. Hazardous waste management is strictly followed as per Hazardous and other Wastes (Management, and Transboundary Movement) Rules, 2016. All conditions stipulated in Hazardous Authorization issued by KSPCB are adhered to. Hazardous Waste Authorization No is 350828, granted on 04/10/2025 and Valid up to 30/06/2026.
5	National Emission Standards for Pharmaceutical Industry (Bulk Drugs) issued by the Ministry vide G.S.R.149(E) dated 4th March 2009 and amended from time to time shall be followed Fugitive emission shall be controlled at 99.98% with effective chillers.	We don't have an in-house incineration facility, so the same shall not be applicable to us.
6	No raw material/solvent prohibited by the concerned regulatory authorities from time to time, shall be used.	Being complied. No raw material/solvents which are prohibited by regulatory authorities are purchased.
7	To control source and the fugitive emission, suitable pollution control devices shall be installed to meet the prescribed the norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	Complied. In order to control the fugitive emissions following facility available at site. • We have preventive /condition-based maintenance schedule for all the equipment's installed at site to eliminate the possibilities of fugitive emission of leakages. for the issues of leakages & repairs. • Adequate DG and boiler chimney height is in place as per the norms.

		Process scrubbers are placed to control the fugitive emission.
8	Solvent management shall be carried out as follows: (a) Reactor cells be connected to child brine condenser system. (b) Reactors and solvent handling functional have mechanical seals to prevent leakages. (c) The condenser shall be provided with sufficient HTA and resistance time so as to achieve more than 95% recovery. (d) Solvents will be stored in a separate space specified with all safety measures. (e) Proper earthing shall be provided with all the electrical equipment wherever solvent handling is done. (f) Entire plant Shall be flameproof. The solvent storage tank shall be provided with breather valve to prevent losses. All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.	Complied. Solvent Management is as follows. a) All the reactor condensers available at site are connected to the chilled brine system. b) Reactors and solvent handling pumps are equipped with mechanical seals to prevent leakages. c) All condensers connected with reactors are designed for adequate HTA to achieve recovery more than 95%. d) Dedicated Tank Farm area is available where in solvents are stored in underground tanks with adequate safety measures. e) Proper Earthing connectivity provided for all Equipment's which are used for solvent handling. f) Flame proof fixtures are provided based on hazardous area classifications. All the solvent storage tanks are equipped with breather valves to prevent losses. As per the vapor pressure at room temperature data requirement vent condensers with chilling system is available.
9	Total fresh water requirement shall not exceed 140 cum/day, proposed to be met from ground water. Prior permission in this regard shall be obtained from the concerned regulatory authority/ CGWA.	Complied. Fresh Water consumption is well within the stipulated limit 140 cum/ day. Water Balance Sheet Attached Annexure -2

10	Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.	Complied. There is separate storm water drain is available across the site, which is clearly segregated process effluent water trench. Storm water from the premises is collected and discharged through a separate conveyance system.
11	Hazardous chemicals shall be stored in tanks, tanks farms, drums, carboys etc. Flame arrestor shall be provided on tank farm, and solvent transfer through pumps.	Complied. All the hazardous chemicals are being stored in tanks, drums in tank farms and carboys etc. Flame arresters are provided in all solvent storage tanks and solvents are being transferred through pumps.
12	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic and operation salt shall be disposed of to the TSDF.	Complied. Process organic residue and spent carbon generated during process are being sent to KSPCB authorized incineration vendor. ETP sludge, process inorganic and operation salt is being sent to KSPCB approved TSDF facility.
13	The company shall strictly comply with the rules and guidelines under the manufacture, storage and import of hazardous chemicals (MSIHC) Rules, 1989 as amended from time to time. All transportation of hazardous chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	Complied.
14	Fly ash should be stored, supply separately as per CPCB guidelines so that it may not adversely affect the air quality. Direct exposure of workers to fly ash and dust should be avoided.	There is no source for generating fly ash at site.
15	The company shall undertake waste minimization measures as below. (a) Metering and control of quantities of active ingredients to minimize waste.	Complied. a) API and raw materials quantity are reviewed on weekly basis to minimize the waste inventory.

	(b) Reuse of buy products from the process as raw materials are as raw material substitute in other processes. (c) Use of automated filling to minimize spillage. (d) Use of close feed system into batch reactors. (e) Venting equipment through vapor recovery system. use of high-pressure hoses for equipment clearing to reduce wastewater generation.	b) Raw materials are procured on a requirement basis only. c) Solvent batching system is being used for the close loop handling of solvents, which ensures the elimination of spillage. d) Batching systems are used closed loop solvent charging. e) Condenser with optimum design of HTA and desired utilities are in place ensure the vapor recovery efficiently. f) Spray Balls are being installed to handle organic solvents in closed loop which are used for reactor cleaning.
16	The green belt of at least 5-10 m width shall be developed in nearly 40% of the total project area, mainly along the plant periphery, in downward wind direction, and along roadside etc. Selection of plant species selfie as for the CPCB guidelines in consultation with the State Forest Department.	Complied. As per compliance condition 41 % green belt developed in the total area and different tree varieties belonging to <i>Saraca asoca</i>, <i>Dypsis lutescens</i>, <i>Prunus dulcis</i>, <i>Caesalpinia pulcherrima</i>, <i>Caesuarina equisetifolia</i>, <i>Magnolia champaca</i>, <i>Araucaria Coochii</i>, <i>Wodyetia bifurcate</i>, <i>Galpinia tranvaalica</i>, <i>Melaleuca bracteate</i>, <i>Delonix regia</i>, <i>Pongamia pinnata</i>, <i>Muntingia calabura</i>, <i>Artocarpus heterophyllus</i>, <i>Syzygium cumini</i>, <i>Mangifera indica</i>, <i>Swietenia mahagoni</i>, <i>Azadirachta indica</i>, <i>Eucalyptus</i>, <i>Ficus benghalensis</i>, <i>Musa acuminata</i>, <i>Carica papaya</i>, <i>Phoenix canariensis</i>, <i>Punica granatum</i>, <i>Quercus</i>, <i>Grevillea robusta</i>, <i>Santalum album</i>, <i>Tectona grandis</i> Linn, <i>Thorn Acacia</i>, <i>Leucaena leucocephala</i>, <i>Sapodilla</i>, etc are planted in the facility.
17	At least 3% of total project cost Shall be allocated for Corporate Environment Responsibility (CER) and item wise details along with the	Complied. As per the MOEF notification dated 30th September -2020 separate CER funds are not required.

	time bond action plan shall be prepared and submitted to the Ministry's Regional Office.	
18	For the DG sets, emission limits and the stack height shall be in conformity with the regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling noise pollution.	Complied. Adequate stack height is provided for all the DG sets and similarly suitable acoustic enclosures are provided for DG sets
19	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.	Complied. The areas of high risk posing potential fire risk are evaluated and provided with fire protection system such as • The fire extinguishers are installed in site as per the classification & risk potential of each area and 415 No's of extinguishers are installed. • Fire hydrant, Fire protection sprinklers, Foam-water jet monitor, NOVEC-123 fire suppression system and DSPA fire suppression system and are installed in various areas. • Fire detection system such as smoke detectors, Fire alarms and manual call point installed
20	Occupational health surveillance of the workers will be done on a regular basis and records maintained as per the Factories Act.	Complied. Occupational health surveillance of the workers is done on a Biannual basis and records maintained as per the Factories Act. These reports are discussed with occupational Health advisor for any concerns. Apart from routine tests, Kidney function test, Liver function test Audiometry, ECG etc. are also done.
21	A continuous online (24x7) monitoring system for stack emission shall be installed for measurement of	Complied. • We have Installed Continuous online (24x7) monitoring system

	flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install Web camera with night vision capability and flow meters in the channel/ drain carrying effluent within the premises.	for stack emission for the measurement of the specified parameters of flue gas discharge from DG and Boiler. Daily Data transmission is done to CPCB and KSPCB server. We installed IP camera with PAN, TILT Zoom, 5x focal length with night vision capability and fixed in flow meter at the outlet of the ETP & Data connected to CPCB and KSPCB server. Same is acknowledged by CPCB and KSPCB.
22	Process safety and risk assessment studies shall be further carried out using advanced models, and the mitigating measures shall be undertaken accordingly.	Process safety and risk assessment studies are carried out mandatorily for Mitigating the Hazards & Implementing the advanced models. (TBEA, HIRA, JSA & HAZOP)
B	GENERAL CONDITIONS	
1	The project proponent shall obtain all other statutory/ necessary permissions recommendations NOCs prior to start of the construction/operation of the project which inter alia include, permission/approvals under the Forest (Conservation) Act, 1980; Wildlife (Protection) Act, 1972; the Coastal Regulation Zone Notification, 2019, as amended from time to time and other office memorandum circular issued by the Ministry of Environment Forest and Climate Change from time to time as applicable to the project.	Complied. The industry is already established in the notified industrial area. Therefore, it is not applicable. No new construction is done. EC was obtained for Change of product mix.
2	The project proponent shall ensure compliance of 'National Emission	Complied.

	Standards', as applicable to the project issued by the ministry from time to time. The project proponent shall also abide by the rules/ regulations issued by the CPCB/SPCB for control/abatement of pollution.	We are conducting timely emission monitoring which are observed to be well within the limits.
3	The project authorities shall order to the stipulations made by the State Pollution Control Board/ Committee, Central Pollution Control Board, State Government and any other statutory authority.	Being Complied.
4	The project proponent shall prepare a site-specific conservation plan and Wildlife Management Plan in the case of the presence of Schedule-1 species in the study area as applicable to the project and submit it to Chief Wildlife Warden for approval. The recommendations shall be implemented in consultation with the State Forest/Wildlife department in time bound manner	Our industry is located in notified industrial area, where in this conservation plan is not applicable.
5	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments shall be carried out without prior approval of the Ministry of Environment Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for Clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Complied. No expansion or modifications in the plant have been carried out without prior approval of the Ministry of Environment Forest and Climate Change and EIA Notification of 2006.
6	The energy source from lightning propose shall be preferably LED	Complied.

	based, or advanced having performance in energy conservation and environment betterment.	Following Energy conservation strategies for Environment betterment. A. All lights are LED based in the premises B. PNG Fuel usage for Boiler C. Renewable energy usage like Solar Panels installed at site. D. Wind & Solar energy power purchase done for energy usage.
7	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (KSPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Complied. 4 Ambient air quality monitoring stations are set up in consultation with KSPCB. <u>Locations are as follows:</u> a. Near ETP (East) b. Near Material entry gate (West) c. Near API-1 (South) d. Near Boiler house (North) Ambient air quality monitoring is carried out by NABL accredited Laboratory (M/s Tejus Enterprises) and reports are filed monthly to the State Pollution Control Board (KSPCB)
8	The National Ambient Air Quality Emission Standard issued by the Ministry vide G.S.R No. 826 (E) dated 16th November ,2009 shall be followed.	The National Ambient Air quality emission standards are being followed and accordingly monitored. NAAQ Annexure-3
9	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including a acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The Ambient Noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 with 75 dBA (daytime) and 70 dBA (nighttime).	Noise level is well within the stipulated standards. Acoustic enclosures is provided for Diesel Generator and ETP Blowers. The ambient noise levels across our boundary conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime). HCL software company is located on the East side of our premises, M/s Richa Global, a garment factory is located on the West side. North side of

		our premises is agricultural land and South side there is main road. Annexure-4
10	The Company shall harvest rainwater from the rooftops of the buildings and storm water drains to recharge the groundwater and to utilize the same for process requirements.	Rainwater harvesting system collection tank completed, roof top catchment pipeline work in progress. Storm water drains to recharge the ground water is not permitted as per CFE and CFO conditions.
11	Training shall be imparted to all employees on safety and health aspects of chemical handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on a regular basis. Training to all employees on the handling of chemical shall be imparted.	Complied. Pre-employment and routine periodical medical examinations for all employees are being done. Trainings are being imparted on regular basis.
12	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villagers and administration and shall be implemented.	Complied.
13	The company shall undertake eco-development of all measures including community welfare measures in the project area for the overall improvement of the environment.	we worked with CSR team for support nearby Hospitals, Mobile Health Care unit in Jigani area, to benefit the community around the plant area, to facilitate health care & vaccination. Water shed & water reservoir projects done in surrounding villages.
14	A separate Environmental Management cell (having qualified person with Environmental Science/ Environmental Engineering/ specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	A separate Environmental Management Cell is in place with Qualified Environmental professionals and unit is ISO 14001:2015 certified. The site has dedicated ETP lab and continuous monitoring of Effluent sample are in place.

15	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated here in. The funds earmark for environment management/ pollution control measures shall not be diverted for any other purpose.	Noted and being complied.
16	A copy of the clearance selfie sent by the project proponent to be concerned Panchayat, Zilla Parishad/ Municipal Corporation, Urban local Body and the local NGO, if any from whom suggestions/representations, if any, were received while processing the proposal.	Complied. The Environmental clearance copy submitted to the chief officer Jigani-town municipal council acknowledgement copy attached as Annexure- 5
17	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by email) to the respective Regional Office of MoEF & CC, respective zonal office of CPCB and SPCB. A copy of Environmental Clearance and six-monthly complaint status report shall be posted on the website of the company.	Complied. Attached screen shot of compliance report published in website Annexure-6
18	The environmental statement for each financial year ending 31st March in Form-V is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended	Complied.

	subsequently shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by email.	
19	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/ Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied. Two local newspapers advertise is given as per condition copy is attached as a Annexure-7
20	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closer and final approval of the project by the concerned authorities and the date of start of the project.	Noted and being complied.
21	This Environmental Clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any as may be applicable to this project.	Noted.
22	The Ministry reserves the right to stimulate additional conditions, if found necessary at subsequent stages and the project proponent cell implement all the said conditions in a	Noted.

	time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.	
23	Concealing factual data for submission of false/ fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted.
24	Any appeal against this environment clearance cell lies with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section the 16 of the National Green Tribunal Act, 2010.	Noted.
25	The above conditions will be enforced inter-alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act 1986 the Hazardous Waste (Management, Handling and Transboundary Movement) Rules 2016 and public liability insurance Act,1991 read with subsequent amendments are therein	Noted.
26	This issue with the approval of competent authority.	Noted.




For Cipla Limited


Authorized Signatory

ANNEXURE-1

EFFLUENT TREATMENT PLANT-160 KLD - FLOW SCHEME



SLUDGE TREATMENT SYSTEM



ANNEXURE-2

5.3 Water Balance Diagram (with reuse/recycle if any):




FIGURE 1: WATER BALANCE CHART



Ambient Air, Stack, Scrubber Analysis Report from Oct -25 to March -2021

Ambient Air Monitoring Near ETP (North Side)									
S.no	Parameters	Limits As per NAAQS	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Particulate Matter PM10,ug/m3	100	46.3	49.9	55.2	46	46.2	48.6	48.70
2	Particulate Matter PM2.5,ug/m3	60	15.1	18.8	21.1	17.6	19.9	22.2	19.42
3	Nitrogen Dioxide No2,ug/M3	80	14.9	16.8	19.1	17.2	18.5	19.2	17.62
4	Sulphur Dioxide So2 ug/M3	80	7.6	8.8	10.8	8.2	9.2	9.4	9.00
5	Nickel As Ni mg/m3	20	BDL	BDL	BDL	BDL	BDL	BDL	BDL
6	Lead As Pb ug/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL
7	Arsenic as ng/m3	6	BDL	BDL	BDL	BDL	BDL	BDL	BDL
8	carbon monoxide as co,mg/m3	4	BDL	BDL	BDL	BDL	BDL	BDL	<1.0
9	ozone as O3 u/m3	180	7.4	6.6	8.6	7.8	8.6	8.9	7.98
10	Ammonia as Nh3,ug/m3	400	15.1	13.6	14.6	14.6	16	18	15.32
11	Benzene ug/m3	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Benzo(a) pyrene,ng/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Ambient Air Monitoring Near Security gate (south side)									
S.no	Parameters	Limits As per NAAQS	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Particulate Matter PM10,ug/m3	100	43.2	46.8	54.7	45.2	42.7	46.7	46.55
2	Particulate Matter PM2.5,ug/m3	60	17.5	18.7	21.9	14	17.5	23.4	16.73
3	Nitrogen Dioxide No2,ug/M3	80	16.7	15.5	19.3	17.1	19.3	18.6	17.75
4	Sulphur Dioxide So2 ug/M3	80	8	9.5	11	8	9.4	8.7	9.10
5	Nickel As Ni mg/m3	20	BDL	BDL	BDL	BDL	BDL	BDL	BDL
6	Lead As Pb ug/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL
7	Arsenic as ng/m3	6	BDL	BDL	BDL	BDL	BDL	BDL	BDL
8	carbon monoxide as co,mg/m3	4	BDL	BDL	BDL	BDL	BDL	BDL	<1.0
9	ozone as O3 u/m3	180	8.3	7.5	8.9	7.5	8.1	8.6	8.15
10	Ammonia as Nh3,ug/m3	400	17.4	16.6	18.1	13.9	14.6	14.7	15.88
11	Benzene ug/m3	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Benzo(a) pyrene,ng/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Ambient Air Monitoring Near Apl-1 (East Side)									
S.no	Parameters	Limits As per NAAQS	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Particulate Matter PM10,ug/m3	100	46.3	49	58.9	45	49.3	47.6	49.35
2	Particulate Matter PM2.5,ug/m3	60	17.1	20.5	23.7	19	20	20.8	20.18
3	Nitrogen Dioxide No2,ug/M3	80	14.9	17.1	19.3	16.4	17.5	18.2	17.23
4	Sulphur Dioxide So2 ug/M3	80	8.1	9.6	10.7	9.2	9.6	9.8	9.50
5	Nickel As Ni mg/m3	20	BDL	BDL	BDL	BDL	BDL	BDL	BDL
6	Lead As Pb ug/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL
7	Arsenic as ng/m3	6	BDL	BDL	BDL	BDL	BDL	BDL	BDL
8	carbon monoxide as co,mg/m3	4	BDL	BDL	BDL	BDL	BDL	BDL	<1.0
9	ozone as O3 u/m3	180	7.4	6.9	8.9	7.6	8.1	8.3	7.87
10	Ammonia as Nh3,ug/m3	400	13.6	12.9	14.6	13.9	15.3	16	14.38
11	Benzene ug/m3	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Benzo(a) pyrene,ng/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Ambient Air Monitoring Near Boiler House (West Side)									
S.no	Parameters	Limits As per NAAQS	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Particulate Matter PM10,ug/m3	100	43.6	41	49.4	42.1	47	45.7	44.80
2	Particulate Matter PM2.5,ug/m3	60	19.3	16.8	20.3	17.3	15.6	18	17.68
3	Nitrogen Dioxide No2,ug/M3	80	17.2	18	19.6	16.3	17.2	17.7	17.67
4	Sulphur Dioxide So2 ug/M3	80	8	9.6	10.7	6.4	7.8	8.8	8.88
5	Nickel As Ni mg/m3	20	BDL	BDL	BDL	BDL	BDL	BDL	BDL
6	Lead As Pb ug/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL
7	Arsenic as ng/m3	6	BDL	BDL	BDL	BDL	BDL	BDL	BDL
8	carbon monoxide as co,mg/m3	4	BDL	BDL	BDL	BDL	BDL	BDL	<1.0
9	ozone as O3 u/m3	180	8.3	8.6	9.2	8.1	6.3	7.8	8.05
10	Ammonia as Nh3,ug/m3	400	18.2	15.9	18.1	16.7	19.5	17.3	17.62
11	Benzene ug/m3	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Benzo(a) pyrene,ng/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Stack Monitoring DG 1500 KVA									
S.no	Parameters	Limits As per NAAQS	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Area of cross section of Stack,m ²	NS	0.1134	0.1134	0.1134	0.1134	0.1134	0.1134	0.113
2	Stack top	NS	30	30	30	30	30	30	Round
3	Temperature, °C	NS	179	182	185	188	193	198	187.50
4	Stack Gas velocity, m/s	NS	9.8	10	10.3	10.6	11	10.6	10.38
5	Rate of Discharge of gas,Nm ³ /hr	NS	2655.37	2700.66	2754.28	2816.06	2900.61	2774.65	2766.94
6	Particulate Matter mg/Nm ³	75	29.5	25.3	28.1	26.1	28.2	30	27.87
7	oxides of sulphur (SO ₂), mg/Nm ³	NS	10.7	11.7	10.6	10	9.4	10.4	10.47
8	oxides of Nitrogen (NO ₂), mg/Nm ³	710	153.1	156.8	165.4	154.2	160.8	149.8	156.68
9	carbon monoxide as CO,mg/m ³	150	50	55	51.25	48.75	52.5	43.75	50.21
10	Non-Methane Hydrocarbon (NMHC),PPM	100	23	25	27	29	32	22	26.33

Stack Monitoring 1.5 TPH Boiler Chimney									
S.no	Parameters	Limits As per NAAQS	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Area of cross section of Stack,m ²	NS	0.1963	0.1963	0.1963	0.1963	0.1963	0.1963	0.20
2	Stack top	NS	30	30	30	30	30	30	Round
3	Temperature, °C	NS	140	142	144	146	148	155	145.83
4	Stack Gas velocity, m/s	NS	8.1	8.4	8.6	8.8	9	9.3	8.70
5	Rate of Discharge of gas,Nm ³ /hr	NS	4157.95	4291.17	4386.84	4452.59	4532.15	4637.34	4409.67
6	Particulate Matter mg/Nm ³	75	21.6	17.2	15.5	17.5	19.8	16.9	18.08
7	oxides of sulphur (SO ₂), mg/Nm ³	NS	9.8	8.5	8.3	8.8	9.6	8.3	8.88
8	oxides of Nitrogen (NO ₂), mg/Nm ³	710	19.3	19.9	16.1	19.4	23.5	17.1	19.22

Stack Monitoring DG 500 KVA									
S.no	Parameters	Limits As per NAAQS	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Area of cross section of Stack,m ²	NS	0.1134	0.1134	0.1134	0.1134	0.1134	0.1134	0.113
2	Stack top	NS	20	20	20	20	20	17.9	Round
3	Temperature, °C	NS	158	160	163	165	168	7	136.83
4	Stack Gas velocity, m/s	NS	9.1	9.1	9.4	9.7	9.4	24.3	11.83
5	Rate of Discharge of gas,Nm ³ /hr	NS	2594.46	2573.89	2640.45	2721.32	2619.22	6.7	2192.67
6	Particulate Matter mg/Nm ³	150	29.4	33.1	29	30.2	28.8	18.6	28.18
7	oxides of sulphur (SO ₂), mg/Nm ³	NS	10.4	11.3	12.6	12.2	11.6	7.2	10.88
8	oxides of Nitrogen (NO ₂), mg/Nm ³	NS	38.4	33.4	36.3	39.5	37.9	20.1	34.27
9	carbon monoxide as CO,mg/m ³	150	41.25	45	42.5	40	36.25	40	40.83
10	Non-Methane Hydrocarbon (NMHC),PPM	100	18	20	18	20	22	13	18.50

Stack Monitoring 2.0 TPH Boiler Chimney									
S.no	Parameters	Limits As per NAAQS	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Area of cross section of Stack,m ²	NS	0.1963	0.1963	0.1963	0.1963	0.1963	0.1963	0.20
2	Stack top	NS	30	30	30	30	30	30	Round
3	Temperature, °C	NS	78	80	83	85	88	95	84.83
4	Stack Gas velocity, m/s	NS	7.9	8.1	8.3	8.4	8	7.6	8.05
5	Rate of Discharge of gas,Nm ³ /hr	NS	4755.69	4880.9	4942.79	4974.4	4713.81	4422.13	4781.62
6	Particulate Matter mg/Nm ³	75	18.2	15.6	17.5	19	22.8	24.7	19.63
7	oxides of sulphur (SO ₂), mg/Nm ³	NS	9.2	8	9.7	9.9	10.3	11.1	9.70
8	oxides of Nitrogen (NO ₂), mg/Nm ³	710	21.2	19.2	15.6	19.4	19.1	25.4	19.98

Scrubber -1 (SCB-17 API-1)									
S.no	Parameters	Limits	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Area of cross section of stack, m ²	NS	0.1018	0.1018	0.1018	0.1018	0.1018	0.1018	0.102
2	Stack Top	NS	3	3	3	3	3	3	Round
3	Temperature, °C	NS	62	64	66	68	71	66	66.17
4	Stack gas velocity, m/s	NS	7.4	7.6	7.8	7.9	7.7	8	7.73
5	Rate of discharge of gas, Nm ³ /hr	NS	2436.71	2479.45	2538.12	2555.58	2460.96	2605.2	2512.34
6	Particulate Matter mg/Nm ³	150	20.3	21.6	18.8	19.1	20.9	17.5	19.70
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	10.1	9.6	8.8	8.4	8.1	9.1	9.02
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	23.9	19.9	23.3	24.5	21.1	26.5	23.20
9	Acid mist, mg/Nm ³	35	6.4	7.2	6.8	7.1	6.3	6.7	6.75
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Scrubber -2 (SCB-101 API-1)									
S.no	Parameters	Limits	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Area of cross section of stack, m ²	NS	0.1018	0.1018	0.1018	0.1018	0.1018	0.1018	0.102
2	Stack Top.	NS	3	3	3	3	3	3	Round
3	Temperature, °C	NS	59	62	64	66	68	64	63.83
4	Stack gas velocity, m/s	NS	7.7	7.9	8	8	7.5	7.2	7.72
5	Rate of discharge of gas, Nm ³ /hr	NS	2549.91	2601.35	2609.95	2594.55	2426.18	2364.61	2524.43
6	Particulate Matter mg/Nm ³	150	24.8	20.3	22.7	21.1	23.9	20.8	22.27
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	9.4	10.2	9.2	9.6	9.3	8.8	9.42
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	19.2	24.2	19.4	24.5	22.8	24.6	22.45
9	Acid mist, mg/Nm ³	35	6.4	6.8	9.3	6.8	6.3	5.3	6.82
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Scrubber -3 (SCB-201 API-2)									
S.no	Parameters	Limits	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Area of cross section of stack, m ²	NS	0.0254	0.0254	0.0254	0.0254	0.0254	0.0254	0.03
2	Stack Top.	NS	3	3	3	3	3	3	Round
3	Temperature, °C	NS	55	57	61	63	66	62	60.67
4	Stack gas velocity, m/s	NS	7.2	7.5	7.7	7.9	7.7	7.3	7.55
5	Rate of discharge of gas, Nm ³ /hr	NS	600.16	623.45	632.41	644.98	625.16	603.75	621.65
6	Particulate Matter mg/Nm ³	150	23.7	20.1	19.9	19.4	23.2	17.3	#REF!
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	8.6	8.2	7.9	8.1	7.8	9.1	8.28
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	19.3	24	22.3	20.6	19.7	24.9	21.80
9	Acid mist, mg/Nm ³	35	7.1	6.5	6.7	6.4	6.7	9.5	6.68
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Scrubber -4 (SCB-202 API-2)									
S.no	Parameters	Limits	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Area of cross section of stack, m ²	NS	0.0254	0.0254	0.0254	0.0254	0.0254	0.0254	0.03
2	Stack Top.	NS	3	3	3	3	3	3	Round
3	Temperature, °C	NS	52	50	53	56	58	54	53.83
4	Stack gas velocity, m/s	NS	7	7.3	7.5	7.8	7.3	7.7	7.43
5	Rate of discharge of gas, Nm ³ /hr	NS	592.81	619.98	631.1	650.36	605	648.11	624.56
6	Particulate Matter mg/Nm ³	150	23.8	21.8	21.1	21.9	23.7	19.4	#REF!
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	9.2	8.4	8.7	8	8.4	7.6	8.38
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	24.3	20.6	22.4	20.9	24.2	24	22.73
9	Acid mist, mg/Nm ³	35	6.8	7.2	7	7.5	7	6.4	6.98
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Scrubber -5 (SCB-203 API-2)									
S.no	Parameters	Limits	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Area of cross section of stack, m ²	NS	0.0804	0.0804	0.0804	0.0804	0.0804	0.0804	0.08
2	Stack Top.	NS	3	3	3	3	3	3	Round
3	Temperature, °C	NS	60	62	64	66	68	63	63.83
4	Stack gas velocity, m/s	NS	7.6	7.8	8	7.7	7.1	7.4	7.60
5	Rate of discharge of gas, Nm ³ /hr	NS	1981.75	2028.5	2061.29	1972.29	1813.97	1934.5	1965.38
6	Particulate Matter mg/Nm ³	150	21.1	19.2	19.5	19.8	17.8	16	18.90
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	9.5	8.4	8	8.6	8.3	8.8	8.60
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	21.9	23.5	22	25.5	25.1	28	24.33
9	Acid mist, mg/Nm ³	35	6.7	7.5	6.3	6.7	6.3	7.8	6.88
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Scrubber -6 (SCB-204 API-2)									
S.no	Parameters	Limits	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Area of cross section of stack, m ²	NS	0.038	0.038	0.038	0.038	0.038	0.038	0.04
2	Stack Top.	NS	3	3	3	3	3	3	Round
3	Temperature, °C	NS	53	56	58	61	63	57	58.00
4	Stack gas velocity, m/s	NS	7.2	7.5	7.7	7.5	7.9	7.3	7.52
5	Rate of discharge of gas, Nm ³ /hr	NS	906.4	935.56	957.89	924.63	964.93	931.91	936.89
6	Particulate Matter mg/Nm ³	150	22.1	21.2	20.5	22.1	24.1	19.3	21.55
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	9.5	8.8	9.4	9.6	10.5	7.8	9.27
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	22	19.2	16.8	17.5	19.7	21.2	19.40
9	Acid mist, mg/Nm ³	35	7.8	7.5	7.4	7.1	6.7	7.1	7.27
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Scrubber -7 (SCB-205 API-2)									
S.no	Parameters	Limits	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Area of cross section of stack, m ²	NS	0.0415	0.0415	0.0415	0.0415	0.0415	0.0415	0.042
2	Stack Top.	NS	3	3	3	3	3	3	Round
3	Temperature, °C	NS	59	57	60	62	65	59	60.33
4	Stack gas velocity, m/s	NS	7.6	7.4	7.6	7.5	7.2	6.8	7.35
5	Rate of discharge of gas, Nm ³ /hr	NS	1022.58	1008.4	1022.92	1003.43	954.75	927.18	989.88
6	Particulate Matter mg/Nm ³	150	22.6	20.1	23.9	21.9	23.9	16.9	21.55
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	8.3	8.5	9.2	9.5	9.8	8.1	8.93
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	27.6	23.3	28.1	26.2	25.6	19.8	24.77
9	Acid mist, mg/Nm ³	35	5.3	7.5	7.4	7.8	6.7	8.2	7.15
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Scrubber -8 (SCB-206 API-2)									
S.no	Parameters	Limits	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Area of cross section of stack, m ²	NS	0.0415	0.0415	0.0415	0.0415	0.0415	0.0415	0.042
2	Stack Top.	NS	3	3	3	3	3	3	Round
3	Temperature, °C	NS	54	57	60	63	66	60	60.00
4	Stack gas velocity, m/s	NS	7.3	7.2	7.5	7.2	7.6	7	7.30
5	Rate of discharge of gas, Nm ³ /hr	NS	1003.9	977.89	1012.82	960.43	1008.16	945.3	984.75
6	Particulate Matter mg/Nm ³	150	22.8	20	22	20.6	22.9	17.5	20.97
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	9.2	9.8	10.3	9.6	10	8.9	9.63
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	22.1	19.8	17.4	17.1	18.3	24.1	19.80
9	Acid mist, mg/Nm ³	35	5.7	6.8	7.1	7.5	7.1	6.3	6.75
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Scrubber -9 (SCB-207 API-2)									
S.no	Parameters	Limits	Oct.25	Nov.25	Dec.25	Jan.26	Feb.26	Mar.26	Average
1	Area of cross section of stack, m ²	NS	0.0415	0.0415	0.0415	0.0415	0.0415	0.0415	0.042
2	Stack Top.	NS	3	3	3	3	3	3	Round
3	Temperature, °C	NS	62	64	66	68	71	66	66.17
4	Stack gas velocity, m/s	NS	7.4	7.6	7.9	7.7	7.2	7.8	7.60
5	Rate of discharge of gas, Nm ³ /hr	NS	986.75	1014.15	1044.48	1012.06	938.09	1038.13	1005.61
6	Particulate Matter mg/Nm ³	150	19.6	21.7	18.2	19.6	22.1	17.9	19.85
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	9.4	8.2	7.9	8.1	7.9	7	8.12
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	16.7	19.3	17.5	19.5	23.4	24.3	20.12
9	Acid mist, mg/Nm ³	35	6.7	7.1	6.7	6.4	7.1	6.7	6.78
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL, vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No	TC1307225000025364F			Report No	2025/29380
Customer Detail				Date	
M/s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling	17/10/2025
				Sample Receipt	18/10/2025
				Start of Analysis	22/10/2025
				End of Analysis	22/10/2025
				Issue of Report	26/10/2025
Sample Detail					
Group	Atmospheric Pollution				
Sub Group	Ambient Noise			Sampling On	Day & Night Time
Method of Sampling	IS 9989			Sample Condition on receipt	NA
Sampler Specification					
Sampler Detail				Calibration Detail	
Sl. No	Sampler	Make	Sampler Sl. No	Date	Due Date
1	SLM-100	Envirotech	126-DTE-2011	03/04/2025	02/04/2026
Analysis Detail					
Sl. No	Sample Code	Location	Time Frequency	Leq dB(A)	Standard Limit
1	TETLD/2025/10/02020	Near Security Main Gate	06:00 to 07:00	60.1	75.0 dB (A) Day Time
2			07:00 to 08:00	61.0	
3			08:00 to 09:00	61.6	
4			09:00 to 10:00	62.3	
5			10:00 to 11:00	63.8	
6			11:00 to 12:00	64.5	
7			12:00 to 13:00	65.3	
8			13:00 to 14:00	64.1	
9			14:00 to 15:00	63.3	
10			15:00 to 16:00	61.8	
11			16:00 to 17:00	60.0	
12			17:00 to 18:00	58.6	
13			18:00 to 19:00	58.9	
14			19:00 to 20:00	57.3	
15			20:00 to 21:00	55.5	
16			21:00 to 22:00	55.2	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannaahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Leq dB(A)	Standard Limit
17	TETLID/2025/10/02020	Near Security Main Gate	22:00 to 23:00	54.8	70.0 dB (A) Night Time
18			23:00 to 00:00	53.9	
19			00:00 to 01:00	53.4	
20			01:00 to 02:00	52.2	
21			02:00 to 03:00	51.0	
22			03:00 to 04:00	50.3	
23			04:00 to 05:00	49.6	
24			05:00 to 06:00	48.9	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Note:

1. Day time can be reckoned between 6 a.m to 6 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured

Signature
03/11/2025



** End of the Report **

Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The Laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the Laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subject to Indian jurisdiction only
6. Where the Laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), then the results apply to the sample as received
7. Results relate only to the tested sample



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.

ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072

ISO 45001:2018 & ISO 9001:2015 Certified Laboratory

#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.



TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No	TC1307225000025365F			Report No	2025/29381
Customer Detail				Date	
M & CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling	17/10/2025
				Sample Receipt	18/10/2025
				Start of Analysis	22/10/2025
				End of Analysis	22/10/2025
				Issue of Report	26/10/2025
Sample Detail					
Group	Atmospheric Pollution				
Sub Group	Ambient Noise			Sampling On	Day & Night Time
Method of Sampling	IS 9989			Sample Condition on receipt	NA
Sampler Specification					
Sampler Detail				Calibration Detail	
Sl. No	Sampler	Make	Sampler Sl. No	Date	Due Date
1	SLM-100	Envirotech	360-DTJ-2017	03/04/2025	02/04/2026
Analysis Detail					
Sl. No	Sample Code	Location	Time Frequency	Leq dB(A)	Standard Limit
1	TETLD/2025/10/02021	Near ETP area	06:00 to 07:00	63.2	75.0 dB (A) Day Time
2			07:00 to 08:00	64.0	
3			08:00 to 09:00	63.8	
4			09:00 to 10:00	65.3	
5			10:00 to 11:00	65.7	
6			11:00 to 12:00	66.5	
7			12:00 to 13:00	64.9	
8			13:00 to 14:00	67.0	
9			14:00 to 15:00	66.2	
10			15:00 to 16:00	67.1	
11			16:00 to 17:00	64.9	
12			17:00 to 18:00	64.2	
13			18:00 to 19:00	63.5	
14			19:00 to 20:00	62.1	
15			20:00 to 21:00	61.8	
16			21:00 to 22:00	60.6	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072

ISO 45001:2018 & ISO 9001:2015 Certified Laboratory

#2, Silicon Valley Layout, Prasannaahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.



Sl. No	Sample Code	Location	Time Frequency	Leq dB(A)	Standard Limit
17	TETLD/2025/10/02021	Near ETP area	22:00 to 23:00	59.9	70.0 dB (A) Night Time
18			23:00 to 00:00	59.3	
19			00:00 to 01:00	58.1	
20			01:00 to 02:00	57.6	
21			02:00 to 03:00	56.5	
22			03:00 to 04:00	54.6	
23			04:00 to 05:00	53.8	
24			05:00 to 06:00	52.0	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured

8/1/25
03/11/2025



** End of the Report **

Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), that the results apply to the sample as received
7. Results relates only to the tested sample



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No	TC1307225000025366F			Report No	2025/29382
Customer Detail				Date	
M/s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling	18/10/2025
				Sample Receipt	21/10/2025
				Start of Analysis	22/10/2025
				End of Analysis	22/10/2025
				Issue of Report	26/10/2025
Sample Detail					
Group	Atmospheric Pollution				
Sub Group	Ambient Noise			Sampling On	Day & Night Time
Method of Sampling	IS 9989			Sample Condition on receipt	NA
Sampler Specification					
Sampler Detail				Calibration Detail	
SL No	Sampler	Make	Sampler SL No	Date	Due Date
1	SLM-100	Envirotech	126-DTE-2011	03/04/2025	02/04/2026
Analysis Detail					
SL No	Sample Code	Location	Time Frequency	Leq dB(A)	Standard Limit
1	TETLD/2025/10/02122	Near Boiler area	06:00 to 07:00	64.7	75.0 dB (A) Day Time
2			07:00 to 08:00	65.4	
3			08:00 to 09:00	65.0	
4			09:00 to 10:00	66.3	
5			10:00 to 11:00	67.0	
6			11:00 to 12:00	67.5	
7			12:00 to 13:00	68.1	
8			13:00 to 14:00	69.2	
9			14:00 to 15:00	68.4	
10			15:00 to 16:00	67.6	
11			16:00 to 17:00	66.5	
12			17:00 to 18:00	65.2	
13			18:00 to 19:00	64.5	
14			19:00 to 20:00	62.8	
15			20:00 to 21:00	60.8	
16			21:00 to 22:00	60.0	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Leq dB(A)	Standard Limit
17	TETLD/2025/10/02122	Near Boiler area	22:00 to 23:00	58.6	70.0 dB (A) Night Time
18			23:00 to 00:00	57.6	
19			00:00 to 01:00	56.5	
20			01:00 to 02:00	55.2	
21			02:00 to 03:00	54.3	
22			03:00 to 04:00	53.4	
23			04:00 to 05:00	52.9	
24			05:00 to 06:00	52.5	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured

03/11/2025



** End of the Report **

Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), that the results apply to the sample as received
7. Results relates only to the tested sample



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No		TC1307225000025367F		Report No		2025/29383	
Customer Detail				Date			
M s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling		18/10/2025	
				Sample Receipt		21/10/2025	
				Start of Analysis		22/10/2025	
				End of Analysis		22/10/2025	
				Issue of Report		26/10/2025	
Sample Detail							
Group		Atmospheric Pollution					
Sub Group		Ambient Noise		Sampling On		Day & Night Time	
Method of Sampling		IS 9989		Sample Condition on receipt		NA	
Sampler Specification							
Sampler Detail				Calibration Detail			
Sl. No	Sampler	Make	Sampler SL No	Date	Due Date		
1	SLM-100	Envirotech	360-DTJ-2017	03/04/2025	02/04/2026		
Analysis Detail							
Sl. No	Sample Code	Location	Time Frequency	Leq dB(A)	Standard Limit		
1	TETLD/2025/10/02123	Near Scrap Yard	06:00 to 07:00	64.8	75.0 dB (A) Day Time		
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
			21:00 to 22:00	60.1			





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



TC-13072

#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Leq dB(A)	Standard Limit
17	TETLD/2025/10/02123	Near Scrap Yard	22:00 to 23:00	58.7	70.0 dB (A) Night Time
18			23:00 to 00:00	57.3	
19			00:00 to 01:00	55.5	
20			01:00 to 02:00	54.7	
21			02:00 to 03:00	53.8	
22			03:00 to 04:00	53.3	
23			04:00 to 05:00	52.3	
24			05:00 to 06:00	51.9	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured

28/8
08.11.2025



** End of the Report **


Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), that the results apply to the sample as received
7. Results relates only to the tested sample



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No	TC1307225000027496F			Report No	2025/31917		
Customer Detail				Date			
M/s. CIPLA LIMITED, Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling	13/11/2025		
				Sample Receipt	14/11/2025		
				Start of Analysis	15/11/2025		
				End of Analysis	15/11/2025		
				Issue of Report	22/11/2025		
Sample Detail							
Group	Atmospheric Pollution						
Sub Group	Ambient Noise			Sampling On	Day & Night Time		
Method of Sampling	IS 9989			Type of Noise	Ambient Noise		
Sampler Specification							
Sampler Detail				Calibration Detail			
Sl. No	Sampler	Make	Sampler Sl. No	Date	Due Date		
1	SLM-EI-304	Enviro Instruments	11-C-2022	03/04/2025	02/04/2026		
Analysis Detail							
Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2025/11/01334	Near Security Main Gate	06:00 to 07:00	59.0	62.3	60.65	75.0 dB (A) Day Time
2			07:00 to 08:00	59.8	63.2	61.50	
3			08:00 to 09:00	60.4	63.8	62.10	
4			09:00 to 10:00	59.0	62.3	62.80	
5			10:00 to 11:00	59.8	63.2	64.30	
6			11:00 to 12:00	60.4	63.8	65.00	
7			12:00 to 13:00	61.1	64.5	65.80	
8			13:00 to 14:00	62.6	66.0	64.60	
9			14:00 to 15:00	63.3	66.7	63.80	
10			15:00 to 16:00	64.1	67.5	62.30	
11			16:00 to 17:00	62.9	66.3	60.50	
12			17:00 to 18:00	57.4	60.8	59.10	
13			18:00 to 19:00	57.7	61.1	59.40	
14			19:00 to 20:00	56.1	59.5	57.80	
15			20:00 to 21:00	54.3	57.7	56.00	
16			21:00 to 22:00	54.0	57.4	55.70	
Total Day Average				59.5	62.9	61.3	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2025/11/01334	Near Security Main Gate	22:00 to 23:00	53.6	57.0	55.30	70.0 dB (A) Night Time
18			23:00 to 00:00	52.7	56.1	54.40	
19			00:00 to 01:00	52.2	55.6	53.90	
20			01:00 to 02:00	59.0	62.3	52.70	
21			02:00 to 03:00	49.8	53.2	51.50	
22			03:00 to 04:00	49.1	52.5	50.80	
23			04:00 to 05:00	48.4	51.8	50.10	
24			05:00 to 06:00	47.7	51.1	49.40	
Total Night Average				51.6	55.0	52.3	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **

Mhs
Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), then the results apply to the sample as received
7. Results relates only to the tested sample

24/11
23/11/2025



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No		TC1307225000027497F			Report No		2025/31918	
Customer Detail					Date			
M/s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.					Sampling		13/11/2025	
					Sample Receipt		14/11/2025	
					Start of Analysis		15/11/2025	
					End of Analysis		15/11/2025	
					Issue of Report		22/11/2025	
Sample Detail								
Group			Atmospheric Pollution					
Sub Group			Ambient Noise		Sampling On		Day & Night Time	
Method of Sampling			IS 9989		Type of Noise		Ambient Noise	
Sampler Specification								
Sampler Detail					Calibration Detail			
Sl. No	Sampler		Make	Sampler SL No		Date		Due Date
1	SLM-EI-304		Enviro Instruments	18-J-2022		03/04/2025		02/04/2026
Analysis Detail								
Sl. No	Sample Code		Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2025/11/01335		Near ETP area	06:00 to 07:00	62.0	65.4	63.70	75.0 dB (A) Day Time
2				07:00 to 08:00	62.8	66.2	64.50	
3				08:00 to 09:00	62.6	66.0	64.30	
4				09:00 to 10:00	62.0	65.4	65.80	
5				10:00 to 11:00	62.8	66.2	66.20	
6				11:00 to 12:00	62.6	66.0	67.00	
7				12:00 to 13:00	64.1	67.5	65.40	
8				13:00 to 14:00	64.5	67.9	67.50	
9				14:00 to 15:00	65.3	68.7	66.70	
10				15:00 to 16:00	63.7	67.1	67.60	
11				16:00 to 17:00	65.8	69.2	65.40	
12				17:00 to 18:00	63.0	66.4	64.70	
13				18:00 to 19:00	62.3	65.7	64.00	
14				19:00 to 20:00	60.9	64.3	62.60	
15				20:00 to 21:00	60.6	64.0	62.30	
16				21:00 to 22:00	59.4	62.8	61.10	
Total Day Average					62.8	66.2	64.9	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2025/11/01335	Near ETP area	22:00 to 23:00	58.7	62.1	60.40	70.0 dB (A) Night Time
18			23:00 to 00:00	58.1	61.5	59.80	
19			00:00 to 01:00	56.9	60.3	58.60	
20			01:00 to 02:00	62.0	65.4	58.10	
21			02:00 to 03:00	55.3	58.7	57.00	
22			03:00 to 04:00	53.4	56.8	55.10	
23			04:00 to 05:00	52.6	56.0	54.30	
24			05:00 to 06:00	50.8	54.2	52.50	
Total Night Average				56.0	59.4	57.0	

INFERENCE

As per standards, the above tested results are within the limits.

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer.
2. When the information is supplied by the customer and can affect the validity of results.
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified.
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context.
5. This test report is subjected to Indian jurisdiction only.
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), then the results apply to the sample as received.
7. Results relates only to the tested sample.


23/11/2025



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Sillean Valley Layout, Prasannahalli Road, Near Horticulture Dept., Aikupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No		TC1307225000027498F		Report No		2025/31919	
Customer Detail				Date			
M/s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling		14/11/2025	
				Sample Receipt		15/11/2025	
				Start of Analysis		16/11/2025	
				End of Analysis		16/11/2025	
				Issue of Report		22/11/2025	
Sample Detail							
Group		Atmospheric Pollution					
Sub Group		Ambient Noise		Sampling On		Day & Night Time	
Method of Sampling		IS 9989		Type of Noise		Ambient Noise	
Sampler Specification							
Sampler Detail				Calibration Detail			
Sl. No	Sampler	Make	Sampler Sl. No	Date		Due Date	
1	SLM-100	Envirotech	126-DTE-2011	03/04/2025		02/04/2026	
Analysis Detail							
SL No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2025/11/01479	Near Boiler area	06:00 to 07:00	63.5	66.9	65.20	75.0 dB (A) Day Time
2			07:00 to 08:00	54.2	67.6	60.90	
3			08:00 to 09:00	63.8	67.2	65.50	
4			09:00 to 10:00	63.5	66.9	66.80	
5			10:00 to 11:00	54.2	67.6	67.50	
6			11:00 to 12:00	63.8	67.2	68.00	
7			12:00 to 13:00	65.1	68.5	68.60	
8			13:00 to 14:00	65.8	69.2	69.70	
9			14:00 to 15:00	66.3	69.7	68.90	
10			15:00 to 16:00	66.9	70.3	68.10	
11			16:00 to 17:00	68.0	71.4	67.00	
12			17:00 to 18:00	64.0	67.4	65.70	
13			18:00 to 19:00	63.3	66.7	65.00	
14			19:00 to 20:00	61.6	65.0	63.30	
15			20:00 to 21:00	59.6	63.0	61.30	
16			21:00 to 22:00	58.8	62.2	60.50	
Total Day Average				62.7	67.3	65.8	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2025/11/01479	Near Boiler area	22:00 to 23:00	57.4	60.8	59.10	70.0 dB (A) Night Time
18			23:00 to 00:00	56.4	59.8	58.10	
19			00:00 to 01:00	55.3	58.7	57.00	
20			01:00 to 02:00	63.5	66.9	55.70	
21			02:00 to 03:00	53.1	56.5	54.80	
22			03:00 to 04:00	52.2	55.6	53.90	
23			04:00 to 05:00	51.7	55.1	53.40	
24			05:00 to 06:00	51.3	54.7	53.00	
Total Night Average				55.1	58.5	55.6	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Note:

1. Day time can be reckoned between 6 a.m to 6 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), then the results apply to the sample as received
7. Results relate only to the tested sample


91 91-7075



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Aklupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No		TC1307225000027499F		Report No		2025/31920	
Customer Detail				Date			
M s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling		14/11/2025	
				Sample Receipt		15/11/2025	
				Start of Analysis		16/11/2025	
				End of Analysis		16/11/2025	
				Issue of Report		22/11/2025	
Sample Detail							
Group		Atmospheric Pollution					
Sub Group		Ambient Noise		Sampling On		Day & Night Time	
Method of Sampling		IS 9989		Type of Noise		Ambient Noise	
Sampler Specification							
Sampler Detail				Calibration Detail			
Sl. No	Sampler	Make	Sampler Sl. No	Date		Due Date	
1	SLM-100	Envirotech	360-DTJ-2017	03/04/2025		02/04/2026	
Analysis Detail							
Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2025/11/01480	Near Scrap Yard	06:00 to 07:00	63.6	66.8	65.20	75.0 dB (A) Day Time
2			07:00 to 08:00	64.5	67.9	66.20	
3			08:00 to 09:00	65.6	68.8	67.20	
4			09:00 to 10:00	63.6	66.8	68.80	
5			10:00 to 11:00	64.5	67.9	69.70	
6			11:00 to 12:00	65.6	68.8	70.30	
7			12:00 to 13:00	67.1	70.5	70.00	
8			13:00 to 14:00	68.0	71.4	69.10	
9			14:00 to 15:00	68.6	72.0	69.70	
10			15:00 to 16:00	68.3	71.7	68.10	
11			16:00 to 17:00	67.4	70.8	68.80	
12			17:00 to 18:00	64.9	68.3	66.60	
13			18:00 to 19:00	64.4	67.8	66.10	
14			19:00 to 20:00	62.0	65.4	63.70	
15			20:00 to 21:00	61.1	64.5	62.80	
16			21:00 to 22:00	58.9	62.3	60.60	
Total Day Average				64.9	68.2	67.1	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2025/11/01480	Near Scrap Yard	22:00 to 23:00	57.5	60.9	59.20	70.0 dB (A) Night Time
18			23:00 to 00:00	56.1	59.5	57.80	
19			00:00 to 01:00	54.3	57.7	56.00	
20			01:00 to 02:00	63.6	66.8	55.20	
21			02:00 to 03:00	52.6	56.0	54.30	
22			03:00 to 04:00	52.1	55.5	53.80	
23			04:00 to 05:00	51.1	54.5	52.80	
24			05:00 to 06:00	50.7	54.1	52.40	
Total Night Average				54.8	58.1	55.2	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Notes:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), that the results apply to the sample as received
7. Results relate only to the tested sample


30/11/2025



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No		TC1307225000030455F		Report No		2025/35366	
Customer Detail				Date			
M/s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Boenmasandra-Jigani Link Road, Boenmasandra Industrial Area, Bangalore-560105.				Sampling		12/12/2025	
				Sample Receipt		13/12/2025	
				Start of Analysis		16/12/2025	
				End of Analysis		16/12/2025	
				Issue of Report		24/12/2025	
Sample Detail							
Group		Atmospheric Pollution					
Sub Group		Ambient Noise		Sampling On		Day & Night Time	
Method of Sampling		IS 9989		Type of Noise		Ambient Noise	
Sampler Specification							
Sampler Detail				Calibration Detail			
SL No	Sampler	Make	Sampler SL No	Date		Due Date	
1	SLM-EI-304	Enviro Instruments	11-C-2022	03/04/2025		02/04/2026	
Analysis Detail							
SL No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2025/12/01453	Near Security Main Gate	06:00 to 07:00	60.0	64.3	62.15	75.0 dB (A) Day Time
2			07:00 to 08:00	60.8	65.2	63.00	
3			08:00 to 09:00	61.4	65.8	63.60	
4			09:00 to 10:00	60.0	64.3	64.30	
5			10:00 to 11:00	60.8	65.2	65.80	
6			11:00 to 12:00	61.4	65.8	66.50	
7			12:00 to 13:00	62.1	66.5	67.30	
8			13:00 to 14:00	63.6	68.0	66.10	
9			14:00 to 15:00	64.3	68.7	65.30	
10			15:00 to 16:00	65.1	69.5	63.80	
11			16:00 to 17:00	63.9	68.3	62.00	
12			17:00 to 18:00	58.4	62.8	60.60	
13			18:00 to 19:00	58.7	63.1	60.90	
14			19:00 to 20:00	57.1	61.5	59.30	
15			20:00 to 21:00	55.3	59.7	57.50	
16			21:00 to 22:00	55.0	59.4	57.20	
Total Day Average				60.5	64.9	62.8	



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

SL No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2025/12/01453	Near Security Main Gate	22:00 to 23:00	54.6	59.0	56.80	70.0 dB (A) Night Time
18			23:00 to 00:00	53.7	58.1	55.90	
19			00:00 to 01:00	53.2	57.6	55.40	
20			01:00 to 02:00	60.0	64.3	54.20	
21			02:00 to 03:00	50.8	55.2	53.00	
22			03:00 to 04:00	50.1	54.5	52.30	
23			04:00 to 05:00	49.4	53.8	51.60	
24			05:00 to 06:00	48.7	53.1	50.90	
Total Night Average				52.6	57.0	53.8	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full, without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), then the results apply to the sample as received
7. Results relates only to the tested sample

02-01-2024



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasanna Halli Road, Near Horticulture Dept., Aikcupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejuschs.com, tejus372@tejuschs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No	TC1307225000030456F	Report No	2025/35367				
Customer Detail		Date					
M/s. CIPLA LIMITED, Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.		Sampling	12/12/2025				
		Sample Receipt	13/12/2025				
		Start of Analysis	16/12/2025				
		End of Analysis	16/12/2025				
		Issue of Report	24/12/2025				
Sample Detail							
Group	Atmospheric Pollution						
Sub Group	Ambient Noise	Sampling On	Day & Night Time				
Method of Sampling	IS 9989	Type of Noise	Ambient Noise				
Sampler Specification							
Sampler Detail		Calibration Detail					
Sl. No	Sampler	Make	Sampler Sl. No	Date	Due Date		
1	SLM-EI-304	Enviro Instruments	18-J-2022	03/04/2025	02/04/2026		
Analysis Detail							
Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2025/12/01454	Near ETP area	06:00 to 07:00	63.0	67.4	65.20	75.0 dB (A) Day Time
2			07:00 to 08:00	63.8	68.2	66.00	
3			08:00 to 09:00	63.6	68.0	65.80	
4			09:00 to 10:00	63.0	67.4	67.30	
5			10:00 to 11:00	63.8	68.2	67.70	
6			11:00 to 12:00	63.6	68.0	68.50	
7			12:00 to 13:00	65.1	69.5	66.90	
8			13:00 to 14:00	65.5	69.9	69.00	
9			14:00 to 15:00	66.3	70.7	68.20	
10			15:00 to 16:00	64.7	69.1	69.10	
11			16:00 to 17:00	66.8	71.2	66.90	
12			17:00 to 18:00	64.0	68.4	66.20	
13			18:00 to 19:00	63.3	67.7	65.50	
14			19:00 to 20:00	61.9	66.3	64.10	
15			20:00 to 21:00	61.6	66.0	63.80	
16			21:00 to 22:00	60.4	64.8	62.60	
Total Day Average				63.8	68.2	66.4	



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



TC-13072

#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2025/12/01454	Near ETP area	22:00 to 23:00	59.7	64.1	61.90	70.0 dB (A) Night Time
18			23:00 to 00:00	59.1	63.5	61.30	
19			00:00 to 01:00	57.9	62.3	60.10	
20			01:00 to 02:00	63.0	67.4	59.60	
21			02:00 to 03:00	56.3	60.7	58.50	
22			03:00 to 04:00	54.4	58.8	56.60	
23			04:00 to 05:00	53.6	58.0	55.80	
24			05:00 to 06:00	51.8	56.2	54.00	
Total Night Average				57.0	61.4	58.5	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **

Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer.
2. When the information is supplied by the customer and can affect the validity of results.
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified.
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context.
5. This test report is subjected to Indian jurisdiction only.
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), then the results apply to the sample as received.
7. Results refer only to the tested sample.

02.01.2024



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No		TC1307225000030457F		Report No		2025/35368	
Customer Detail				Date			
M/s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling		13/12/2025	
				Sample Receipt		15/12/2025	
				Start of Analysis		16/12/2025	
				End of Analysis		16/12/2025	
				Issue of Report		24/12/2025	
Sample Detail							
Group		Atmospheric Pollution					
Sub Group		Ambient Noise		Sampling On		Day & Night Time	
Method of Sampling		IS 9989		Type of Noise		Ambient Noise	
Sampler Specification							
Sampler Detail				Calibration Detail			
SL No	Sampler	Make	Sampler SL No	Date	Due Date		
1	SLM-100	Envirotech	126-DTE-2011	03/04/2025	02/04/2026		
Analysis Detail							
SL No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2025/12/01560	Near Boiler area	06:00 to 07:00	65.5	67.9	66.70	75.0 dB (A) Day Time
2			07:00 to 08:00	66.2	68.6	67.40	
3			08:00 to 09:00	65.8	69.2	67.50	
4			09:00 to 10:00	65.5	67.9	68.80	
5			10:00 to 11:00	66.2	68.6	69.50	
6			11:00 to 12:00	65.8	69.2	70.00	
7			12:00 to 13:00	67.1	70.5	70.60	
8			13:00 to 14:00	67.8	71.2	71.70	
9			14:00 to 15:00	68.3	71.7	70.40	
10			15:00 to 16:00	68.9	72.3	69.60	
11			16:00 to 17:00	70.0	73.4	68.50	
12			17:00 to 18:00	66.0	68.4	67.20	
13			18:00 to 19:00	65.3	67.7	66.50	
14			19:00 to 20:00	63.6	66.0	64.80	
15			20:00 to 21:00	61.6	64.0	62.80	
16			21:00 to 22:00	60.8	63.2	62.00	
Total Day Average				65.9	68.7	67.8	



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



TC-13072

#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2025/12/01560	Near Boiler area	22:00 to 23:00	59.4	61.8	60.60	70.0 dB (A) Night Time
18			23:00 to 00:00	58.4	60.8	59.60	
19			00:00 to 01:00	57.3	59.7	58.50	
20			01:00 to 02:00	65.5	67.9	57.20	
21			02:00 to 03:00	55.1	57.5	56.30	
22			03:00 to 04:00	54.2	56.6	55.40	
23			04:00 to 05:00	53.7	56.1	54.90	
24			05:00 to 06:00	53.3	55.7	54.50	
Total Night Average				57.1	59.5	57.1	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), then the results apply to the sample as received
7. Results relate only to the tested sample

02.01.2026



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No		TC1307225000030458F		Report No		2025/35369	
Customer Detail				Date			
M/s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling		13/12/2025	
				Sample Receipt		15/12/2025	
				Start of Analysis		16/12/2025	
				End of Analysis		16/12/2025	
				Issue of Report		24/12/2025	
Sample Detail							
Group		Atmospheric Pollution					
Sub Group		Ambient Noise		Sampling On		Day & Night Time	
Method of Sampling		IS 9989		Type of Noise		Ambient Noise	
Sampler Specification							
Sampler Detail				Calibration Detail			
SL No	Sampler	Make	Sampler SL No	Date		Due Date	
1	SLM-100	Envirotech	360-DYTJ-2017	03/04/2025		02/04/2026	
Analysis Detail							
SL No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2025/12/01561	Near Scrap Yard	06:00 to 07:00	65.6	67.8	66.70	75.0 dB (A) Day Time
2			07:00 to 08:00	66.5	68.9	67.70	
3			08:00 to 09:00	67.6	69.8	68.70	
4			09:00 to 10:00	65.6	67.8	71.80	
5			10:00 to 11:00	66.5	68.9	71.20	
6			11:00 to 12:00	67.6	69.8	71.80	
7			12:00 to 13:00	69.1	74.5	71.50	
8			13:00 to 14:00	70.0	72.4	70.60	
9			14:00 to 15:00	70.6	73.0	71.20	
10			15:00 to 16:00	70.3	72.7	69.60	
11			16:00 to 17:00	69.4	71.8	70.30	
12			17:00 to 18:00	66.9	69.3	68.10	
13			18:00 to 19:00	66.4	68.8	67.60	
14			19:00 to 20:00	64.0	66.4	65.20	
15			20:00 to 21:00	63.1	66.5	64.80	
16			21:00 to 22:00	60.9	62.3	61.60	
Total Day Average				66.9	69.4	68.7	



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2025/12/01561	Near Scrap Yard	22:00 to 23:00	59.5	63.9	61.70	70.0 dB (A) Night Time
18			23:00 to 00:00	58.1	60.5	59.30	
19			00:00 to 01:00	56.3	58.7	57.50	
20			01:00 to 02:00	65.6	67.8	56.70	
21			02:00 to 03:00	54.6	57.0	55.80	
22			03:00 to 04:00	54.1	56.5	55.30	
23			04:00 to 05:00	53.1	55.5	54.30	
24			05:00 to 06:00	52.7	55.1	53.90	
Total Night Average				56.8	59.4	56.8	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **

Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), that the results apply to the sample as received
7. Results relates only to the tested sample

02-01-2024



TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No		TC1307226000002759F		Report No		2026/03261	
Customer Detail				Date			
M s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling		22/01/2026	
				Sample Receipt		23/01/2026	
				Start of Analysis		24/01/2026	
				End of Analysis		24/01/2026	
				Issue of Report		02/02/2026	
Sample Detail							
Group		Atmospheric Pollution					
Sub Group		Ambient Noise		Sampling On		Day & Night Time	
Method of Sampling		IS 9989		Type of Noise		Ambient Noise	
Sampler Specification							
Sampler Detail				Calibration Detail			
Sl. No	Sampler	Make	Sampler SL No		Date	Due Date	
1	SLM-EI-304	Enviro Instruments	11-C-2022		03/04/2025	02/04/2026	
Analysis Detail							
Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD-2026/01/02330	Near Security Main Gate	06:00 to 07:00	63.5	66.6	65.05	75.0 dB (A) Day Time
2			07:00 to 08:00	64.8	67.3	66.05	
3			08:00 to 09:00	64.3	66.4	65.35	
4			09:00 to 10:00	63.5	66.6	65.35	
5			10:00 to 11:00	64.8	67.3	64.90	
6			11:00 to 12:00	64.3	66.4	67.70	
7			12:00 to 13:00	63.2	67.5	65.90	
8			13:00 to 14:00	62.7	67.1	65.15	
9			14:00 to 15:00	65.3	70.1	66.95	
10			15:00 to 16:00	64.1	67.7	65.20	
11			16:00 to 17:00	62.8	67.5	62.10	
12			17:00 to 18:00	57.4	63.2	60.30	
13			18:00 to 19:00	57.6	64.1	60.85	
14			19:00 to 20:00	59.3	63.3	61.30	
15			20:00 to 21:00	55.6	60.1	57.85	
16			21:00 to 22:00	56.3	60.5	58.40	
Total Day Average				61.8	65.7	63.7	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.
 ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
 ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2026/01/02330	Near Security Main Gate	22:00 to 23:00	54.6	61.3	57.95	70.0 dB (A) Night Time
18			23:00 to 00:00	55.6	59.6	57.60	
19			00:00 to 01:00	52.7	60.5	56.60	
20			01:00 to 02:00	63.5	66.6	55.35	
21			02:00 to 03:00	51.8	59.3	55.55	
22			03:00 to 04:00	49.5	55.3	52.40	
23			04:00 to 05:00	48.3	56.6	52.45	
24			05:00 to 06:00	47.8	54.4	51.10	
Total Night Average				53.0	59.2	54.9	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


 Authorized Signatory (Chemical)
 (Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer.
2. When the information is supplied by the customer and can affect the validity of results.
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified.
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context.
5. This test report is subjected to Indian jurisdiction only.
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), that the results apply to the sample as received.
7. Results relates only to the tested sample.





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No		TC1307226000002760F		Report No		2026/03262	
Customer Detail				Date			
M/s. CIPLA LIMITED,, Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling		22/01/2026	
				Sample Receipt		23/01/2026	
				Start of Analysis		24/01/2026	
				End of Analysis		24/01/2026	
				Issue of Report		02/02/2026	
Sample Detail							
Group		Atmospheric Pollution					
Sub Group		Ambient Noise		Sampling On		Day & Night Time	
Method of Sampling		IS 9989		Type of Noise		Ambient Noise	
Sampler Specification							
Sampler Detail				Calibration Detail			
SL No	Sampler	Make	Sampler SL No	Date		Due Date	
1	SLM-EI-304	Enviro Instruments	18-J-2022	03/04/2025		02/04/2026	
Analysis Detail							
SL No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2026/01/02331	Near ETP area	06:00 to 07:00	62.6	68.1	65.35	75.0 dB (A) Day Time
2			07:00 to 08:00	63.3	68.5	65.90	
3			08:00 to 09:00	64.3	69.3	66.80	
4			09:00 to 10:00	62.6	68.1	68.20	
5			10:00 to 11:00	63.3	68.5	67.80	
6			11:00 to 12:00	64.3	69.3	68.55	
7			12:00 to 13:00	66.1	70.3	68.55	
8			13:00 to 14:00	66.3	69.3	69.45	
9			14:00 to 15:00	66.6	70.5	67.80	
10			15:00 to 16:00	66.8	70.3	68.40	
11			16:00 to 17:00	67.3	71.6	68.30	
12			17:00 to 18:00	63.6	69.3	66.45	
13			18:00 to 19:00	64.6	68.4	66.50	
14			19:00 to 20:00	62.3	67.6	64.95	
15			20:00 to 21:00	62.3	68.7	65.50	
16			21:00 to 22:00	61.3	65.6	63.45	
Total Day Average				64.2	69.0	67.0	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2026/01/02331	Near ETP area	22:00 to 23:00	58.3	65.3	61.80	70.0 dB (A) Night Time
18			23:00 to 00:00	58.6	64.2	61.40	
19			00:00 to 01:00	59.6	63.4	61.50	
20			01:00 to 02:00	62.6	68.1	61.20	
21			02:00 to 03:00	57.6	61.3	59.45	
22			03:00 to 04:00	55.8	59.1	57.45	
23			04:00 to 05:00	52.5	57.6	55.05	
24			05:00 to 06:00	50.7	57.2	53.95	
Total Night Average				57.0	62.0	59.0	
INFERENCE		As per standards, the above tested results are within the limits.					

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), then the results apply to the sample as received
7. Results relates only to the tested sample





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No		TC1307226000002761F		Report No		2026/03263	
Customer Detail				Date			
M/s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling		23/01/2026	
				Sample Receipt		24/01/2026	
				Start of Analysis		27/01/2026	
				End of Analysis		27/01/2026	
				Issue of Report		02/02/2026	
Sample Detail							
Group		Atmospheric Pollution					
Sub Group		Ambient Noise		Sampling On		Day & Night Time	
Method of Sampling		IS 9989		Type of Noise		Ambient Noise	
Sampler Specification							
Sampler Detail				Calibration Detail			
Sl. No	Sampler	Make	Sampler Sl. No	Date		Due Date	
1	SLM-100	Envirotech	126-DTE-2011	03/04/2025		02/04/2026	
Analysis Detail							
Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2026/01/02506	Near Boiler area	06:00 to 07:00	64.9	68.3	66.60	75.0 dB (A) Day Time
2			07:00 to 08:00	66.2	69.6	67.90	
3			08:00 to 09:00	68.3	71.7	70.00	
4			09:00 to 10:00	64.9	68.3	71.10	
5			10:00 to 11:00	66.2	69.6	71.50	
6			11:00 to 12:00	68.3	71.7	73.00	
7			12:00 to 13:00	69.4	72.8	73.30	
8			13:00 to 14:00	69.8	73.2	73.30	
9			14:00 to 15:00	71.3	74.7	73.00	
10			15:00 to 16:00	71.6	75.0	71.90	
11			16:00 to 17:00	71.8	74.8	70.70	
12			17:00 to 18:00	68.5	71.9	70.20	
13			18:00 to 19:00	66.0	69.4	67.70	
14			19:00 to 20:00	65.5	68.9	67.20	
15			20:00 to 21:00	65.0	68.4	66.70	
16			21:00 to 22:00	64.3	67.7	66.00	
Total Day Average				67.6	71.0	70.0	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2026/01/02506	Near Boiler area	22:00 to 23:00	62.1	65.5	63.80	70.0 dB (A) Night Time
18			23:00 to 00:00	62.2	65.6	63.90	
19			00:00 to 01:00	59.9	63.3	61.60	
20			01:00 to 02:00	64.9	68.3	61.10	
21			02:00 to 03:00	58.6	62.0	60.30	
22			03:00 to 04:00	57.8	61.2	59.50	
23			04:00 to 05:00	56.2	59.8	58.00	
24			05:00 to 06:00	55.1	58.5	56.80	
Total Night Average				59.6	63.0	60.6	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Notes:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), then the results apply to the sample as received
7. Results relate only to the tested sample





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No	TC1307226000002762F	Report No	2026/03264				
Customer Detail		Date					
M/s. CIPLA LIMITED, Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.		Sampling	23/01/2026				
		Sample Receipt	24/01/2026				
		Start of Analysis	27/01/2026				
		End of Analysis	27/01/2026				
		Issue of Report	02/02/2026				
Sample Detail							
Group	Atmospheric Pollution						
Sub Group	Ambient Noise	Sampling On	Day & Night Time				
Method of Sampling	IS 9989	Type of Noise	Ambient Noise				
Sampler Specification							
Sampler Detail		Calibration Detail					
Sl. No	Sampler	Make	Sampler Sl. No	Date	Due Date		
1	SLM-100	Envirotech	360-DTJ-2017	03/04/2025	02/04/2026		
Analysis Detail							
Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2026/01/02507	Near Scrap Yard	06:00 to 07:00	64.6	66.0	65.30	75.0 dB (A) Day Time
2			07:00 to 08:00	62.0	65.4	63.70	
3			08:00 to 09:00	64.1	67.5	65.80	
4			09:00 to 10:00	64.6	66.0	65.50	
5			10:00 to 11:00	62.0	65.4	67.20	
6			11:00 to 12:00	64.1	67.5	68.20	
7			12:00 to 13:00	63.8	67.2	68.90	
8			13:00 to 14:00	65.5	68.9	70.00	
9			14:00 to 15:00	66.5	69.9	70.60	
10			15:00 to 16:00	67.2	70.6	71.50	
11			16:00 to 17:00	68.3	71.7	70.90	
12			17:00 to 18:00	68.2	71.6	69.90	
13			18:00 to 19:00	66.9	70.3	68.60	
14			19:00 to 20:00	66.1	69.5	67.80	
15			20:00 to 21:00	65.0	68.4	66.70	
16			21:00 to 22:00	64.2	67.6	65.90	
Total Day Average				65.2	68.3	67.9	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2026/01/02507	Near Scrap Yard	22:00 to 23:00	62.9	66.3	64.60	70.0 dB (A) Night Time
18			23:00 to 00:00	62.3	65.7	64.00	
19			00:00 to 01:00	61.2	64.6	62.90	
20			01:00 to 02:00	64.6	66.0	62.30	
21			02:00 to 03:00	59.6	63.0	61.30	
22			03:00 to 04:00	57.8	61.2	59.50	
23			04:00 to 05:00	56.5	59.9	58.20	
24			05:00 to 06:00	55.4	58.8	57.10	
Total Night Average				60.0	63.2	61.2	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Notes:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), that the results apply to the sample as received
7. Results return only to the tested sample





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: Info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No	TC1307226000005569F			Report No	2026/06580		
Customer Detail				Date			
M s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling	18/02/2026		
				Sample Receipt	19/02/2026		
				Start of Analysis	20/02/2026		
				End of Analysis	20/02/2026		
				Issue of Report	26/02/2026		
Sample Detail							
Group	Atmospheric Pollution						
Sub Group	Ambient Noise			Sampling On	Day & Night Time		
Method of Sampling	IS 9989			Type of Noise	Ambient Noise		
Sampler Specification							
Sampler Detail				Calibration Detail			
SL No	Sampler	Make	Sampler SL No	Date	Due Date		
1	SLM-EI-304	Enviro Instruments	11-C-2022	03/04/2025	02/04/2026		
Analysis Detail							
Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2026/02/02165	Near Security Main Gate	06:00 to 07:00	62.0	67.7	64.8	75.0 dB (A) Day Time
2			07:00 to 08:00	62.3	68.0	65.2	
3			08:00 to 09:00	63.8	69.1	66.4	
4			09:00 to 10:00	64.5	69.5	67.0	
5			10:00 to 11:00	64.9	70.3	67.6	
6			11:00 to 12:00	65.6	71.0	68.3	
7			12:00 to 13:00	65.9	71.5	68.7	
8			13:00 to 14:00	66.5	72.6	69.5	
9			14:00 to 15:00	66.6	72.2	69.4	
10			15:00 to 16:00	66.0	71.2	68.6	
11			16:00 to 17:00	64.0	69.2	66.6	
12			17:00 to 18:00	62.9	68.1	65.5	
13			18:00 to 19:00	62.3	67.3	64.8	
14			19:00 to 20:00	61.3	67.4	64.3	
15			20:00 to 21:00	59.9	66.1	63.0	
16			21:00 to 22:00	58.5	64.9	61.7	
Total Day Average				63.6	69.1	66.3	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
 ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
 ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasanna Halli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

SL No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2026/02/02165	Near Security Main Gate	22:00 to 23:00	57.0	62.8	59.9	70.0 dB (A) Night Time
18			23:00 to 00:00	54.8	60.3	57.5	
19			00:00 to 01:00	53.9	59.9	56.9	
20			01:00 to 02:00	53.0	59.0	56.0	
21			02:00 to 03:00	52.5	58.1	55.3	
22			03:00 to 04:00	50.8	56.1	53.5	
23			04:00 to 05:00	49.6	55.1	52.4	
24			05:00 to 06:00	48.8	54.2	51.5	
Total Night Average				52.6	58.2	55.4	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Notes:

1. Day time can be reckoned between 6 a.m to 6 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


 Authorized Signatory (Chemical)
 (Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage i.e. the sample has been provided by the customer, then the results apply to the sample as received
7. Results relates only to the tested sample





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No	TC1307226000005570F	Report No	2026/06581				
Customer Detail		Date					
M/s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.		Sampling	18/02/2026				
		Sample Receipt	19/02/2026				
		Start of Analysis	20/02/2026				
		End of Analysis	20/02/2026				
		Issue of Report	26/02/2026				
Sample Detail							
Group	Atmospheric Pollution						
Sub Group	Ambient Noise	Sampling On	Day & Night Time				
Method of Sampling	IS 9989	Type of Noise	Ambient Noise				
Sampler Specification							
Sampler Detail		Calibration Detail					
SL No	Sampler	Make	Sampler SL No				
			Date				
			Due Date				
1	SLM-EI-304	Enviro Instruments	18-1-2022				
			03/04/2025				
			02/04/2026				
Analysis Detail							
Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2026/02/02166	Near ETP area	06:00 to 07:00	66.9	71.1	69.0	75.0 dB (A) Day Time
2			07:00 to 08:00	66.0	71.0	68.5	
3			08:00 to 09:00	67.4	72.1	69.8	
4			09:00 to 10:00	67.9	72.8	70.3	
5			10:00 to 11:00	68.5	73.3	70.9	
6			11:00 to 12:00	68.9	74.0	71.5	
7			12:00 to 13:00	70.6	74.7	72.7	
8			13:00 to 14:00	69.0	74.4	71.7	
9			14:00 to 15:00	68.5	73.6	71.0	
10			15:00 to 16:00	67.0	72.0	69.5	
11			16:00 to 17:00	66.1	71.2	68.7	
12			17:00 to 18:00	64.5	71.1	67.8	
13			18:00 to 19:00	64.1	70.2	67.2	
14			19:00 to 20:00	62.9	68.8	65.8	
15			20:00 to 21:00	62.0	67.6	64.8	
16			21:00 to 22:00	60.8	66.2	63.5	
Total Day Average				66.3	71.5	68.9	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.

ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072

ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2026/02/02166	Near ETP area	22:00 to 23:00	59.8	64.7	62.3	70.0 dB (A) Night Time
18			23:00 to 00:00	57.2	63.1	60.2	
19			00:00 to 01:00	57.0	61.7	59.4	
20			01:00 to 02:00	55.9	61.1	58.5	
21			02:00 to 03:00	52.7	57.9	55.3	
22			03:00 to 04:00	51.9	57.1	54.5	
23			04:00 to 05:00	51.0	55.2	53.1	
24			05:00 to 06:00	50.7	57.2	53.6	
Total Night Average				54.5	59.8	57.1	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


 Authorized Signatory (Chemical)
 (Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), that the results apply to the sample as received
7. Results relate only to the tested sample





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannaiahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No		TC1307226000005571F		Report No		2026/06582	
Customer Detail				Date			
M s. CIPLA LIMITED,, Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling		19/02/2026	
				Sample Receipt		20/02/2026	
				Start of Analysis		21/02/2026	
				End of Analysis		21/02/2026	
				Issue of Report		26/02/2026	
Sample Detail							
Group		Atmospheric Pollution					
Sub Group		Ambient Noise		Sampling On		Day & Night Time	
Method of Sampling		IS 9989		Type of Noise		Ambient Noise	
Sampler Specification							
Sampler Detail				Calibration Detail			
SL No	Sampler	Make	Sampler SL No	Date		Due Date	
1	SLM-100	Envirotech	126-DTE-2011	03/04/2025		02/04/2026	
Analysis Detail							
SL No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2026/02/02253	Near Boiler area	06:00 to 07:00	63.5	67.2	65.3	75.0 dB (A) Day Time
2			07:00 to 08:00	65.8	70.2	68.0	
3			08:00 to 09:00	67.3	72.1	69.7	
4			09:00 to 10:00	70.2	73.5	71.8	
5			10:00 to 11:00	70.2	74.2	72.2	
6			11:00 to 12:00	70.1	73.5	71.8	
7			12:00 to 13:00	72.4	76.4	74.4	
8			13:00 to 14:00	70.8	73.2	72.0	
9			14:00 to 15:00	72.1	73.4	72.8	
10			15:00 to 16:00	71.2	74.2	72.7	
11			16:00 to 17:00	70.3	73.1	71.7	
12			17:00 to 18:00	69.8	72.1	70.9	
13			18:00 to 19:00	67.2	70.1	68.7	
14			19:00 to 20:00	66.2	69.4	67.8	
15			20:00 to 21:00	64.8	67.1	65.9	
16			21:00 to 22:00	63.7	66.8	65.3	
Total Day Average				68.5	71.7	70.1	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
 ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
 ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2026/02/02253	Near Boiler area	22:00 to 23:00	63.2	64.7	64.0	70.0 dB (A) Night Time
18			23:00 to 00:00	63.2	66.9	65.1	
19			00:00 to 01:00	60.1	64.2	62.2	
20			01:00 to 02:00	60.4	63.8	62.1	
21			02:00 to 03:00	59.7	63.1	61.4	
22			03:00 to 04:00	58.5	63.1	60.8	
23			04:00 to 05:00	57.2	60.1	58.7	
24			05:00 to 06:00	56.8	59.6	58.2	
Total Night Average				59.9	63.2	61.6	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


 Authorized Signatory (Chemical)
 (Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), that the results apply to the sample as received
7. Results relate only to the tested sample





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasanna Halli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No		TC1307226000005572F		Report No		2026/06583	
Customer Detail				Date			
M.s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling		19/02/2026	
				Sample Receipt		20/02/2026	
				Start of Analysis		21/02/2026	
				End of Analysis		21/02/2026	
				Issue of Report		26/02/2026	
Sample Detail							
Group		Atmospheric Pollution					
Sub Group		Ambient Noise		Sampling On		Day & Night Time	
Method of Sampling		IS 9989		Type of Noise		Ambient Noise	
Sampler Specification							
Sampler Detail				Calibration Detail			
Sl. No	Sampler	Make	Sampler Sl. No	Date		Due Date	
1	SLM-100	Envirotech	360-DTJ-2017	03/04/2025		02/04/2026	
Analysis Detail							
Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2026/02/02254	Near Scrap Yard	06:00 to 07:00	63.2	67.1	65.2	75.0 dB (A) Day Time
2			07:00 to 08:00	63.2	66.5	64.8	
3			08:00 to 09:00	63.1	68.2	65.7	
4			09:00 to 10:00	62.4	68.2	65.3	
5			10:00 to 11:00	66.2	69.8	68.0	
6			11:00 to 12:00	67.2	70.2	68.7	
7			12:00 to 13:00	68.2	71.4	69.8	
8			13:00 to 14:00	67.5	72.3	69.9	
9			14:00 to 15:00	69.2	73.1	71.2	
10			15:00 to 16:00	70.4	72.1	71.3	
11			16:00 to 17:00	70.1	73.2	71.7	
12			17:00 to 18:00	69.2	72.5	70.8	
13			18:00 to 19:00	67.2	71.2	69.2	
14			19:00 to 20:00	67.1	70.2	68.7	
15			20:00 to 21:00	64.2	68.9	66.6	
16			21:00 to 22:00	63.5	68.5	66.0	
Total Day Average				66.4	70.2	68.3	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.
 ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
 ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2026/02/02254	Near Scrap Yard	22:00 to 23:00	63.2	67.2	65.2	70.0 dB (A) Night Time
18			23:00 to 00:00	63.7	66.5	65.1	
19			00:00 to 01:00	62.5	65.4	64.0	
20			01:00 to 02:00	61.2	63.5	62.4	
21			02:00 to 03:00	60.4	65.2	62.8	
22			03:00 to 04:00	58.4	62.8	60.6	
23			04:00 to 05:00	57.2	60.2	58.7	
24			05:00 to 06:00	56.2	59.2	57.7	
Total Night Average				60.4	63.8	62.1	

INFERENCE	As per standards, the above tested results are within the limits.
-----------	---

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **

Authorized Signatory (Chemical)
 (Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), that the results apply to the sample as received
7. Results relates only to the tested sample





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No		TC1307226000008543F		Report No		2026/10079	
Customer Detail				Date			
M/s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling		23/03/2026	
				Sample Receipt		24/03/2026	
				Start of Analysis		25/03/2026	
				End of Analysis		25/03/2026	
				Issue of Report		30/03/2026	
Sample Detail							
Group		Atmospheric Pollution					
Sub Group		Ambient Noise		Sampling On		Day & Night Time	
Method of Sampling		IS 9989		Type of Noise		Ambient Noise	
Sampler Specification							
Sampler Detail				Calibration Detail			
SL No	Sampler	Make	Sampler SL No		Date	Due Date	
1	SLM-EI-304	Enviro Instruments	11-C-2022		03/04/2025	02/04/2026	
Analysis Detail							
SL No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2026/03/02473	Near Security Main Gate	06:00 to 07:00	67.2	75.2	71.2	75.0 dB (A) Day Time
2			07:00 to 08:00	68.2	74.2	71.2	
3			08:00 to 09:00	69.2	77.2	73.2	
4			09:00 to 10:00	70.2	76.1	73.2	
5			10:00 to 11:00	69.2	73.5	71.3	
6			11:00 to 12:00	68.5	72.5	70.5	
7			12:00 to 13:00	65.2	73.2	69.2	
8			13:00 to 14:00	64.2	72.5	68.3	
9			14:00 to 15:00	63.2	72.2	67.7	
10			15:00 to 16:00	64.9	70.2	67.6	
11			16:00 to 17:00	61.2	69.8	65.5	
12			17:00 to 18:00	62.8	68.2	65.5	
13			18:00 to 19:00	59.8	65.2	62.5	
14			19:00 to 20:00	60.8	64.2	62.5	
15			20:00 to 21:00	59.8	63.8	61.8	
16			21:00 to 22:00	56.4	62.8	59.6	
Total Day Average				64.4	70.7	67.6	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannaiahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

SL No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2026/03/02473	Near Security Main Gate	22:00 to 23:00	56.9	60.2	58.5	70.0 dB (A) Night Time
18			23:00 to 00:00	54.2	62.7	58.5	
19			00:00 to 01:00	53.2	63.5	58.4	
20			01:00 to 02:00	52.6	58.2	55.4	
21			02:00 to 03:00	51.8	60.2	56.0	
22			03:00 to 04:00	54.1	62.1	58.1	
23			04:00 to 05:00	53.4	61.2	57.3	
24			05:00 to 06:00	56.1	61.0	58.5	
Total Night Average				54.0	61.1	57.6	

INFERENCE

As per standards, the above tested results are within the limits.

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), that the results apply to the sample as received
7. Results relates only to the tested sample





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No	TC1307226000008544F	Report No	2026/10080				
Customer Detail		Date					
M/s. CIPLA LIMITED, Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.		Sampling	23/03/2026				
		Sample Receipt	24/03/2026				
		Start of Analysis	25/03/2026				
		End of Analysis	25/03/2026				
		Issue of Report	30/03/2026				
Sample Detail							
Group	Atmospheric Pollution						
Sub Group	Ambient Noise						
Method of Sampling	IS 9989	Sampling On	Day & Night Time				
		Type of Noise	Ambient Noise				
Sampler Specification							
Sampler Detail		Calibration Detail					
Sl. No	Sampler	Make	Sampler Sl. No	Date	Due Date		
1	SLM-EI-304	Enviro Instruments	18-J-2022	03/04/2025	02/04/2026		
Analysis Detail							
Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2026/03/02474	Near ETP area	06:00 to 07:00	68.2	74.2	71.2	75.0 dB (A) Day Time
2			07:00 to 08:00	69.2	75.2	72.2	
3			08:00 to 09:00	70.2	75.8	73.0	
4			09:00 to 10:00	69.8	76.5	73.2	
5			10:00 to 11:00	70.2	74.1	72.2	
6			11:00 to 12:00	69.2	74.4	71.8	
7			12:00 to 13:00	68.7	75.1	71.9	
8			13:00 to 14:00	65.3	74.2	69.8	
9			14:00 to 15:00	66.3	72.9	69.6	
10			15:00 to 16:00	65.2	73.1	69.2	
11			16:00 to 17:00	63.5	72.1	67.8	
12			17:00 to 18:00	62.5	71.4	67.0	
13			18:00 to 19:00	64.3	73.5	68.9	
14			19:00 to 20:00	67.5	73.2	70.3	
15			20:00 to 21:00	64.8	71.4	68.1	
16			21:00 to 22:00	64.2	72.1	68.2	
Total Day Average				66.8	73.7	70.3	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2026/03/02474	Near ETP area	22:00 to 23:00	64.2	70.8	67.5	70.0 dB (A) Night Time
18			23:00 to 00:00	63.2	65.2	64.2	
19			00:00 to 01:00	64.2	65.4	64.6	
20			01:00 to 02:00	63.2	68.5	65.8	
21			02:00 to 03:00	62.5	67.5	65.0	
22			03:00 to 04:00	59.2	63.5	61.4	
23			04:00 to 05:00	61.0	62.3	61.6	
24			05:00 to 06:00	58.3	62.9	60.6	
Total Night Average				62.0	65.7	63.8	

INFERENCE

As per standards, the above tested results are within the limits.

Notes:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer.
2. When the information is supplied by the customer and can affect the validity of results.
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified.
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context.
5. This test report is subjected to Indian jurisdiction only.
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), that the results apply to the sample as received.
7. Results relates only to the tested sample.





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkipete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No	TC1307226000008545F			Report No	2026/10081		
Customer Detail				Date			
M/s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling	24/03/2026		
				Sample Receipt	25/03/2026		
				Start of Analysis	26/03/2026		
				End of Analysis	26/03/2026		
				Issue of Report	30/03/2026		
Sample Detail							
Group	Atmospheric Pollution						
Sub Group	Ambient Noise			Sampling On	Day & Night Time		
Method of Sampling	IS 9989			Type of Noise	Ambient Noise		
Sampler Specification							
Sampler Detail				Calibration Detail			
SL No	Sampler	Make	Sampler SL No	Date	Due Date		
1	SLM-100	Envirotech	126-DTE-2011	03/04/2025	02/04/2026		
Analysis Detail							
SL No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2026/03/02634	Near Boiler area	06:00 to 07:00	60.3	69.2	64.8	75.0 dB (A) Day Time
2			07:00 to 08:00	61.5	70.4	66.0	
3			08:00 to 09:00	62.8	71.5	67.2	
4			09:00 to 10:00	63.6	72.4	68.0	
5			10:00 to 11:00	64.8	73.9	69.3	
6			11:00 to 12:00	65.0	74.4	69.7	
7			12:00 to 13:00	66.9	75.1	71.0	
8			13:00 to 14:00	67.5	74.0	70.8	
9			14:00 to 15:00	68.5	73.7	71.1	
10			15:00 to 16:00	69.6	73.1	71.3	
11			16:00 to 17:00	70.4	74.2	72.3	
12			17:00 to 18:00	68.3	73.5	70.9	
13			18:00 to 19:00	67.9	72.1	70.0	
14			19:00 to 20:00	66.5	71.8	69.2	
15			20:00 to 21:00	65.9	70.3	68.1	
16			21:00 to 22:00	64.7	68.6	66.7	
Total Day Average				65.9	72.4	69.2	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF& CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2026/03/02634	Near Boiler area	22:00 to 23:00	63.6	67.0	65.3	70.0 dB (A) Night Time
18			23:00 to 00:00	62.8	67.3	65.0	
19			00:00 to 01:00	61.6	66.5	64.0	
20			01:00 to 02:00	60.3	65.4	62.9	
21			02:00 to 03:00	59.8	64.0	61.9	
22			03:00 to 04:00	58.4	63.5	61.0	
23			04:00 to 05:00	56.3	61.9	59.1	
24			05:00 to 06:00	55.2	60.8	58.0	
Total Night Average				59.8	64.6	62.2	

INFERENCE As per standards, the above tested results are within the limits.

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer.
2. When the information is supplied by the customer and can affect the validity of results.
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified.
4. Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context.
5. This test report is subjected to Indian jurisdiction only.
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), then the results apply to the sample as received.
7. Results relates only to the tested sample.





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110
Tel: 080 29560080, Email: info@tejuschs.com, tejus372@tejuschs.com.

TETLD/F/MR/17

TEST REPORT

Analysis Report of Ambient Noise Level

ULR No		TC1307226000008546F		Report No		2026/10082	
Customer Detail				Date			
M/s. CIPLA LIMITED., Plot No. 285, 286 and 287, KIADB IV Phase Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.				Sampling		24/03/2026	
				Sample Receipt		25/03/2026	
				Start of Analysis		26/03/2026	
				End of Analysis		26/03/2026	
				Issue of Report		30/03/2026	
Sample Detail							
Group		Atmospheric Pollution					
Sub Group		Ambient Noise		Sampling On		Day & Night Time	
Method of Sampling		IS 9989		Type of Noise		Ambient Noise	
Sampler Specification							
Sampler Detail				Calibration Detail			
Sl. No	Sampler	Make	Sampler Sl. No	Date		Due Date	
1	SLM-100	Envirotech	360-DTJ-2017	03/04/2025		02/04/2026	
Analysis Detail							
Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
1	TETLD/2026/03/02635	Near Scrap Yard	06:00 to 07:00	62.5	69.4	66.0	75.0 dB (A) Day Time
2			07:00 to 08:00	63.4	70.5	67.0	
3			08:00 to 09:00	64.6	71.7	68.2	
4			09:00 to 10:00	66.3	72.8	69.5	
5			10:00 to 11:00	68.5	73.9	71.2	
6			11:00 to 12:00	69.4	74.6	72.0	
7			12:00 to 13:00	70.2	74.9	72.6	
8			13:00 to 14:00	69.6	73.7	71.7	
9			14:00 to 15:00	68.8	73.0	70.9	
10			15:00 to 16:00	67.9	72.8	70.3	
11			16:00 to 17:00	66.4	72.0	69.2	
12			17:00 to 18:00	65.3	71.1	68.2	
13			18:00 to 19:00	64.6	70.5	67.5	
14			19:00 to 20:00	63.3	70.0	66.7	
15			20:00 to 21:00	62.8	69.7	66.3	
16			21:00 to 22:00	61.5	68.4	65.0	
Total Day Average				65.9	71.8	68.9	





TEJUS ENTERPRISES

TESTING LABORATORY DIVISION

Recognised under the E(P) Act 1986 by CPCB (MoEF & CC) Govt. of India.
ISO/IEC 17025:2017 Accredited Testing Laboratory by NABL vide certificate Number TC-13072
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory



#2, Silicon Valley Layout, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: info@tejusehs.com, tejus372@tejusehs.com.

Sl. No	Sample Code	Location	Time Frequency	Lmin dB(A)	Lmax dB(A)	Leq dB(A)	CPCB STANDARDS
17	TETLD/2026/03/02635	Near Scrap Yard	22:00 to 23:00	60.3	68.1	64.2	70.0 dB (A) Night Time
18			23:00 to 00:00	59.6	67.1	63.3	
19			00:00 to 01:00	58.5	66.2	62.4	
20			01:00 to 02:00	57.3	65.7	61.5	
21			02:00 to 03:00	56.0	64.9	60.5	
22			03:00 to 04:00	55.2	63.6	59.4	
23			04:00 to 05:00	54.4	62.9	58.6	
24			05:00 to 06:00	53.1	61.3	57.2	
Total Night Average				56.8	65.0	60.9	

INFERENCE As per standards, the above tested results are within the limits.

Note:

1. Day time can be reckoned between 6 a.m to 10 p.m
2. Night time can be reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured



** End of the Report **


Authorized Signatory (Chemical)
(Meghashree M)

Terms and Conditions:

1. The laboratory is responsible for all the information provided in the report, except when information is provided by the customer
2. When the information is supplied by the customer and can affect the validity of results
3. Samples which are degradable will be disposed immediately after testing and others will be disposed after 15 days from the date of completion of sample analysis unless otherwise specified
4. Reports shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context
5. This test report is subjected to Indian jurisdiction only
6. Where the laboratory has not been responsible for the sampling stage (e.g. the sample has been provided by the customer), that the results apply to the sample as received
7. Results relate only to the tested sample



ANNEXURE-5

Cipla

No: CIP/PCB/2021/06/04
Date: 04.06.2021


To
The Chief officer
Jigani-Town Municipal Council
Jigani-Anekal taluk
Bangalore-560105

Respected Sir

Sub: intimation of Environmental clearance (EC) By MOEF to Cipla Bommasandra.

With reference to the above subject we are glade to inform u that, we have received environmental clearance of change product mix of the unit was accorded by MOEF impact assessment division on 22 April 2020 vide letter No:F.No J-11011/382/2019-IA-II (I)] subsequently amendment letter is received on 9th December 2020. environmental clearance copy attached with same letter. this is for kind perusal.
Kindly acknowledge the receipt of the same.

Thanking you
Sincerely Yours
For Cipla Limited


Pradeep Gupta
(Site Head)



ANNEXURE-6

ANNEXURE-VI EC compliance Report Details Uploaded in Manufacturing Portal.

Home - Internet | Home - Internet | cipla bommansandra ec compli | X +

google.com/search?q=cipla+bommansandra+ec+compliance&rlz=1C1GCEB_enP091099180q=Cipla+bommansandra+EC+compliance&ip=1p2pHkHwWjC... | ☆ | | | |

Home | New Tab | Home | Online Dictionary... | Desktop | INCM-EC | ET Login | All Bookmarks

Google cipla bommansandra ec compliance X ↓ @ Q [Settings] [Sign in] SafeSearch

🔍 All 📄 News 🖼️ Images 📍 Maps 🛒 Shopping | More Tools

About 4,870 results (0.28 seconds)

 Cipla
https://www.cipla.com/.../files/default/.../ecr... |

EC-Compliance-Report-Bommansandra.pdf
Respected Sir, Sub: intimation of Environmental clearance (EC) by MOEF to Cipla, Bommansandra. With reference to the above subject we are glad to inform u ...
54 pages

 Cipla
https://www.cipla.com/.../files/.../July-2023.pdf |

EC report of Bommansandra
30 May 2023 — 265, 266 & 267, Bommansandra Jigani Link Road Industrial Area, KAOB ...
Compliance report for the period - October -2022 to March-2023.
40 pages



 Cipla
https://www.cipla.com/.../files/.../Dec-2022.pdf |

No
Plot No 265, 266 & 267, Bommansandra Jigani Link Road Industrial Area, KAOB 4th Phase.

Windows Taskbar: Type here to search | [Taskbar icons] | 10:02 24-11-2023



ANNEXURE-8

← + C parvesh.in/useraccount/EC_condition_upload.aspx

PARVESH
पारिवेश

Ministry of Environment, Forest and Climate Change
Government of India

"Pro Active and Responsive Administration, Innovative, Virtual and Environmentally Sensitive Hub"

Kapini.Gowda@cipla.com

EC-KYC EC Condition Upload Raise Complaint My Proposal(s) Dashboard Approvals My Account **Logout**

List of EC Granted Proposals for uploading condition

ID	Proposal no	Type of Proposal	Type of Application	Project Details	Edit EC Condition	New EC Condition	Status
1	JAKA/ND2/106236/2016	EC	Category A	File Name : (A-J-1W/15622013-14-8) Project Name : PROPOSED CHANGE IN PRODUCT MIX FOR BULK DRUGS AND INTERMEDIATES MANUFACTURING UNIT State Name : Karnataka	Edit Condition Uploaded	View Condition Uploaded Report	Submitted

Add EC Granted Proposal which are not available in above table + Add

OCT-20 to March-21 MCF compliance 20.06.2020 (92)
- Read-Only - Final

Type here to search

20°C 40%RH 11:54 11/03/2021