

No: CIP/MOEF/2023/05/03

Date: 26.05.2023

To,

Director (S)

Ministry of Environment & Forests
Regional Office (Southern Zone)
Kendriya Sadan, 4th Floor,
E & F Wings, 17th Main Road,
2nd Block, Koramangala,
Bangalore-560034.



Dear Sir/Madam,

Subject: Submission of half yearly point wise compliance report to conditions of Environmental Clearance for the period of October - 2022 to March - 2023

Reference: 1. EC No: F.No J-11011/382/2019-IA-II (I)

With reference to the above subject, we are hereby submitting Biannual (October – 2022 to March-2023) compliance report of stipulated conditions for Environmental Clearance granted to M/s Cipla Limited, Plot No 285, 286 and 287, Bommasandra Jigani Link Road, KIADB industrial area, 4th Phase, Bangalore 560105 as per the above reference. Kindly accept and acknowledge the receipt of the same.

Thanking you

Sincerely Yours
For Cipla Limited

Pradeep Gupta
(Site Head)



Copy to: 1. The Regional Officer, Anekal Region, Nisarga Bhavan, Bangalore.

2. The Regional Officer, CPCB Zonal office, 1st floor Nisarga Bhavan, Bangalore.

3. The Member Secretary, Karnataka State Pollution Control Board,

'Parisara Bhavan' 5th floor, Church Street, Bangalore-560001

CENTRAL POLLUTION CONTROL BOARD
Ministry of Environment, Forests &
Climate Change, Govt. of India
Regional Directorate - Bengaluru
1st & 2nd Floor, Nisarga Bhavan
7th 'D' Main, Thimmaiah Road
Shivanagar, Bengaluru - 560079.
Ph : 080 23233739

Cipla Ltd.

Plot No. 285, 286 & 287, Bommasandra-Jigani Link Road Industrial Area, KIADB 4th Phase, Jigani Post, Bangalore - 560 105.
P +91 80 22059200 F +91 80 22059220 E-Mail adminbms@cipla.com

Regd. Office - Cipla House, Peninsula Business Park, Ganpatrao Kadam Marg, Lower Parel, Mumbai 400013, India.

P +91 22 24826000 F +91 22 24826120 W www.cipla.com E-Mail contactus@cipla.com Corporate Identity Number L24239MH1935PLC002380

ANNEXURE II - VIII

parivesh.nic.in/UserAccount/EC_condition_upload.aspx



PARIVESH
परिवेश

Ministry of Environment, Forest and Climate Change
Government of India

"Pro Active and Responsive facilitation by Interactive, Virtuous and Environmental Singlewindow Hub"

Kapini.Gowda@cipla.com

- E-KYC
- EC Condition Upload
- Raise Complaint
- My Proposal(s)
- Dashboard
- Approvals
- My Account
- Logout

List of EC Granted Proposals for uploading condition

ID	Proposal_no	Type Of Proposal	Type of Application	Project Details	Edit EC Condition	View EC Condition	Status
1	IA/KAI/IND2/106235/2016	EC	Category A	File Name : IA-J-11011/382/2019-IA-II(I) Project Name : PROPOSED CHANGE IN PRODUCT MIX FOR BULK DRUGS AND INTERMEDIATES MANUFACTURING UNIT State Name : Karnataka	Edit Condition Uploaded	View Condition Uploaded Report	Submitted

Add EC Granted Proposal which are not available in above table

+ Add



OCT-20 to March-21 MOEF compliance 22.05.2021 (002)
- Read-Only - Word

Type here to search

**POINTWISE COMPLAINT TO ENVIRONMENTAL CLEARANCE (EC
No: F.No J-11011/382/2019-IA-II (I)] CONDITIONS ISSUED TO
M/s CIPLA LIMITED**

Compliance report for the period – October -2022 to March- 2023

Sl.No	CONDITIONS	COMPLIANCE STATUS
A	SPECIFIC CONDITIONS	
1	The project proponent shall obtain wildlife clearance from standing committee NBWL, if applicable as the project site is located at the distance 5.6 Km from Bannerghatta National Park.	Complied. Approval from the Chief Wildlife Warden, Government of Karnataka regarding impact of the project on the Bannergatta National Park. Copy of the same is submitted to the Ministry.
2	Necessary permission as mandated under the (Water Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, shall be obtained from time to time from State Pollution Control Board.	Complied We have received Consent to Establish Expansion under (Water Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981. We had valid CFE and CFO are in place CFE consent No. CTE 325900 Valid up to 21/04/2028. CFO No AW-336079 Valid up to 30/06/2026.
3	As already committed by the project proponent, zero liquid discharge shall be ensured, and no waste/ treated water shall be discharge outside the premises.	Complied. Already site is having a zero liquid discharge facility which is fully operational. LOW TDS and High TDS effluent streams are segregated at source. <ul style="list-style-type: none"> • Low TDS effluent stream is treated in Conventional Activated sludge process with Extended Aeration followed by Reverse Osmosis. • High TDS effluent is treated in Stripper/Three effect forced circulation Multiple Effect



		<p>Evaporator followed by Agitated Thin film dryer (ATFD).</p> <ul style="list-style-type: none"> • There is no waste /Treated water discharge the outside the premises. • Effluent Treatment Plant Flow Scheme Attached Annexure-1
4	<p>Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary movement) Rules, 2016, Solid Waste Management Rules 2016 shall be obtained, and the provisions contained in the rules shall be strictly adhered to.</p>	<p>Complied.</p> <p>Hazardous waste management is strictly followed as per Hazardous and other Wastes (Management, and Transboundary Movement) Rules, 2016.. All conditions stipulated in Hazardous Authorization issued by KSPCB are adhered to.</p> <p>Hazardous Waste Authorization No is 328940 and Valid up to 30/06/2026</p>
5	<p>National Emission Standards for Pharmaceutical Industry (Bulk Drugs) issued by the Ministry vide G.S.R.149(E) dated 4th March 2009 and amended from time to time shall be followed Fugitive emission shall be controlled at 99.98% with effective chillers.</p>	<p>We don't have inhouse incineration facility, so same shall not applicable to us.</p>
6	<p>No raw material/solvent prohibited by the concerned regulatory authorities from time to time, shall be used.</p>	<p>Being complied.</p> <p>No raw material/solvents which are prohibited by regulatory authorities are purchased.</p>
7	<p>To control source and the fugitive emission, suitable pollution control devices shall be installed to meet the prescribed the norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.</p>	<p>Complied.</p> <p>In order to control the fugitive emissions following facility available at site.</p> <ul style="list-style-type: none"> • We have preventive /condition-based maintenance schedule for all the equipment's installed at site to eliminate the possibilities of fugitive emission of leakages.



		<p>for the issues of leakages & repairs.</p> <ul style="list-style-type: none"> • Adequate DG and boiler chimney height is in place as per the norms. • Process scrubber are placed to control fugitive emission
8	<p>Solvent management shall be carried out as follows:</p> <p>(a) Reactor cell be connected to child brine condenser system.</p> <p>(b) Reactor and solvent handling functional have mechanical seals to prevent leakages.</p> <p>(c) The condenser shall be provided with sufficient HTA and resistance time so as to achieve more than 95% recovery.</p> <p>(d) Solvents will be stored in a separate space specified with all safety measures.</p> <p>(e) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.</p> <p>(f) Entire plant Shall be flameproof. The solvent storage tank shall be provided with breather valve to prevent losses.</p> <p>All the solvent storage tanks shall be connected with vent condensers with chilled brain circulation.</p>	<p>Complied.</p> <p>Solvent Management following</p> <p>a) All the reactors condensers available at site are connected with chilled brine system.</p> <p>b) Reactor and solvent handling pumps are equipped with mechanical seal to prevent leakages.</p> <p>c) All condensers connected with reactors are design for adequate HTA to achieve recovery more than 95%.</p> <p>d) Dedicated Tank Farm area is available where in solvents are being stored in underground tanks with adequate safety measures.</p> <p>e) Proper Earthing connectivity provided for all Equipment's which are used for solvent handling.</p> <p>f) Flame proof fixtures are provided based on hazardous are classifications.</p> <p>All the solvent storage tanks are equipped with breather valves to prevent loses.</p> <p>As per the vapor pressure at room temperature data requirement vent condensers with chilling system is available.</p>



9	Total fresh water requirement shall not exceed 140 cum/day, proposed to be met from ground water. Prior permission in this regard shall be obtained from the concerned regulatory authority/ CGWA.	Complied. Fresh Water consumption is well within the stipulated limit 140 cum/ day. Water Balance Sheet Attached Annexure -2
10	Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.	Complied. There is separate storm water drain is available across the site, which is clearly segregated process effluent water trench. Storm water from the premises is collected and discharged through a separate conveyance system.
11	Hazardous chemical shall be stored in tanks, tanks farms drums, carboys etc. Flame arrestors shall be provided on tank farm, and solvent transfer through pumps.	Complied. All the hazardous chemicals are being stored in tanks, drums in tank farm and carboys etc. Flame arresters are provided in all solvent storage tanks and solvents are being transferred through pumps.
12	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic and operation salt shall be disposed of to the TSDF.	Complied. Process organic residue and spent carbon generated during process are being sent to KSPCB authorized incineration vendor. ETP sludge, process inorganic and operation salt is being sent to KSPCB approved TSDF facility.
13	The company shall strictly comply with the rules and guidelines under manufacture storage and import of hazardous chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of hazardous chemical shall be as per the Motor Vehicle Act (MVA), 1989.	Complied.
14	Fly ash should be stored supply separately as per CPCB guidelines so that it may not adversely affect the air	There is no source for generating fly ash at site.



	quality. Direct exposure of workers to fly ash and dust should be avoided.	
15	<p>The company shall undertake waste minimization measures as below.</p> <p>(a) Metering and control of quantities of active ingredients to minimize waste.</p> <p>(b) Reuse of buy products from the process as raw materials are as raw material substitute in other processes.</p> <p>(c) Use of automated filling to minimize spillage.</p> <p>(d) Use of close feed system into batch reactors.</p> <p>(e) Venting equipment through vapor recovery system. use of high-pressure hoses for equipment clearing to reduce wastewater generation.</p>	<p>Complied.</p> <p>a) API and raw materials quantity are reviewed on weekly basis to minimize the inventory.</p> <p>b) Raw materials are procured on a requirement basis only.</p> <p>c) Solvent batching system is being used for the close loop handling of solvents, which ensures the elimination of spillage.</p> <p>d) Batching system are used closed loop solvent charging</p> <p>e) Condenser with optimum design of HTA and desired utilities are in place ensure the vapor recovery efficiently.</p> <p>f) Spray Balls are being installed to handle organic solvents in closed loop which are used for reactor cleaning.</p>
16	<p>The green belt of at least 5-10 m width shall be developed in nearly 40% of the total project area, mainly along the plant periphery, in downward wind direction, and along roadside etc. Selection of plant species selfie as for the CPCB guidelines in consultation with the State Forest Department.</p>	<p>Complied.</p> <p>As per compliance condition 40 % green belt developed in the total area and different tree varieties belonging to Saraca asoca, Dypsis lutescens, Prunus dulcis, Caesalpinia pulcherrima, Casuarina equisetifolia, Magnolia champaca, Araucaria Cookii, Wodyetia bifurcate, Galpinia tranvaalica, Melaleuca bracteate, Delonix regia, Pongamia pinnata, Muntingia calabura, Artocarpus heterophyllus, Syzygium cumini, Mangifera indica, Swietenia mahagoni, Azadirachta indica, Eucalyptus, Ficus benghalensis, Musa acuminata, Carica papaya, Phoenix canariensis, Punica granatum, Quercus,</p>



		Grevillea robusta, Santalum album, Tectona grandis Linn, Thorn Acacia, Leucaena leucocephala, Sapodilla, etc are planted in the facility.
17	At least 3% of total project cost Shall be allocated for Corporate Environment Responsibility (CER) and item wise details along with the time bond action plan shall be prepared and submitted to the Ministry's Regional Office.	Complied. As per the MOEF notification dated 30th September -2020 separate CER fund is not required, and all the activities such as ETP upgradation, New STP installation are being performed under Environment Management Plan
18	For the DG sets, emission limits and the stack height shall be in conformity with the regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling noise pollution.	Complied. Adequate stack height is provided for all the DG sets and similarly suitable acoustic enclosures are provided for DG sets
19	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.	Complied. The areas of high risk posing potential fire risk are evaluated and provided with fire protection system such as <ul style="list-style-type: none"> • The fire extinguishers are installed in site as per the classification & risk potential of each area and 360 No's of extinguishers are installed. • Fire hydrant, Fire protection sprinklers, Foam-water jet monitor, NOVEC-123 fire suppression system and DSPA fire suppression system and are installed in various areas. • Fire detection system such as smoke detectors, Fire alarms and manual call point installed
20	Occupational health surveillance of the workers will be done on a regular	Complied. Occupational health surveillance of the workers is done on a Biannual basis and



	basis and records maintained as per the Factories Act.	records maintained as per the Factories Act. These reports are discussed with occupational Health advisor for any concerns. Apart from routine tests, Kidney function test, Liver function test Audiometry, ECG etc. are also done.
21	Continuous online (24x7) monitoring system for stack emission shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install Web camera with night vision capability and flow meters in the channel/ drain carrying effluent within the premises.	<p>Complied.</p> <ul style="list-style-type: none"> • We Installed Continuous online (24x7) monitoring system for stack emission for the measurement of the specified parameters of flue gas discharge from DG and Boiler. Data transmission work is going on CPCB and KSPCB server. • We installed IP camera with PAN, TILT Zoom, 5x focal length with night vision capability and fixed in flow meter at the outlet of the ETP & Data connected to CPCB and KSPCB server. Same is acknowledged by CPCB and KSPCB.
22	Process safety and risk assessment studies shall be further carried out using advanced to models, and the mitigating measures shall be undertaken accordingly.	Process safety and risk assessment studies are carried out mandatorily for Mitigating the Hazards & Implementing the advanced models.
B	GENERAL CONDITIONS	
1	The project proponent shall obtain all other statutory/ necessary permissions recommendations NOCs prior to start of the construction/operation of the project which inter alia include, permission/approvals under the Forest (Conservation) Act, 1980; Wildlife (Protection) Act, 1972; the Coastal Regulation Zone Notification,	<p>Complied.</p> <p>The industry is already established in the notified industrial area. Therefore, it is not applicable. No new construction is done. EC was obtained for Change of product mix.</p>



	2019, as amended from time to time and other office memorandum circular issued by the Ministry of Environment Forest and Climate Change from time to time as applicable to the project.	
2	The project proponent shall ensure compliance of 'National Emission Standards', as applicable to the project issued by the ministry from time to time. The project proponent shall also abide by the rules/regulations issued by the CPCB/SPCB for control/abatement of pollution.	Complied. We are conducting timely emission monitoring which are observed to be well within the limits.
3	The project authorities shall order to the stipulations made by the State Pollution Control Board/ Committee, Central Pollution Control Board, State Government and any other statutory authority.	Being Complied.
4	The project proponent shall prepares a site-specific conservation plan and Wildlife Management Plan in the case of the presence of Schedule-1 species in the study area as applicable to the project and submit to Chief Wildlife Warden for approval. The recommendations shall be implemented in consultation with the State Forest/Wildlife department in time bound manner	Our industry is located in notified industrial area, where in this conservation plan is not applicable.
5	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments shall be carried out without prior approval of the Ministry of Environment Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this	Complied. No expansion or modifications in the plant has been carried out without prior approval of the Ministry of Environment Forest and Climate Change and EIA Notification of 2006.



	Ministry for Clearance, a fresh reference shall be made to the Ministry to access the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	
6	The energy source from lightning propose shall be preferably LED based, or advanced having performance in energy conservation and environment betterment.	Complied. Following Energy conservation strategies for Environment betterment.
7	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (KSPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Complied. 4 Ambient air quality monitoring stations are set up in consultation with KSPCB. <u>Locations are as follows:</u> a. Near ETP (East) b. Near Material entry gate (West) c. Near API-1 (South) d. Near Boiler house (North) Ambient air quality monitoring is carried out by NABL accredited Laboratory (M/s Tejus Enterprises) and reports are filed monthly to State Pollution Control Board (KSPCB)
8	The National Ambient Air Quality Emission Standard issued by the Ministry vide G.S.R No. 826 (E) dated 16th November, 2009 shall be followed.	The National Ambient Air quality emission standards are being followed and accordingly monitored. NAAQ Annexure-3
9	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including a acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The Ambient Noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 with 75 dBA (daytime) and 70 dBA (night time).	Noise level is well within the stipulated standards. Acoustic enclosures is provided for Diesel Generator and ETP Blowers. The ambient noise levels across our boundary conforms to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (night time). HCL software company is located on the East side of our premises, M/s Richa Global, a garmet factory is located



		on the West side. North side of ur premises is agricultural land and South side there is main road. Annexure-4
10	The Company shall harvest rainwater from the rooftops of the buildings and storm water drains to recharge the groundwater and to utilize the same for process requirements.	Rainwater from rooftops of the buildings plan is under proposal. Storm water drains to recharge the ground water is not permitted as per CFE and CFO conditions.
11	Training shall be imparted to all employees on safety and health aspects of chemical handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemical shall be imparted.	Complied. Pre-employment and routine periodical medical examinations for all employees are being done. Trainings are being imparted on regular basis.
12	The company shall undertake all relevant measures for improving the socio- economic conditions of the surrounding area. CER activities shall be undertaken by involving local villagers and administration and shall be implemented.	Complied. Tree Plantation done at Henagara Govt. school.
13	The company shall undertake eco-development all measures including community welfare measures in the project area for the overall improvement of the environment.	we worked with CSR team for support near by Hospitals, Mobile Health Care unit in Jigani area, to benefit the community around the plant area, to facilitate health care & vaccination.
14	A separate Environmental Management cell (having qualified person with Environmental Science/ Environmental Engineering/ specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	A separate Environmental Management Cell are in place with Qualified Environmental professionals and unit is ISO 14001:2015 certified . Site have dedicated ETP lab and continuous monitoring of Effluent sample are in place.



15	The company shall ear mark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated here in. The funds earmark for environment management/ pollution control measures shall not be diverted for any other purpose.	Noted being complied.
16	A copy of the clearance letter selfie sent by the project proponent to be concerned Panchayat, Zilla Parishad/ Municipal Corporation, Urban local Body and the local NGO, if any from whom suggestions/representations, if any, were received while processing the proposal.	Complied. The Environmental clearance copy submit to the chief officer Jigani-town municipal council acknowledgement copy attached as Annexure- 5
17	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by email) to the respective Regional Office of MoEF & CC, respective zonal office of CPCB and SPCB. A copy of Environmental Clearance and six-monthly complaint status report shall be posted on the website of the company.	Complied. Attached screen shot of compliance report published in website Annexure-6
18	The environmental statement for each financial year ending 31st March in Form-V is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended	Complied.



	subsequently shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by email.	
19	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/ Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertise within seven days from the date of issue of the clearance letter, at least into local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied. Two local news paper advertise is given as per condition copy is attached as a Annexure-7
20	The project authorities shall inform the Regional Office as well as the Ministry the date of financial closer and final approval of the project by the concerned authorities and the date of start of the project.	Noted and being complied.
21	This Environmental Clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any as may be applicable to this project.	Noted.
22	The Ministry reserves the right to stimulate additional conditions, if found necessary at subsequent stages and the project proponent cell implement all the said conditions in a	Noted.



	time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above condition is not found satisfactory.	
23	Concealing factual data for submission of false/ fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted.
24	Any appeal against this environment clearance cell lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section the 16 of the National Green Tribunal Act, 2010.	Noted.
25	The above conditions will be enforced inter-alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act 1986 the Hazardous Waste (Management, Handling and Transboundary Movement) Rules 2016 and public liability insurance act 1991 read with subsequent amendments are therein	Noted.
26	This issues with the approval of the competent authority.	Noted.


For Cipla Limited

Pradeep
Pradeep Gupta
(Site Head)




ANNEXURE-1

EFFLUENT TREATMENT PLANT-FLOW SCHEME



Sludge from Clariflocculator and Clarifier



5.3 Water Balance Diagram (with reuse/recycle if any):





FIGURE 1: WATER BALANCE CHART



ANNEXURE-III

Ambient Air & Stack Analysis Report Oct 2022- Mar-2023


Ambient Air Monitoring Near ETP (North Side)											
S.no	Parameters	Limits As per NAAQS	Oct.22	Nov.22	Dec.22	Jan.23	Feb.23	Mar.23	Average		
1	Particulate Matter PM10,ug/m3	100	40.9	38.5	39.9	44.5	46.9	44.5	42.53		
2	Particulate Matter PM2.5,ug/m3	60	19.5	21.4	19.6	22.3	23.4	22.6	21.47		
3	Sulphur Dioxide so2 ug/M3	80	7.2	9.8	10.5	13.1	17.9	15.1	12.27		
4	Nitrogen Dioxide No2,ug/M3	80	8.4	11	13.4	18.5	21.1	20	15.40		
5	Ammonia as Nh3,ug/m3	400	13.7	15.4	17.3	8.8	27.6	16.4	16.53		
6	carbon monoxide as co,mg/m3	2	NIL	BDL	BDL	BDL	0.6	0.5	0.55		
7	ozone as O3 u/m3	180	10.7	12.3	14.6	12.5	13.3	12.5	12.65		
8	Lead As Pb ug/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL		
9	Benzene ug/m3	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL		
10	Benzo(a) pyrene,ng/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL		
11	Arsenic as ng/m3	6	BDL	BDL	BDL	BDL	BDL	BDL	BDL		
12	Nickel As Ni mg/m3	20	BDL	BDL	BDL	BDL	BDL	BDL	BDL		

Ambient Air Monitoring Near Security gate (south side)											
S.no	Parameters	Limits As per NAAQS	Oct.22	Nov.22	Dec.22	Jan.23	Feb.23	Mar.23	Average		
1	Particulate Matter PM10,ug/m3	100	48.5	50.6	48	53.4	52.1	51.4	50.67		
2	Particulate Matter PM2.5,ug/m3	60	20.5	18.6	22.3	24	23.3	24.2	22.15		
3	Sulphur Dioxide so2 ug/M3	80	8.1	10.5	14.1	17.6	16.2	14.7	13.53		
4	Nitrogen Dioxide No2,ug/M3	80	12.5	14.8	17.7	23	22.2	20.2	18.40		
5	Ammonia as Nh3,ug/m3	400	20.1	18.2	20.1	22.9	24.6	22.9	21.47		
6	carbon monoxide as co,mg/m3	2	0.2	0.3	0.4	0.5	0.6	0.5	0.42		
7	ozone as O3 u/m3	180	10.1	12.6	14.3	12.5	13.6	12.2	12.55		
8	Lead As Pb ug/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	<1.0		
9	Benzene ug/m3	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL		
10	Benzo(a) pyrene,ng/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL		
11	Arsenic as ng/m3	6	BDL	BDL	BDL	BDL	BDL	BDL	BDL		
12	Nickel As Ni mg/m3	20	BDL	BDL	BDL	BDL	BDL	BDL	BDL		



Ambient Air Monitoring Near Api-1 (East Side)									
S.no	Parameters	Limits As per NAAQS	Oct.22	Nov.22	Dec.22	Jan.23	Feb.23	Mar.23	Average
1	Particulate Matter PM10,ug/m3	100	41.6	43.6	41.6	45	44.3	42.5	43.10
2	Particulate Matter PM2.5,ug/m3	60	19.5	17.6	19.3	21.8	20.2	21.6	20.00
3	Sulphur Dioxide so2 ug/M3	80	9.4	11.6	13.4	16.7	18.7	16	14.30
4	Nitrogen Dioxide No2,ug/M3	80	16.4	14.8	17.6	22.5	24.1	23.2	19.77
5	Ammonia as Nh3,ug/m3	400	21.7	23.8	25.6	28.4	27.5	26.4	25.57
6	carbon monoxide as co,mg/m3	2	0.6	0.5	0.4	0.5	0.6	0.5	0.52
7	ozone as O3 u/m3	180	11.2	10.6	12.7	12.2	14.1	13.3	12.35
8	Lead As Pb ug/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL
9	Benzene ug/m3	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL
10	Benzo(a) pyrene,ng/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL
11	Arsenic as ng/m3	6	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Nickel As Ni mg/m3	20	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Ambient Air Monitoring Near Boiler House (West Side)									
S.no	Parameters	Limits As per NAAQS	Oct.22	Nov.22	Dec.22	Jan.23	Feb.23	Mar.23	Average
1	Particulate Matter PM10,ug/m3	100	43.5	41.4	38.6	43.8	41.6	40.3	41.53
2	Particulate Matter PM2.5,ug/m3	60	22.1	24.6	26.4	28.3	27.2	25.4	25.67
3	Sulphur Dioxide No2 ug/M3	80	11.1	13.4	15.9	19.7	18.3	15.7	15.68
4	Nitrogen Dioxide No2,ug/M3	80	20.3	18.6	21.2	26.6	24.8	22.5	22.33
5	Ammonia as Nh3,ug/m3	400	23.1	25.2	27.7	25.6	24.6	22.9	24.85
6	carbon monoxide as co,mg/m3	2	0.4	0.3	0.4	0.3	0.4	0.3	0.35
7	ozone as O3 u/m3	180	10.4	11.7	12.5	11.1	12.5	11.4	11.60
8	Lead As Pb ug/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL
9	Benzene ug/m3	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL
10	Benzo(a) pyrene,ng/m3	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL
11	Arsenic as ng/m3	6	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Nickel As Ni mg/m3	20	BDL	BDL	BDL	BDL	BDL	BDL	BDL




Stack Monitoring DG 1500 KVA										
S.no	Parameters	Limits As per NAAQS	Oct.22	Nov.22	Dec.22	Jan.23	Feb.23	Mar.23	Average	
1	Area of cross section of Stack,m2	Ns	0.113	0.113	0.113	0.113	0.113	0.113	0.11	
2	Stack top	Ns	Round	Round	Round	Round	Round	Round	Round	
3	Temperature. C	Ns	170	168	164	162	168	164	166.00	
4	Satck Gas velocity ,m/s	Ns	7.1	7.3	7.6	7.4	8.1	8.3	7.63	
5	Rate of Discharge of gas,Nm3/hr	Ns	1935.1	2033.6	2102.3	2069.2	2240.6	2317.9	2116.45	
6	Particulate Matter mg/Nm3	75	38	41.8	40.1	38.4	36.2	33.3	37.97	
7	oxides of sulphur (so2), mg/Nm3	NS	12	11.3	12.5	14.7	12.7	13.5	12.78	
8	oxides of Nitrogen (No2), mg/Nm3	710	120	107.9	219.17	206.4	200	192.4	174.31	
9	carbon monoxide as co,mg/m3	150	64	59	0.0062	0.006	0.0058	0.0056	20.50	
10	Non -Methane Hydrocarbon (NMHC),ppm	100	28	33	36	34.5	32	30	32.25	

Stack Monitoring 1.5 TPH Boiler Chimney										
S.no	Parameters	Limits As per NAAQS	Oct.22	Nov.22	Dec.22	Jan.23	Feb.23	Mar.23	Average	
1	Area of cross section of Satck,m2	Ns	0.196	0.196	0.196	0.196	0.196	0.196	0.20	
2	Stack top	Ns	Round	Round	Round	Round	Round	Round	Round	
3	Temperature. C	Ns	137	139	135	66	69	67	102.17	
4	Satck Gas velocity ,m/s	Ns	7.3	7.5	7.8	5.2	6.3	6.4	6.75	
5	Rate of Discharge of gas,Nm3/hr	Ns	3760.1	3863.2	4017.6	3225.4	3867.3	3984.6	3786.37	
6	Particulate Matter mg/Nm3	75	7.2	8.6	10.6	9.4	7.2	6.4	8.23	
7	oxides of sulphur (so2), mg/Nm3	NS	5.2	6	7.8	8.4	5.9	6.3	6.60	
8	oxides of Nitrogen (No2), mg/Nm3	710	11.4	12.2	17.9	14	11.5	10.3	12.88	




Scrubber -1 (SCB-17 API-1)										
S.no	Parameters	Limits	Oct.22	Nov.22	Dec.22	Jan.23	Feb.23	Mar.23	Average	
1	Area of cross section of stack, m ²	NS	0.102	0.102	0.102	0.102	0.102	0.102	0.102	
2	Stack Top.	NS	Round	Round	Round	Round	Round	Round	Round	
3	Temperature, °C	NS	39	41	39	41	38	35	38.83	
4	Stack gas velocity, m/s	NS	6.6	6.8	6.9	7.1	6.7	6.8	6.82	
5	Rate of discharge of gas, Nm ³ /hr	NS	2326.6	2372.1	2406.9	2490.9	2365.3	2440.2	2400.33	
6	Particulate Matter mg/Nm ³	150	8	10.4	13.2	15.4	13.5	14.6	12.52	
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	6	8.3	9.8	11.7	9.8	11.3	9.48	
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	11.5	12.3	13.3	16.2	13.8	14.2	13.55	
9	Acid mist, mg/Nm ³	35	4.9	6.6	8.8	10.6	8.3	7.2	7.73	
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	

Scrubber -2 (SCB-101 API-1)										
S.no	Parameters	Limits	Oct.22	Nov.22	Dec.22	Jan.23	Feb.23	Mar.23	Average	
1	Area of cross section of stack, m ²	NS	0.102	0.102	0.102	0.102	0.102	0.102	0.10	
2	Stack Top.	NS	Round	Round	Round	Round	Round	Round	Round	
3	Temperature, °C	NS	36	38	35	37	35	32	35.50	
4	Stack gas velocity, m/s	NS	6.9	7.1	7.3	7.5	6.8	7	7.10	
5	Rate of discharge of gas, Nm ³ /hr	NS	2457.6	2514.9	2573.3	2656.3	2422	2528.3	2525.40	
6	Particulate Matter mg/Nm ³	150	14.2	13.1	16.3	18.4	16.6	18	15.72	
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	5.5	8.3	9.8	10.9	9.1	8.3	8.65	
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	12.3	18.5	22.2	23.7	17.3	18.8	18.80	
9	Acid mist, mg/Nm ³	35	4.5	3.9	6.5	8.6	6.7	7.4	6.04	
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	




Scrubber -3 (SCB-201 API-2)										
S.no	Parameters	Limits	Oct.22	Nov.22	Dec.22	Jan.23	Feb.23	Mar.23	Average	
1	Area of cross section of stack, m ²	NS	0.025	0.025	0.025	0.025	0.025	0.025	0.03	
2	Stack Top.	NS	Round	Round	Round	Round	Round	Round	Round	
3	Temperature, °C	NS	38	40	38	40	44	41	40.17	
4	Stack gas velocity, m/s	NS	7.6	7.4	7.6	7.4	8.2	8	7.70	
5	Rate of discharge of gas, Nm ³ /hr	NS	663.5	640.5	656.6	636.2	696.1	687.9	663.47	
6	Particulate Matter mg/Nm ³	150	20	17.8	16.2	18.6	19.2	18	18.30	
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	8.2	8.9	7.8	9.2	10.6	12.3	9.50	
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	17.2	23.5	23.8	19.1	20.7	18.8	20.52	
9	Acid mist, mg/Nm ³	35	5.2	5.1	4.1	6.3	6.7	7.7	5.85	
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	

Scrubber -4 (SCB-202 API-2)										
S.no	Parameters	Limits	Oct.22	Nov.22	Dec.22	Jan.23	Feb.23	Mar.23	Average	
1	Area of cross section of stack, m ²	NS	0.025	0.025	0.025	0.025	0.025	0.025	0.03	
2	Stack Top.	NS	Round	Round	Round	Round	Round	Round	Round	
3	Temperature, °C	NS	43	45	42	44	48	46	44.67	
4	Stack gas velocity, m/s	NS	7.2	7	7.2	7.4	8.1	7.9	7.47	
5	Rate of discharge of gas, Nm ³ /hr	NS	615.6	592.2	609.1	630.3	681.3	670.9	633.23	
6	Particulate Matter mg/Nm ³	150	14	13	16.4	17.7	18.2	16.3	15.93	
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	5.6	4.8	5.7	7.4	8	8.8	6.72	
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	5	7.2	8.9	8.1	13.8	14.1	9.52	
9	Acid mist, mg/Nm ³	35	4	3	3.6	5.5	6.1	7.2	4.90	
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	



Scrubber -5 (SCB-203 API-2)										
S.no	Parameters	Limits	Oct.22	Nov.22	Dec.22	Jan.23	Feb.23	Mar.23	Average	
1	Area of cross section of stack, m ²	NS	0.08	0.08	0.08	0.08	0.08	0.08	0.08	
2	Stack Top.	NS	Round	Round	Round	Round	Round	Round	Round	
3	Temperature, °C	NS	41	43	41	43	47	49	44.00	
4	Stack gas velocity, m/s	NS	6.8	6.6	6.8	7	8.2	8	7.23	
5	Rate of discharge of gas, Nm ³ /hr	NS	1860.5	1805.7	1840.8	1920.3	2214	2146.6	1964.65	
6	Particulate Matter mg/Nm ³	150	16	15.6	16.2	18	17	16.2	16.50	
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	4	8.2	9.2	11.5	11	9.2	8.85	
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	11.5	14.3	17.8	16.2	13.8	14.2	14.63	
9	Acid mist, mg/Nm ³	35	3.5	2.6	3.2	8.6	7.9	7	5.47	
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	

Scrubber -6 (SCB-204 API-2)										
S.no	Parameters	Limits	Oct.22	Nov.22	Dec.22	Jan.23	Feb.23	Mar.23	Average	
1	Area of cross section of stack, m ²	NS	0.038	0.038	0.038	0.038	0.038	0.038	0.04	
2	Stack Top.	NS	Round	Round	Round	Round	Round	Round	Round	
3	Temperature, °C	NS	40	42	38	40	45	44	41.50	
4	Stack gas velocity, m/s	NS	6.2	6.4	6.7	6.9	7.4	7.6	6.87	
5	Rate of discharge of gas, Nm ³ /hr	NS	814.2	831.7	870.7	898.7	951.8	987.2	892.38	
6	Particulate Matter mg/Nm ³	150	15	14.2	17.5	16.2	15.8	17	15.95	
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	8	7	10.2	8.4	8.9	7.1	8.27	
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	10.7	9.5	13.3	12.7	10.9	11.1	11.37	
9	Acid mist, mg/Nm ³	35	7	5.4	6	8.1	7.6	8.1	7.03	
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	




Scrubber -7 (SCB-205 API-2)

S.no	Parameters	Limits	Oct.22	Nov.22	Dec.22	Jan.23	Feb.23	Mar.23	average
1	Area of cross section of stack, m ²	NS	0.042	0.042	0.042	0.042	0.042	0.042	0.042
2	Stack Top.	NS	Round	Round	Round	Round	Round	Round	Round
3	Temperature, °C	NS	39	41	38	40	45	43	41.00
4	Stack gas velocity, m/s	NS	5.8	6	6.2	6.4	7.3	7.4	6.52
5	Rate of discharge of gas, Nm ³ /hr	NS	841.9	869.6	890.6	924.4	1041.3	1065.7	938.92
6	Particulate Matter mg/Nm ³	150	11	12.2	14.7	16.5	16	17.3	14.62
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	8	8.3	11.4	10.1	10.8	8.3	9.48
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	11.5	10.7	13.3	14.8	13.8	11.5	12.60
9	Acid mist, mg/Nm ³	35	6.1	6.6	8.3	10.2	9	7.7	7.98
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Scrubber -8 (SCB-206 API-2)

S.no	Parameters	Limits	Oct.22	Nov.22	Dec.22	Jan.23	Feb.23	Mar.23	Average
1	Area of cross section of stack, m ²	NS	0.042	0.042	0.042	0.042	0.042	0.042	0.042
2	Stack Top.	NS	Round	Round	Round	Round	Round	Round	Round
3	Temperature, °C	NS	41	43	40	42	47	45	43.00
4	Stack gas velocity, m/s	NS	6.3	6.5	6.7	6.9	7.4	7.5	6.88
5	Rate of discharge of gas, Nm ³ /hr	NS	904.9	933.7	962.4	993.6	1045.4	1073.4	985.57
6	Particulate Matter mg/Nm ³	150	14	15	18.4	17.1	15.8	16.7	16.17
7	Oxides of Sulphur (SO ₂), mg/Nm ³	NS	7	8	10.4	12.8	11.9	10.2	10.05
8	Oxides of Nitrogen (NO ₂), mg/Nm ³	NS	11.5	14.3	18.8	22.2	20.7	20.3	17.97
9	Acid mist, mg/Nm ³	35	7	6.3	9	11.9	10.1	9.4	8.95
10	Hydrogen sulphide (H ₂ S), mg/Nm ³	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL



ETP RO Permeate Water										
S.no	Parameters	Limits As per KSPCB	Oct.22	Nov.22	Dec.22	Jan.23	Feb.23	Mar.23	Average	
1	pH	6.0 – 8.5	7	7.1	7.6	7.3	7.6	7.3	7.32	
2	Total Suspended Solids, mg/L	Max 100	5	6.8	5.4	8.4	BDL	BDL	6.40	
3	Chromium as Cr, mg/L	Max 0.1	BDL	BDL	BDL	BDL	BDL	BDL	0.00	
4	Mercury as Hg, mg/L	Max 0.01	BDL	BDL	BDL	BDL	BDL	BDL	0.00	
5	Cyanide as CN, mg/L	Max 0.1	Absent	Absent	Absent	Absent	Absent	Absent	0.00	
6	Lead as Pb, mg/L	Max 0.1	BDL	BDL	BDL	BDL	BDL	BDL	0.00	
7	Arsenic as As, mg/L	Max 0.2	BDL	BDL	BDL	BDL	BDL	BDL	0.00	
8	Phenolic compounds as C ₆ H ₅ OH, mg/L	Max 1.0	Absent	Absent	Absent	Absent	Absent	Absent	0.00	
9	Biochemical oxygen demand (3 days @ 27°C), mg/L	Max 30	5.5	11.1	4	9.3	BDL	4	7.48	
10	Oil & Grease, mg/L	Max 10	BDL	BDL	BDL	BDL	BDL	BDL	#DIV/0!	
11	Phosphates as P, mg/L	Max 1.0	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
12	Sulphide as S, mg/L	2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
13	Bioassay	90% survival of fish after 96 hours in 100%	90% survival of fish after 96 hours in 100%	90% survival of fish after 96 hours in 100%	90% survival of fish after 96 hours in 100%	90% survival of fish after 96 hours in 100%	90% survival of fish after 96 hours in 100%	90% survival of fish after 96 hours in 100%	90% survival of fish after 96 hours in 100%	





ANNUAL REPORT - IV TEJUS ENTERPRISES

Testing Laboratory Division

Recognised under the E (P) Act 1986 by CPCB (MoEF & CC) Govt. of India

ISO 45001:2018 & ISO 9001:2015 Certified Laboratory

#2, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: tejus372@gmail.com, infotejuslab@gmail.com



TC-8944

TE-TLD/MR/F/17/01

TEST REPORT

AMBIENT NOISE LEVEL MONITORING

ULR Code : TC894423000002364F

Sample Code : TE-TLD/2023/03/0834 to 0837	Date of Sampling	17-03-2023
Name of the Organisation :	Date of Receipt	17-03-2023
M/s. CIPLA LIMITED.,	Date of Data Download	18-03-2023
Plot No. 285, 286 & 287, KIADB IV Phase,	Date of Download Completed	18-03-2023
Bommasandra-Jigani Link Road,	Date of Report	27-03-2023
Bommasandra Industrial Area, Bangalore-560105.	Report Number	2023/02592
Sample Particulars : Noise Level Monitoring	Sample Collected By	Lab Representative
Particulars of the Instrument Used		
SI No	Type	Make
1	(SLM 100)	Envirotech
Calibration Details		
Instrument SI No	Date	Due Date on
360-DTJ-2017	07-05-2022	06-05-2023

RESULTS (Day Time)


S. NO	SOURCE OF COLLECTION	Time Frequency	Protocol	MIN LEVEL dB(A) Lmin	MAX LEVEL dB(A) Lmax	AVERAGE LEVEL dB(A) Leq	STANDARDS
1	Near Security Main Gate	10:35am to 10:49am	IS-9989-1981 (Reaffirmed 2014)	64.5	74.7	69.6	75.0 dB (A) Day Time
2	Near ETP area	11:00am to 11:14am		63.6	73.5	68.6	
3	Near Boiler area	11:20am to 11:34am		65.1	75.8	70.5	
4	Near Scrap Yard	11:40am to 11:54am		63.0	72.9	68.0	

INFERENCE	As Per Standards, Report Status:- The above tested results are with in the limits.
-----------	---

Note

1. Day time is reckoned between 6 a.m to 10 p.m
2. Night time is reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured.

Checked
H
17-04-2023



Authorized Signatory (Chemical)
(Meghashree M)
Technical Manager

End of the Report

Terms and Conditions: - 1. The laboratory is responsible for all the information provided in the report, except when the information is provided by the customer.
2. When the information is supplied by the customer & that can affect the validity of results,
3. Laboratory is not responsible for the sampling stage if sample has been provided by the customer.
4. Samples will be stored for a period of 15 days from the date of issue of report except the Microbiological samples.
5. The report shall not be reproduced without the written approval of the laboratory.
6. This test report is subjected to Indian jurisdiction only.





TEJUS ENTERPRISES

Testing Laboratory Division

Recognised under the E (P) Act 1986 by CPCB (MoEF & CC) Govt. of India

ISO 45001:2018 & ISO 9001:2015 Certified Laboratory

#2, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: tejus372@gmail.com, infotejuslab@gmail.com



TC-8944

TE-TLD/MR/F/17/01

TEST REPORT

AMBIENT NOISE LEVEL MONITORING

ULR Code : TC894423000002365F

Sample Code : TE-TLD/2023/03/0838 to 0841	Date of Sampling	17-03-2023
Name of the Organisation :	Date of Receipt	18-03-2023
M/s. CIPLA LIMITED.,	Date of Data Download	20-03-2023
Plot No. 285, 286 & 287, KIADB IV Phase,	Date of Download Completed	20-03-2023
Bommasandra-Jigani Link Road,	Date of Report	27-03-2023
Bommasandra Industrial Area, Bangalore-560105.	Report Number	2023/02593
Sample Particulars : Noise Level Monitoring	Sample Collected By	Lab Representative
Particulars of the Instrument Used		
SI No	Type	Make
1	(SLM 100)	Envirotech
Calibration Details		
Instrument SI No	Date	Due Date on
360-DTJ-2017	07-05-2022	06-05-2023

RESULTS (Night Time)


S. NO	SOURCE OF COLLECTION	Time Frequency	Protocol	MIN LEVEL dB(A) Lmin	MAX LEVEL dB(A) Lmax	AVERAGE LEVEL dB(A) Leq	STANDARDS
1	Near Security Main Gate	11:05pm to 11:19pm	IS-9989-1981 (Reaffirmed 2014)	55.4	64.6	60.0	70.0 dB (A) Night Time
2	Near ETP area	11:35pm to 11:49pm		53.2	62.3	57.8	
3	Near Boiler area	12:05am to 12:19am		54.1	64.8	59.5	
4	Near Scrap Yard	12:30am to 12:44am		50.7	61.0	55.9	

INFERENCE	As Per Standards, Report Status:- The above tested results are with in the limits.
-----------	---

Note

1. Day time is reckoned between 6 a.m to 10 p.m
2. Night time is reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured.

Checked
H
17.04.2023



Authorized Signatory (Chemical)
(Meghashree M)
Technical Manager

End of the Report

- Terms and Conditions: -
1. The laboratory is responsible for all the information provided in the report, except when the information is provided by the customer.
 2. When the information is supplied by the customer & that can affect the validity of results,
 3. Laboratory is not responsible for the sampling stage if sample has been provided by the customer.
 4. Samples will be stored for a period of 15 days from the date of issue of report except the Microbiological samples.
 5. The report shall not be reproduced without the written approval of the laboratory.
 6. This test report is subjected to Indian jurisdiction only.





TEJUS ENTERPRISES

Testing Laboratory Division

Recognised under the E (P) Act 1986 by CPCB (MoEF & CC) Govt. of India

ISO 45001:2018 & ISO 9001:2015 Certified Laboratory

#2, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: tejus372@gmail.com, infotejuslab@gmail.com



TC-8944

TE-TLD/MR/F/17/01

TEST REPORT

AMBIENT NOISE LEVEL MONITORING

ULR Code : TC894423000001336F

Sample Code : TE-TLD/2023/02/0587 to 0590			Date of Sampling		15-02-2023
Name of the Organisation : M/s. CIPLA LIMITED., Plot No. 285, 286 & 287, KIADB IV Phase, Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.			Date of Receipt		15-02-2023
			Date of Data Download		16-02-2023
			Date of Download Completed		16-02-2023
			Date of Report		22-02-2023
			Report Number		2023/01470
Sample Particulars : Noise Level Monitoring			Sample Collected By		Lab Representative
Particulars of the Instrument Used			Calibration Details		
SI No	Type	Make	Instrument SI No	Date	Due Date on
1	(SLM 100)	Envirotech	360-DTJ-2017	07-05-2022	06-05-2023


RESULTS (Day Time)

S. NO	SOURCE OF COLLECTION	Time Frequency	Protocol	MIN LEVEL dB(A) Lmin	MAX LEVEL dB(A) Lmax	AVERAGE LEVEL dB(A) Leq	STANDARDS
1	Near Security Main Gate	10:14am to 10:28am	IS-9989-1981 (Reaffirmed 2014)	63.9	73.1	68.5	75.0 dB (A) Day Time
2	Near ETP area	10:35am to 10:49am		62.2	72.0	67.1	
3	Near Boiler area	11:00am to 11:14am		64.3	74.7	69.5	
4	Near Scrap Yard	11:20am to 11:34am		61.8	71.0	66.4	

INFERENCE	As Per Standards, Report Status:- The above tested results are with in the limits.
-----------	---

Note

1. Day time is reckoned between 6 a.m to 10 p.m
2. Night time is reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured.



M. Hashree
Authorized Signatory (Chemical)
(Meghashree M)
Technical Manager

End of the Report

Terms and Conditions: - 1. The laboratory is responsible for all the information provided in the report, except when the information is provided by the customer.
2. When the information is supplied by the customer & that can affect the validity of results,
3. Laboratory is not responsible for the sampling stage if sample has been provided by the customer.
4. Samples will be stored for a period of 15 days from the date of issue of report except the Microbiological samples.
5. The report shall not be reproduced without the written approval of the laboratory.
6. This test report is subjected to Indian jurisdiction only.





TEJUS ENTERPRISES

Testing Laboratory Division

Recognised under the E (P) Act 1986 by CPCB (MoEF & CC) Govt. of India

ISO 45001:2018 & ISO 9001:2015 Certified Laboratory

#2, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: tejus372@gmail.com, infotejuslab@gmail.com



TC-8944

TE-TLD/MR/F/17/01

TEST REPORT

AMBIENT NOISE LEVEL MONITORING

ULR Code : TC894423000001337F

Sample Code : TE-TLD/2023/02/0591 to 0594			Date of Sampling		15-02-2023
Name of the Organisation : M/s. CIPLA LIMITED., Plot No. 285, 286 & 287, KIADB IV Phase, Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.			Date of Receipt		16-02-2023
			Date of Data Download		17-02-2023
			Date of Download Completed		17-02-2023
			Date of Report		22-02-2023
			Report Number		2023/01471
Sample Particulars : Noise Level Monitoring			Sample Collected By		Lab Representative
Particulars of the Instrument Used			Calibration Details		
SI No	Type	Make	Instrument SI No	Date	Due Date on
1	(SLM 100)	Envirotech	360-DTJ-2017	07-05-2022	06-05-2023


RESULTS (Night Time)

S. NO	SOURCE OF COLLECTION	Time Frequency	Protocol	MIN LEVEL dB(A) Lmin	MAX LEVEL dB(A) Lmax	AVERAGE LEVEL dB(A) Leq	STANDARDS
1	Near Security Main Gate	10:10pm to 10:24pm	IS-9989-1981 (Reaffirmed 2014)	56.2	67.4	61.8	70.0 dB (A) Night Time
2	Near ETP area	10:35pm to 10:49pm		55.4	64.6	60.0	
3	Near Boiler area	11:05pm to 11:19pm		55.5	66.7	61.1	
4	Near Scrap Yard	11:35pm to 11:49pm		51.3	61.5	56.4	

INFERENCE	As Per Standards, Report Status:- The above tested results are with in the limits.
-----------	---

Note

1. Day time is reckoned between 6 a.m to 10 p.m
2. Night time is reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured.



Authorized Signatory (Chemical)
(Meghashree M)
Technical Manager

****End of the Report****

Terms and Conditions: - 1. The laboratory is responsible for all the information provided in the report, except when the information is provided by the customer.
2. When the information is supplied by the customer & that can affect the validity of results,
3. Laboratory is not responsible for the sampling stage if sample has been provided by the customer.
4. Samples will be stored for a period of 15 days from the date of issue of report except the Microbiological samples.
5. The report shall not be reproduced without the written approval of the laboratory.
6. This test report is subjected to Indian jurisdiction only.





TEJUS ENTERPRISES

Testing Laboratory Division

Recognised under the E (P) Act 1986 by CPCB (MoEF & CC) Govt. of India

ISO 45001:2018 & ISO 9001:2015 Certified Laboratory

#2, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: tejus372@gmail.com, infotejuslab@gmail.com



TC-8944

TE-TLD/MR/F/17/01

TEST REPORT

AMBIENT NOISE LEVEL MONITORING

ULR Code : TC894423000000677F

ULR Code : TC894423000000677

Sample Code : TE-TLD/2023/01/0803 to 0806			Date of Sampling		24-01-2023
Name of the Organisation : M/s. CIPLA LIMITED., Plot No. 285, 286 & 287, KIADB IV Phase, Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.			Date of Receipt		24-01-2023
			Date of Data Download		25-01-2023
			Date of Download Completed		25-01-2023
			Date of Report		31-01-2023
			Report Number		2023/00727
Sample Particulars : Noise Level Monitoring			Sample Collected By		Lab Representative
Particulars of the Instrument Used			Calibration Details		
SI No	Type	Make	Instrument SI No	Date	Due Date on
1	(SLM 100)	Envirotech	360-DTJ-2017	07-05-2022	06-05-2023

RESULTS (Day Time)

S. NO	SOURCE OF COLLECTION	Time Frequency	Protocol	MIN LEVEL dB(A) Lmin	MAX LEVEL dB(A) Lmax	AVERAGE LEVEL dB(A) Leq	STANDARDS
1	Near Security Main Gate	10:04am to 10:18am	IS-9989-1981 (Reaffirmed 2014)	65.2	74.7	70.0	75.0 dB (A) Day Time
2	Near ETP area	10:25am to 10:39am		63.6	74.0	68.8	
3	Near Boiler area	10:50am to 11:04am		65.8	75.3	70.6	
4	Near Scrap Yard	11:10am to 11:24am		62.2	72.0	67.1	

INFERENCE	As Per Standards, Report Status:- The above tested results are with in the limits.
-----------	---

Note

1. Day time is reckoned between 6 a.m to 10 p.m
2. Night time is reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured.



Authorized Signatory (Chemical)
(Meghashree M)
Technical Manager

****End of the Report****

- Terms and Conditions:**
1. The laboratory is responsible for all the information provided in the report, except when the information is provided by the customer.
 2. When the information is supplied by the customer & that can affect the validity of results,
 3. Laboratory is not responsible for the sampling stage if sample has been provided by the customer.
 4. Samples will be stored for a period of 15 days from the date of issue of report except the Microbiological samples.
 5. The report shall not be reproduced without the written approval of the laboratory.
 6. This test report is subjected to Indian jurisdiction only.





TEJUS ENTERPRISES

Testing Laboratory Division

Recognised under the E (P) Act 1986 by CPCB (MoEF & CC) Govt. of India
ISO 45001:2018 & ISO 9001:2015 Certified Laboratory

#2, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110

Tel: 080 29560080, Email: tejus372@gmail.com, infotejuslab@gmail.com



TC-8944

TE-TLD/MR/F/17/01

TEST REPORT

AMBIENT NOISE LEVEL MONITORING

ULR Code : TC894423000000678F

Sample Code : TE-TLD/2023/01/0807 to 0810			Date of Sampling		24-01-2023
Name of the Organisation : M/s. CIPLA LIMITED., Plot No. 285, 286 & 287, KIADB IV Phase, Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.			Date of Receipt		25-01-2023
			Date of Data Download		27-01-2023
			Date of Download Completed		27-01-2023
			Date of Report		31-01-2023
			Report Number		2023/00728
Sample Particulars : Noise Level Monitoring			Sample Collected By		Lab Representative
Particulars of the Instrument Used			Calibration Details		
Sl No	Type	Make	Instrument Sl No	Date	Due Date on
1	(SLM 100)	Envirotech	360-DTJ-2017	07-05-2022	06-05-2023


RESULTS (Night Time)

S. NO	SOURCE OF COLLECTION	Time Frequency	Protocol	MIN LEVEL dB(A) Lmin	MAX LEVEL dB(A) Lmax	AVERAGE LEVEL dB(A) Leq	STANDARDS
1	Near Security Main Gate	10:50pm to 11:04pm	IS-9989-1981 (Reaffirmed 2014)	56.8	67.1	62.0	70.0 dB (A) Night Time
2	Near ETP area	11:15pm to 11:29pm		56.6	66.8	61.7	
3	Near Boiler area	11:35pm to 11:49pm		58.2	68.4	63.3	
4	Near Scrap Yard	12:05am to 12:19am		54.5	63.0	58.8	

INFERENCE	As Per Standards, Report Status:- The above tested results are with in the limits.
-----------	---

Note

1. Day time is reckoned between 6 a.m to 10 p.m
2. Night time is reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured.



Authorized Signatory (Chemical)
(Meghashree M)
Technical Manager

****End of the Report****

- Terms and Conditions:**
1. The laboratory is responsible for all the information provided in the report, except when the information is provided by the customer.
 2. When the information is supplied by the customer & that can affect the validity of results,
 3. Laboratory is not responsible for the sampling stage if sample has been provided by the customer.
 4. Samples will be stored for a period of 15 days from the date of issue of report except the Microbiological samples.
 5. The report shall not be reproduced without the written approval of the laboratory.
 6. This test report is subjected to Indian jurisdiction only.





TEJUS ENTERPRISES

(Testing Laboratory Division)

CPCB Recognized Environmental Laboratory Under E (P) Act 1986.

#2, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110.

Tel: 080 29560080, Email: infotejuslab@gmail.com, tejus372@gmail.com



TC-8944

TE-TLD/MR/F/17/01

TEST REPORT

AMBIENT NOISE LEVEL MONITORING

ULR Code : TC894422000002399F

Sample Code : TE-TLD/2022/12/767 to 770	Date of Sampling	26-12-2022
Name of the Organisation :	Date of Receipt	26-12-2022
M/s. CIPLA LIMITED.,	Date of Data Download	27-12-2022
Plot No. 285, 286 & 287, KIADB IV Phase,	Date of Download Completed	27-12-2022
Bommasandra-Jigani Link Road,	Date of Report	31-12-2022
Bommasandra Industrial Area, Bangalore-560105.	Report Number	2022/2472
Sample Particulars : Noise Level Monitoring	Sample Collected By	Lab Representative
Particulars of the Instrument Used		
SI No	Type	Make
1	(SLM 100)	Envirotech
Calibration Details		
Instrument SI No	Date	Due Date on
360-DTJ-2017	07-05-2022	06-05-2023

RESULTS (Day Time)

S. NO	SOURCE OF COLLECTION	Time Frequency	Protocol	MIN LEVEL dB(A) Leq	MAX LEVEL dB(A) Leq	AVERAGE LEVEL dB(A) Leq	STANDARDS
1	Near Security Main Gate	10:54am to 11:08am	IS-9989-1981 (Reaffirmed 2014)	63.7	73.5	68.6	75.0 dB (A) Day Time
2	Near ETP area	11:15am to 11:29am		63.1	73.0	68.1	
3	Near Boiler area	11:40am to 11:54am		65.0	74.5	69.8	
4	Near Scrap Yard	12:00Pm to 12:14pm		61.8	71.6	66.7	

INFERENCE	As Per Standards, Report Status:- The above tested results are with in the limits.
-----------	---

Note

1. Day time is reckoned between 6 a.m to 10 p.m
2. Night time is reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured.



Authorized Signatory (Chemical)
(Meghashree M)
Technical Manager

End of the Report

Terms and Conditions: - 1. The laboratory is responsible for all the information provided in the report, except when the information is provided by the customer.
2. When the information is supplied by the customer & that can affect the validity of results,
3. Laboratory is not responsible for the sampling stage if sample has been provided by the customer.
4. Samples will be stored for a period of 15 days from the date of issue of report except the Microbiological samples.
5. The report shall not be reproduced without the written approval of the laboratory.
6. This test report is subjected to Indian jurisdiction only.





TEJUS ENTERPRISES

(Testing Laboratory Division)

CPCB Recognized Environmental Laboratory Under E (P) Act 1986.

#2, Prasannahalli Road, Near Horticulture Dept., Akkupete, Devanahalli, Bengaluru Rural Dist.-562110.

Tel: 080 29560080, Email: infotejuslab@gmail.com, tejus372@gmail.com



TC-8944

TE-TLD/MR/F/17/01

TEST REPORT

AMBIENT NOISE LEVEL MONITORING

ULR Code : TC894422000002400F

Sample Code : TE-TLD/2022/12/771 to 774	Date of Sampling	26-12-2022
Name of the Organisation :	Date of Receipt	27-12-2022
M/s. CIPLA LIMITED.,	Date of Data Download	28-12-2022
Plot No. 285, 286 & 287, KIADB IV Phase,	Date of Download Completed	28-12-2022
Bommasandra-Jigani Link Road,	Date of Report	31-12-2022
Bommasandra Industrial Area, Bangalore-560105.	Report Number	2022/2473
Sample Particulars : Noise Level Monitoring	Sample Collected By	Lab Representative
Particulars of the Instrument Used		
SI No	Type	Make
1	(SLM 100)	Envirotech
Calibration Details		
Instrument SI No	Date	Due Date on
360-DTJ-2017	07-05-2022	06-05-2023

RESULTS (Night Time)

S. NO	SOURCE OF COLLECTION	Time Frequency	Protocol	MIN LEVEL dB(A) Leq	MAX LEVEL dB(A) Leq	AVERAGE LEVEL dB(A) Leq	STANDARDS
1	Near Security Main Gate	10:26pm to 10:40pm	IS-9989-1981 (Reaffirmed 2014)	56.0	66.5	61.3	70.0 dB (A) Night Time
2	Near ETP area	10:50pm to 11:04pm		55.8	65.9	60.9	
3	Near Boiler area	11:15pm to 11:29pm		57.0	67.2	62.1	
4	Near Scrap Yard	11:35pm to 11:49pm		53.1	62.4	57.8	

INFERENCE	As Per Standards, Report Status:- The above tested results are with in the limits.
-----------	---

Note

1. Day time is reckoned between 6 a.m to 10 p.m
2. Night time is reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured.



Authorized Signatory (Chemical)
(Meghashree M)
Technical Manager

End of the Report

Terms and Conditions: - 1. The laboratory is responsible for all the information provided in the report, except when the information is provided by the customer.

2. When the information is supplied by the customer & that can affect the validity of results,

3. Laboratory is not responsible for the sampling stage if sample has been provided by the customer.

4. Samples will be stored for a period of 15 days from the date of issue of report except the Microbiological samples.

5. The report shall not be reproduced without the written approval of the laboratory.

6. This test report is subjected to Indian jurisdiction only.





TEJUS ENTERPRISES

(Testing Laboratory Division)

#2, Prasannahalli Road, Near Horticulture Dept., Akkupete,
Devanahalli, Bengaluru Rural Dist – 562 110, office: 080-29560080,
E-mail: infotejuslab@gmail.com, tejus372@gmail.com, tejuslabs@gmail.com



TC-8944

TE-TLD/MR/F/17/01

TEST REPORT

AMBIENT NOISE LEVEL MONITORING

Sample Code : TE-TLD/2022/11/421 to 424	Date of Sampling	ULR Code : TC894422000001490F
Name of the Organisation :	Date of Receipt	16-11-2022
M/s. CIPLA LIMITED.,	Date of Data Download	16-11-2022
Plot No. 285, 286 & 287, KIADB IV Phase,	Date of Download Completed	17-11-2022
Bommasandra-Jigani Link Road,	Date of Report	17-11-2022
Bommasandra Industrial Area, Bangalore-560105.	Report Number	22-11-2022
Sample Particulars : Noise Level Monitoring	Sample Collected By	2022/1495
	Lab Representative	

Particulars of the Instrument Used			Calibration Details		
Sl No	Type	Make	Instrument Sl No	Date	Due Date on
1	(SLM 100)	Envirotech	360-DTJ-2017	07-05-2022	06-05-2023

RESULTS (Day Time)

S. NO	SOURCE OF COLLECTION	Time Frequency	Protocol	MIN LEVEL dB(A) Leq	MAX LEVEL dB(A) Leq	AVERAGE LEVEL dB(A) Leq	STANDARDS
1	Near Security Main Gate	10:54am to 11:08am	IS-9989-1981 (Reaffirmed 2014)	63.1	72.9	68.0	75.0 dB (A) Day Time
2	Near ETP area	11:15am to 11:29am		62.8	72.4	67.6	
3	Near Boiler area	11:40am to 11:54am		64.2	73.6	68.9	
4	Near Scrap Yard	12:00Pm to 12:14pm		61.1	70.9	66.0	

INFERENCE	As Per Standards, Report Status:- The above tested results are with in the limits.
-----------	---

Note

1. Day time is reckoned between 6 a.m to 10 p.m
2. Night time is reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured.

Terms and Conditions

1. The Laboratory is responsible for all the information provided in the report, except when the information is provided by the customer.
2. When the information is supplied by the customer & that can affect the validity of results.
3. Laboratory is not responsible for the sampling stage if sample has been provided by the customer.
4. Samples will be stored for a period of 15 days from the date of issue of report except the Microbiological samples.
5. The report shall not be reproduced without the written approval of the laboratory.
6. This test report is subjected to Indian jurisdiction only.

End of the Report



Authorized Signatory (Chemical)
(Meghashree M)
Technical Manager





TEJUS ENTERPRISES

(Testing Laboratory Division)

#2, Prasannahalli Road, Near Horticulture Dept., Akkupete,
Devanahalli, Bengaluru Rural Dist – 562 110, office: 080-29560080,
E-mail: infotejuslab@gmail.com, tejus372@gmail.com, tejuslabs@gmail.com



TC-8944

TE-TLD/MR/F/17/01

TEST REPORT

AMBIENT NOISE LEVEL MONITORING

ULR Code : TC894422000001491F

Sample Code : TE-TLD/2022/11/425 to 428	Date of Sampling	16-11-2022
Name of the Organisation :	Date of Receipt	17-11-2022
M/s. CIPLA LIMITED.,	Date of Data Download	18-11-2022
Plot No. 285, 286 & 287, KIADB IV Phase,	Date of Download Completed	18-11-2022
Bommasandra-Jigani Link Road,	Date of Report	22-11-2022
Bommasandra Industrial Area, Bangalore-560105.	Report Number	2022/1496
Sample Particulars : Noise Level Monitoring	Sample Collected By	Lab Representative

Particulars of the Instrument Used			Calibration Details		
SI No	Type	Make	Instrument SI No	Date	Due Date on
1	(SLM 100)	Envirotech	360-DTJ-2017	07-05-2022	06-05-2023

RESULTS (Night Time)

S. NO	SOURCE OF COLLECTION	Time Frequency	Protocol	MIN LEVEL dB(A) Leq	MAX LEVEL dB(A) Leq	AVERAGE LEVEL dB(A) Leq	STANDARDS
1	Near Security Main Gate	10:26pm to 10:40pm	IS-9989-1981 (Reaffirmed 2014)	55.5	67.3	61.4	70.0 dB (A) Night Time
2	Near ETP area	10:50pm to 11:04pm		55.0	66.8	60.9	
3	Near Boiler area	11:15pm to 11:29pm		56.4	67.8	62.1	
4	Near Scrap Yard	11:35pm to 11:49pm		52.2	61.6	56.9	

INFERENCE	As Per Standards, Report Status:- The above tested results are with in the limits.
-----------	---

Note

1. Day time is reckoned between 6 a.m to 10 p.m
2. Night time is reckoned between 10 p.m to 6 a.m
3. A "decibel" is a unit in which noise is measured.

Terms and Conditions

1. The Laboratory is responsible for all the information provided in the report, except when the information is provided by the customer.
2. When the information is supplied by the customer & that can affect the validity of results.
3. Laboratory is not responsible for the sampling stage if sample has been provided by the customer.
4. Samples will be stored for a period of 15 days from the date of issue of report except the Microbiological samples.
5. The report shall not be reproduced without the written approval of the laboratory.
6. This test report is subjected to Indian jurisdiction only.

End of the Report



Authorized Signatory (Chemical)
(Meghashree M)
Technical Manager





TEJUS ENTERPRISES

(Testing Laboratory Division)



#2, Prasannahalli Road, Near Horticulture Dept., Akkupete,
Devanahalli, Bengaluru Rural Dist – 562 110, office: 080-29560080,
E-mail: infotejuslab@gmail.com, tejus372@gmail.com, tejuslabs@gmail.com

TC-8944

TE-TLD/MR/F/17/01

TEST REPORT

AMBIENT NOISE LEVEL MONITORING


Sample Code : TE-TLD/2022/10/313 to 316			URL Code : TC894422000000888F		
Name of the Organisation : M/s. CIPLA LIMITED., Plot No. 285, 286 & 287, KIADB IV Phase, Bommasandra-Jigani Link Road, Bommasandra Industrial Area, Bangalore-560105.			Date of Sampling		15-10-2022
			Date of Receipt		15-10-2022
			Date of Data Download		17-10-2022
			Date of Download Completed		17-10-2022
			Date of Report		21-10-2022
			Report Number		2022/0892
Sample Particulars : Noise Level Monitoring			Sample Collected By		Lab Representative
Particulars of the Instrument Used			Calibration Details		
SI No	Type	Make	Instrument SI No	Date	Due Date on
1	(SLM 100)	Envirotech	360-DTJ-2017	07-05-2022	06-05-2023

RESULTS (Day Time)

S. NO	SOURCE OF COLLECTION	Time Frequency	Protocol	MIN LEVEL dB(A) Leq	MAX LEVEL dB(A) Leq	AVERAGE LEVEL dB(A) Leq	STANDARDS
1	Near Security Main Gate	10:30am to 10:44am	IS-9989-1981 (Reaffirmed 2014)	62.9	72.3	67.6	75.0 dB (A) Day Time
2	Near ETP area	10:54am to 11:08am		64.4	74.2	69.3	
3	Near Boiler area	11:15am to 11:29am		65.1	74.7	69.9	
4	Near Scrap Yard	11:40am to 11:54am		60.9	70.3	65.6	

INFERENCE	As Per Standards, Report Status:- The above tested results are with in the limits.
-----------	---

End of the Report



Meghashree M
AUTHORISED SIGNATORY
(MEGHASHREE M)
Technical Manager

- Note 1. The results refer only to the tested samples and applicable Parameters
2. This report not to be reproduced wholly or in part & Cannot be used as an evidence in the Court of Law
3. Samples will be stored for a period of 15 Days on receipt. Gaseous samples, Food samples and Microbiology samples will be discarded after analysis
4. Tejus Enterprises does not hold any responsibility for variation in test results for samples kept on hold for want of clarification
5. Values are Measured in dB (A) Leq





TEJUS ENTERPRISES

(Testing Laboratory Division)



#2, Prasannahalli Road, Near Horticulture Dept., Akkupete,
Devanahalli, Bengaluru Rural Dist – 562 110, office: 080-29560080,
E-mail: infotejuslab@gmail.com, tejus372@gmail.com, tejuslabs@gmail.com

TC-8944

TE-TLD/MR/F/17/01

TEST REPORT

AMBIENT NOISE LEVEL MONITORING

URL Code : TC894422000000889F

Sample Code : TE-TLD/2022/10/317 to 320	Date of Sampling	15-10-2022
Name of the Organisation :	Date of Receipt	16-10-2022
M/s. CIPLA LIMITED.,	Date of Data Download	17-10-2022
Plot No. 285, 286 & 287, KIADB IV Phase,	Date of Download Completed	17-10-2022
Bommasandra-Jigani Link Road,	Date of Report	21-10-2022
Bommasandra Industrial Area, Bangalore-560105.	Report Number	2022/0893
Sample Particulars : Noise Level Monitoring	Sample Collected By	Lab Representative

Particulars of the Instrument Used			Calibration Details		
SI No	Type	Make	Instrument SI No	Date	Due Date on
1	(SLM 100)	Envirotech	360-DTJ-2017	07-05-2022	06-05-2023

RESULTS (Night Time)

S. NO	SOURCE OF COLLECTION	Time Frequency	Protocol	MIN LEVEL dB(A) Leq	MAX LEVEL dB(A) Leq	AVERAGE LEVEL dB(A) Leq	STANDARDS
1	Near Security Main Gate	10:16pm to 10:30pm	IS-9989-1981 (Reaffirmed 2014)	54.4	66.2	60.3	70.0 dB (A) Night Time
2	Near ETP area	10:40pm to 10:54pm		56.1	67.9	62.0	
3	Near Boiler area	11:05pm to 11:19pm		58.6	69.2	63.9	
4	Near Scrap Yard	11:25pm to 11:39pm		55.5	65.0	60.3	

INFERENCE	As Per Standards, Report Status:- The above tested results are with in the limits.
-----------	---

End of the Report



AUTHORISED SIGNATORY
(MEGHA SHREE M)
Technical Manager

- Note 1. The results refer only to the tested samples and applicable Parameters
2. This report not to be reproduced wholly or in part & Cannot be used as an evidence in the Court of Law
3. Samples will be stored for a period of 15 Days on receipt. Gaseous samples, Food samples and Microbiology samples will be discarded after analysis
4. Tejus Enterprises does not hold any responsibility for variation in test results for samples kept on hold for want of clarification
5. Values are Measured in dB (A) Leq

1 of 1



No: CIP/PCB/2021/06/04

Date: 04.06.2021

To

The Chief officer

Jigani-Town Municipal Council

Jigani-Anekal taluk

Bangalore-560105

Respected Sir

Sub: intimation of Environmental clearance (EC) By MOEF to Cipla Bommasandra.


With reference to the above subject we are glade to inform u that, we have received environmental clearance of change product mix of the unit was accorded by MOEF impact assessment division on 22 April 2020 vide letter No:F.No J-11011/382/2019-IA-II (I)] subsequently amendment letter is received on 9th December 2020. environmental clearance copy attached with same letter. this is for kind perusal.

Kindly acknowledge the receipt of the same.

Thanking you

Sincerely Yours

For Cipla Limited


Pradeep Gupta
(Site Head)



Cipla Ltd.

100% EOU, Plot No. 285, 286 & 287, Bommasandra-Jigani Link Road Industrial Area, KIADB 4th Phase, Jigani Post, Bangalore - 560 105.
P +91 80 22059200 F +91 80 22059220 E-Mail adminbms@cipla.com

Regd. Office - Cipla House, Peninsula Business Park, Ganpatrao Kadam Marg, Lower Parel, Mumbai 400013, India

P +91 22 24826000 F +91 22 24826120 W www.cipla.com E-Mail contactus@cipla.com Corporate Identity Number L24239MH19355P



ANNEXURE - VI

EC Advertisement in English News Paper (DECCAN HERALD) and
Kannada Paper (PRAJA VANI). Dated. 03.06.2021

DECCAN HERALD
Thursday
June 3, 2021

STATE

→ See pages 7, 8, 9 for more
Karnataka stories

3

NOTICE

Environmental clearance for the change in product mix of the unit was accorded by MOEF, Impact Assessment Division on 22nd April 2020, vide letter no. F.No.-J-11011/382/2019-IA-II(I)] subsequently amendment letter received on 9th December-2020 to CIPLA LIMITED, Bommasandra-560105 and can be seen in website www.environmentclearance.nic.in.

ಗುರುವಾರ, ಜೂನ್ 3, 2021 | ಬೆಂಗಳೂರು | ₹ 6.00 | ಸಂಪುಟ 74 | ಸಂಚಿಕೆ 154 | ಪುಟ 12 + 2


www.prajavani.net

f /prajavani.net @prajavani /prajavani http://bit.ly/Prajavani

ಪ್ರಜಾವಾಣಿ

ಅತ್ಯಂತ ವಿಶ್ವಾಸ್‌ನೀಯ ಕನ್ನಡ ದಿನಪತ್ರಿಕೆ

ಸ್ಪರ್ಧಾ ವಾಣಿ
ಪೊಲೀಸ್‌ ಟಾನ್‌-ಸ್ಟೇಬಲ್
ಹುದ್ದೆಯ ಸೇವಕರಿಗೆ ಅರ್ಜಿ
ಆಹ್ವಾನಿಸಲಾಗಿದ್ದು, ಮೊದಲ ಬಾರಿ
ಅರ್ಜಿ ಸಲ್ಲಿಸಿದವರು ಪ್ರಶಸ್ತಿಪತ್ರಕ್ಕೆ
ಬಗ್ಗೆ ತಿಳಿದುಕೊಂಡಿರುವುದು ಅವಶ್ಯ.



ಅಳ-ಅಗಲ
ಸಾಮಾಜಿಕ ಮಾಧ್ಯಮಗಳಿಗೆ
ಮುಖಾಂತರ

'ರೆವೆನ್ಯೂ' ಕೆರೆಗಳಿಗೆ ಮಾತ್ರ 10

ಸೆಪ್ಟೆಂಬರ್

ನಿಧಿ

₹/ಸ

ಕೋವಿಡ್ ತಡೆಗೆ ಪೋಲಿಯೋ ಲಸಿಕೆ! 4

51,849

15,576

73.09

ಪ್ರಕಟಣೆ

ಪರಿಸರ ಕ್ಷಯವನ್ನು ಅನ್ನು ಘಟಕದ ಉತ್ಪನ್ನ ಮಿಶ್ರಣದಲ್ಲಿನ ಬದಲಾವಣೆಗೆ ಏಪ್ರಿಲ್ 22, 2020 ರಂದು ಇಂಪ್ಯಾಕ್ಟ್ ಅಸೆಸ್‌ಮೆಂಟ್ ವಿಭಾಗದ ಎಂಐಇಎಫ್. ವೈಡ್ ಲೆಟರ್ ನಂ 11011/382/2019 ತರುವಾಯ ತಿದ್ದುಪಡಿ ಪತ್ರವನ್ನು ಡಿಸೆಂಬರ್ 9 2020 ರಂದು ಸಿಪ್ಲಾ ಲಿಮಿಟೆಡ್, ಬೊಮ್ಮಸಂದ್ರ 560105 ಅನುಮೋದಿಸಿದೆ ಮತ್ತು ಇದನ್ನು ವೆಬ್ ಸೈಟ್ www.environmentclearance.nic.in ನಲ್ಲಿ ನೋಡಬಹುದು

